(19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 3 June 2004 (03.06.2004)

PCT

(10) International Publication Number WO 2004/046376 A2

(51) International Patent Classification⁷: C12Q 1/68, C12N 15/12, C07K 14/47, 16/18, G01N 33/68, A61K 31/712, 31/713, 39/00

(21) International Application Number:

PCT/DK2003/000794

(22) International Filing Date:

19 November 2003 (19.11.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:
PA 2002 01792 19 November 2002 (19.11.2002) Dk

- (71) Applicants (for all designated States except US):
 H:S RIGSHOSPITALET [DK/DK]; Blegdamsvej 9,
 DK-2100 Copenhagen Ø (DK). ÅRHUS UNIVERSITET [DK/DK]; Ndr. Ringgade 1, DK-8000 Århus C (DK).
 - (72) Inventors; and
 - (75) Inventors/Applicants (for US only): HERTZ, Anne, Mette, Buhl [DK/DK]; Gl. Byvcj 17, DK-2979 Hørsholm

(DK). LEFFERS, Henrik [DK/DK]; Skt. Hans Gade 28, st., DK-2200 Copenhagen N (DK). KJEMS, Jørgen [DK/DK]; Solbakken 15, DK-8240 Risskov (DK).

- (74) Agent: PLOUGMANN & VINGTOFT A/S; Sundkrogs-gade 9, Post Office Box 831, DK-2100 Copenhagen_Ø (DK).
- (81) Designated States (national): AE, AG, AL, AM, AT (utility model), AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ (utility model), CZ, DE (utility model), DE, DK (utility model), DK, DM, DZ, EC, EE (utility model), EE, EG, ES, FI (utility model), FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK (utility model), SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE,

[Continued on next page]

(54) Title: METHODS AND KITS FOR DIAGNOSING AND TREATING B-CELL CHRONIC LYMPHOCYTIC LEUKEMIA (B-CLL)



AMB1

Human IL4

(57) Abstract: The present invention relates to methods and kits for detecting several polynucleotide sequence found to be indicative of a poor prognosis of B-CLL. All the polynucleotides are transcribed from a region on human chromosome 12p21-22. Most of the polynucleotides do not encode larger polypeptides, but may encode small peptides, they may function as RNAs. Four polynucleotides encode a novel protein, which in one preferred embodiment can be used as a cytokine, preferably as an interleukin. Furthermore the invention relates to methods and compositions for treating B-CLL in particular poor prognosis B-CLL.

2004/046376 A2 |||||||||||

WO 2004/046376 A2



SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

10/535500 JC14 Rec'd PCT/PTO 18 MAY 2005

WO 2004/046376

PCT/DK2003/000794

Methods and kits for diagnosing and treating B-Cell Chronic Lymphocytic Leukemia (B-CLL)

All patent and non-patent references cited in the present application, are hereby incorporated by reference in their entirety.

5 Field of invention

The present invention relates to methods and kits for detecting several polynucleotide sequence found to be indicative of a poor prognosis of B-CLL. All the polynucleotides are transcribed from a region on human chromosome 12p21-22. Most of the polynucleotides do not encode larger polypeptides, but may encode small peptides, they may function as RNAs. Four polynucleotides encode a novel protein, which in one preferred embodiment can be used as a cytokine, preferably as an interleukin. Furthermore the invention relates to methods and compositions for treating B-CLL in particular poor prognosis B-CLL.

Background of invention

B-CLL is the most common form of leukaemia in Denmark, with more than 250 new cases 15 diagnosed every year. The disease results in accumulation of CD19+CD5+CD23+ lymphocytes in the blood, bone marrow and organs of the patients. B-CLL cells are longlived, slowly dividing and locked in the G_1 phase of the cell cycle. At this time it is unknown how or why B-CLL occurs and no cure is known for B-CLL. The application of more aggressive treatment strategies has been hampered by the inability to identify 20 reproducible and reliable prognostic predictors in patients with poor outcome in this disease. In many patients the diagnosis does not affect morbidity or mortality. Other patients suffer from an incurable cancer that inevitably results in death, regardless of treatment. Until recently this latter group of patients could not be identified at the time of diagnosis. Recently, two studies established the mutational status of immunoglobulin 25 variable region of the heavy chain (Ig V_H) genes in B-CLL as independent prognostic markers, within each clinical stage (Damle, et al. & Hamblin, et al.). Patients without somatic hypermutation show much shorter survival than patients with somatic hypermutation. FISH-studies of cytogenetic aberrations in B-CLL established specific abnormalities on chromosomes 11 (ATM), 12 (?), 13 (Leu-1 and-2) and 17 (p53) as 30 independent prognostic markers, within each clinical stage (Dohner, et al.). Very recent studies have demonstrated that independent risk prediction, using a combined analysis of Ig V_H gene mutational analysis and cytogenetics, can identify subgroups of B-CLL with median survivals ranging from less than 2.5 years to more than 15 years (Krober, et al., Lin, et al., & Oscier, et al.) (see Figure 1). Since the process of characterising the Ig VH 35 gene mutational status of an individual patient is cumbersome, it is desirable to provide easier tests based on diagnostic markers for use in the differential diagnosis of such cancer patients.

WO 2004/046376 PCT/DK2003/000794

2

Summary of invention

It is an object of preferred embodiments of the present invention to provide differentially expressed transcription products, which can be used as prognostic markers of disease and give information about the differences in etiology between different groups of B-CLL patients. These differentially expressed transcription products are genetic markers that can be used in an easy assay to distinguish between subgroups of B-CLL patients and especially identify B-CLL patients with a poor prognosis.

This method for diagnosing a subtype of B-cell chronic lymphocytic leukaemia (B-CLL)

10 comprises the steps of determining the presence or absence of at least one expression product such as a transcriptional product which comprise a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 in a biological sample isolated from a individual. As evidenced by the appended examples, the present inventors have

15 determined that the expression products of this invention are present in one subtype of B-CLL having poor prognosis and thus of great diagnostic value and independent prognostic value. Equally important, an expression product comprising a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 has not been found in any of the other tissue types tested (see e.g. Figure 8).

The vast majority of patients which show expression of the AMB-1 gene in form of at least one of the expression products selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 show unmutated Ig V(H) genes which is consistent with poor prognosis B-CLL. The presence of an expression product of the AMB-1 gene can be determined easily using standard laboratory procedures and equipment. Therefore the diagnostic method provided by the present inventors provides an easy method of diagnosis as compared to the determination of the mutation status of Ig V(H) genes and can furthermore give additional information about the prognosis.

Accordingly, a further object of preferred embodiments of the present invention is a method for determining the progress of B-CLL comprising determining the amount of at least one expression product which comprise a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 in a biological sample isolated from an individual. The method may be used e.g. for determining the efficiency of a treatment, i.e. to see whether the amount of the expression product decreases or increases in response to a curative treatment.

40

The expression products of the present invention are all transcripts of SEQ ID NO:1 and/or SEQ ID No:5, the gene of the present invention called AMB-1 which also encodes a novel polypeptide (SEQ ID NO:3).

WO 2004/046376

PCT/DK2003/000794

3

A further object of preferred embodiments of the present invention is to provide a cure and/or treatment of patients with B-CLL, in particular of patients with poor prognosis B-CLL such as the sub-type of B-CLL which is characterised by the presence of an expression product of the present invention.

5

The method for treating B-CLL comprises administering to an individual with a B-CLL diagnosis a compound capable of decreasing or inhibiting the formation of an expression product of SEQ ID NO:1 and/or SEQ ID NO:5. This expression product preferably comprises a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18. The present inventors believe that the presence of at least one of said expression products is an etiological factor in B-CLL and that the disease can be treated or cured by inhibiting the expression of at least one of such products and/or by inhibiting the effect of such product by e.g. rendering it inactive.

15

A further preferred object of embodiments of the present invention is to destroy or to eliminate the transcription of at least one expression product comprising at least one nucleotide sequence selected form the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 for the treatment of cancer, such as a poor prognosis sub-type of B-CLL.

The above destruction or elimination is obtained by applying polynucleotides or oligonucleotides in the form of small interfering RNA molecules (siRNA), antisense molecules or ribozymes.

25

In one aspect the invention relates to a gene therapy vector capable of inhibiting or decreasing the formation of an expression product of SEQ ID NO:1 and/or SEQ ID NO:5, said gene therapy vector preferably encoding a specific siRNA molecule, a specific antisense molecule or a specific ribozyme being capable of decreasing or inhibiting the formation of an expression product of SEQ ID NO:1 and/or SEQ ID NO:5. This gene therapy vector can be used for treating B-CLL based on the finding that the AMB-1 gene encoded by SEQ ID No:1 and/or SEQ ID No:5 is an etiological factor in B-CLL.

Both SEQ ID No 1 which is a 20,000 nucleotide long sequence and SEQ ID No 5 which is a 80,000 nucleotide long sequence provides several transcriptional products in B-CLL cells in patients with poor prognosis B-CLL. Some of the transcriptional products e.g. SEQ ID No 2 and SEQ ID No 4 consists of two exons (SEQ ID No: 15 and SEQ ID No: 16) separated by the same intron. Both mRNA sequences encode an open reading frame (SEQ ID No: 17) encoding a 121 amino acid peptide (SEQ ID No 3).

40

Accordingly, yet another object of preferred embodiments of the present invention relates to a novel class of polypeptides. These may be described as a group of isolated polypeptides or proteins comprising or essentially consisting of the amino acid sequence of SEQ ID No. 3, or a fragment thereof, or a polypeptide functionally equivalent to SEQ ID

No. 3, or a fragment thereof, wherein said fragment or functionally equivalent polypeptide has at least 60% sequence identity with the polypeptide of SEQ ID No 3. The polypeptides of the present invention may have interleukin or cytokine activity.

- 5 In a still further aspect the invention relates to an isolated polynucleotide selected from the group consisting of:
 - i) a polynucleotide comprising nucleotides of SEQ ID No 5,
- ii) a polynucleotide encoding a polypeptide having the amino acid sequence of SEQ ID No3,
 - iii) a polynucleotide, the complementary strand of which hybridises, under stringent conditions, with a polynucleotide as defined in any of i) and ii).
 - iv) a polynucleotide which is degenerate to the polynucleotide of iii), and
 - v) the complementary strand of any such polynucleotide.

15

The polypeptides encoded by the polynucleotides may furthermore

- a) have at least 60 % sequence identity with the amino acid sequence of SEQ ID No 3 and have interleukin or cytokine activity,
- b) be recognised by an antibody, or a binding fragment thereof, which is capable of
 recognising an epitope, wherein said epitope is comprised within a polypeptide having the amino acid sequence of SEQ ID No 3; and/or
 - be competing with a polypeptide having the amino acid sequence as shown in SEQ ID
 No 3 for binding to at least one predetermined binding partner such as a cytokine
 receptor.

25

One further therapeutic application of the present invention is a method of vaccination against B-CLL said method comprising immunising an individual against a translational product of SEQ ID No:1 and/or SEQ ID No:5. By stimulating the immune system of an individual to produce antibodies against the translational product the individual can become immune towards B-CLL and/or the method can be used as part of therapy. The state of the art describes various ways of immunising an individual against a particular protein.

Finally, the invention provides a method for determining an increased or decreased

35 predisposition for B-CLL comprising determining in a biological sample from an individual a germline alteration in a target nucleic acid sequence comprising 150,000 nucleotides, said target nucleic acid sequence comprising at least 10 nucleotides of SEQ ID No:1 and/or SEQ ID No:5. This aspect is based on the finding of the importance of the expression product of SEQ ID No:1 and/or SEQ ID No:5, and the absence of any detectable expression product of SEQ ID No:1 and/or SEQ ID No:5 in healthy tissue and in patients with good prognosis B-CLL. It is highly likely that the difference is caused by a germline alteration. A germline alteration can be targeted by gene therapy methods and by the methods provided in the present invention.

Description of Drawings

15

- Figure 1: Overall survival of B-CLL patients by genotype (all stages) The prognostic significance of V_H homology and cytogenetic aberrations is independent of clinical stage (from Kröber et al., 2002 (4)).
- 5 Figure 2 (a-d): Survival curves for survival or time to progression based on *AMB-1* expression or IgV_H mutational status respectively. Patients are newly diagnosed, untreated B-CLL patients (n=34).
- Figure 3: Northern blotting demonstrating the expression level of AMB-1 in various tissue samples using as a probe an 875 base pair fragment of Exon 3/Seq ID No:16. UPN 1, 4 and 7 are unmutated B-CLL patients, UPN 19, 9, 10, 13 and 21 are mutated B-CLL patients. Included are RNA samples from normal Colon, Spleen, Bone Marrow and PBL (peripheral blood lymphocytes) and RNA from the Ramos and Granta cell lines. Equal loading of lanes was confirmed by re-probing with an actin probe (results not shown).

Figure 4. Alignment of AMB1 with IL4 based on structurel similarity. IL4 is called d1iara in the alignment. The additional lines indicate the structural similarity.

Figure 5. A 3D search, where the peptide sequence has been searched for similarity to 20 known protein or peptide 3D-structures.

Figure 6. Predicted 3-D structure of AMB-1 compared to the known 3-D structure of human IL4. Prediction is performed using SEQ ID No:3 and the method described in: Enhanced Genome Annotation using Structural Profiles in the Program 3D-PSSM. Kelley LA,

MacCallum RM & Sternberg MJE (2000). J. Mol. Biol. 299(2), 499-520.

Figure 7. Alignment of the AMB1 peptide sequence with the sequences of IL4, IL3, IL13 and GM-CSF, based on their structures.

30 Figure 8. A table showing the tissue types on the MTE array used for dot blotting of AMB-1 to check for expression in other tissue types.

Figure 9. Schematic representation of the transcriptional products of the present invention compared to the genomic AMB1 sequence (1 & 5). 2 is mRNA short form (SEQ ID No 2). 4 is mRNA long form (SEQ ID No 4). 6 (SEQ ID No:6), 7 (SEQ ID No:7), 8 (SEQ ID No:8), 9 (SEQ ID No:9), 10 (SEQ ID No:10) and 11 (SEQ ID No:11) are alternative transcription products all comprising at least one nucleotide sequence selected form the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18.

Figure 10. RT-PCR demonstrating the expression of AMB-1 in B-CLL patients by RT-PCR. UPN1-UPN8 are unmutated patients, UPN9-UPN16 are mutated patients.

ŧ

Detailed description of the invention

The present invention in particular relates to polynucleotide sequences found to be indicative of a poor prognisis of B-CLL and new methods and compositions for treating B-CLL in particular poor prognosis of B-CLL. An overview of the sequences disclosed by the present invention is present here:

SEQ ID No:1 includes 20.000 bp human genome sequence, derived from BAC clone acc. no. AC063949. It includes the region encoding the mRNAs corresponding to the cDNAs described in Seq ID Nos:2, 4, 6, 7, 8, 9, 10, and 11 and possible up- and down-stream regulatory sequences. Seq ID No:1 includes a subset of the sequence described in Seq ID No:5. The sequence is derived from human 12q21-22.

SEQ ID No:2 includes a cDNA corresponding to a putative mRNA transcript that includes the region encoding the peptide sequence in Seq ID No:3 and up- and downstream regions. It is transcribed from the +strand of Seq ID No:1 and Seq ID No:5 from human 12q21-22. From position 2317, this sequence is identical to Seq ID No:4.

Seq ID No:3 contains a peptide sequence encoded by some mRNAs transcribed from the region on human chromosome 12q21-22 included in Seq ID No:1 and Seq ID No:5. It is encoded by the mRNA sequences identified as cDNAs in Seq ID Nos 02, 04, 09 and 11.

Seq ID No:4 includes a cDNA corresponding to a putative mRNA transcript that includes the region encoding the peptide sequence in Seq ID No:3 and up- and downstream regions. It is transcribed from the +strand of Seq ID No:1 and Seq ID No:5 from human 12q21-22.

Seq ID No:5 includes 80.000 bp human genome sequence, derived from BAC clone acc. no. AC063949. It is an expansion of the genomic sequence included in Seq ID No:1. which is contained within this sequence. It includes the region encoding the mRNAs
corresponding to the cDNAs described in Seq ID Nos 02, 04, 06, 07, 08, 09, 10 and 11 and possible up- and down-stream regulatory sequences. The sequence is derived from human 12q21-22.

Seq ID No:6 corresponds to a cDNA detected by cDNA cloning, corresponding to an mRNA transcript. It includes two exons. It is transcribed from the +strand of Seq ID No:1 and Seq ID No:5 from human 12q21-22.

Seq ID No:7 corresponds to a cDNA detected by cDNA cloning, corresponding to an mRNA transcript. It includes three exons, the first and third are identical to the two exons in Seq 40 ID No:6. It is transcribed from the +strand of Seq ID No:1 and Seq ID No:5.doc from human 12q21-22.

Seq ID No:8 corresponds to a cDNA detected by cDNA cloning, corresponding to an mRNA transcript. It includes two exons, the last is also present as exon-2 in a human cDNA clone

15

20

PCT/DK2003/000794 WO 2004/046376 7

(sequence acc. no. BC036936) (Seq ID No:9.doc). It is transcribed from the +strand of Seq ID No:5.doc from human 12q21-22.

- Seq ID No:9 corresponds to a human cDNA sequence (sequence acc. no. BC036936). It is 5 transcribed from the +strand Seq ID No:5 from 12q21-22. We have not cDNA cloned this cDNA, but a splice variant (Seq ID No:8), where exon-2 of this sequence was spliced to exon-1 of Seq ID No:6 was detected by cDNA cloning. It is transcribed from the +strand of Seq ID No:5 from human 12q21-22.
- 10 Seg ID No:10 corresponds to a cDNA detected partly by cDNA cloning, partly by PCR analysis, corresponding to an mRNA transcript. It includes two exons, exon-1 includes the region encoding Seq ID No:3 and exon-1 from Seq ID No:6; exon-2 is identical to exon-2 in Seq ID No:6 and exon-3 in Seq ID No:7. It is transcribed from the +strand of Seq ID No:1.doc and Seq ID No:5 from human 12q21-22.
 - Seq ID No:11 corresponds to a cDNA detected by cDNA cloning, corresponding to an mRNA transcript. It includes one exon. The sequence includes the the region that encodes Seq ID No:3, exons 2 and 3 from Seq ID No:7 and the region between those exons. It is transcribed from the +strand of Seq ID No:1 and Seq ID No:5 from human 12q21-22.
 - Seq ID No:12 Is an exon sequence. It corresponds to the first exon in Seq ID No: 9 It is transcribed from the +strand of Seq ID No:5 from human 12q21-22.
- Seq ID No:13 Is an exon sequence. It corresponds to the first exon in Seq ID No: 6, 7, 8, 25 and it is included in Seq ID No: 2. It is transcribed from the +strand of Seq ID No: 1 and 5 from human 12q21-22.
- Seq ID No:14 Is an exon sequence. It is identical to Seq ID No:13, but with an additional GT dinucleotide at the 3'end, caused by the use of an alternative splice site. It can replace 30 Seg ID No: 13 as the first exon in Seg ID No: 6, 7, 8, and be included in Seg ID No: 2. It is transcribed from the +strand of Seq ID No:1 and 5 from human 12q21-22.
- Seq ID No:15 Is an exon sequence. It corresponds to the second exon in Seq ID No:7 and it is included in Seq ID No: 2, 4, 10 and 11. It is transcribed from the +strand of Seq 35 ID No:1 and 5 from human 12q21-22.
 - Seq ID No:16 Is an exon sequence. It corresponds to the third exon in Seq ID No:7, it is the second exon in Seq ID No:6 and 11 and it is included in Seq ID No:2 and 4. It is transcribed from the +strand of Seq ID No:5 from human 12q21-22.
 - Seq ID No:17 Is the sequence encoding the peptide in Seq ID No: 3. It is included in Seq ID No:2, 4, 10 and 11. It is transcribed from the +strand of Seq ID No:5 from human 12q21-22.

Seq ID No:18 Is an exon sequence. It corresponds to the second exon in Seq ID No:8 and 9. It is transcribed from the +strand of Seq ID No:5 from human 12q21-22.

5 Methods of diagnosis

One important aspect of the present invention relates to diagnosis of a subtype of B-cell chronic lymphocytic leukaemia (B-CLL) having poor prognosis. A further important aspect of the invention relates to prognosis of B-CLL. These methods are based on the discovery by the present inventors that an expression product which comprise at least one nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 is (are) only present in particular subtypes of B-CLL associated with poor prognosis and completely absent in other subtypes of B-CLL and in healthy tissue (see in particular example 2). By completely absent is meant that the expression products are not detected in any of the other tissue types with the methods used in the appended examples. This is indicative of a complete absence of any transcript or a very low level of transcript in the other tissue types.

The expression product is encoded by SEQ ID No 1 and/or SEQ ID No 5, and the expression product is selected from the group consisting of transcriptional products and translational products.

Thus, the present invention relates to a method for detecting the presence or absence of at least one expression product, wherein the at least one expression product comprise a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 in a biological sample isolated from an individual for establishing a differential diagnosis of B-CLL or for determining the prognosis of the B-CLL.

30 "Expression product" is herein meant to be a product which is the result of the expression of a polynucleotide such as DNA sequence, e.g. a genomic DNA sequence, and is in the form of either a polypeptid or in the form of a polynucleotide, i.e. an expression product can be selected from the group consisting of a transcriptional product and a translational product. In the case where the expression product is a polynucleotide, said polynucleotide is preferably mRNA selected from the group consisting of mRNA, pre-mRNA, pre-pro-mRNA.

A "transcriptional product" or a "transcription product" is herein meant to be a product resulting from a transcription of a polynucleotide such as a DNA molecule, preferably a genomic DNA molecule. A transcriptional product is inherently a nucleotide, such as an oligonucleotide or a polynucleotide.

A "translational product" or a "translation product" is herein meant to be a product resulting from a translation of a transcriptional product such as a mRNA. A translational product is inherently a oligopeptide or a polypeptide.

5 The expression product of the present invention has almost exclusively been found as transcription products in patients with poor B-CLL prognosis. Based on the experimental data presented in the herein, the inventors expect that it turns out that the subtype of B-CLL is characterised solely or better by the presence of a transcriptional or translational product which comprise a sequence selected from the group consisting of SEQ ID No:3, SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18.

Preferably the individual is a mammal, more preferably a human. It is also expected that the gene encoded by SEQ ID No 1 and/or SEQ ID No 5 and the expression products

derived from said gene can be used as a diagnostic tool in other species in particular in mammals selected from the group: domestic animals such as cow, horse, sheep, pig; and pets such as cat or dog.

In the case that the expression product is a transcriptional product, this transcriptional 20 product just needs to comprise at least one of the nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18. These transcriptional products will preferably be derived from SEQ ID No 1 and/or SEQ ID No 5 and may be in the form of mRNA or any pre- or pro-forms of said mRNA. As described, the transcriptional product may comprise at 25 least one of the nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18, such as one of the nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18, such as two of the nucleotide sequences selected from the group consisting 30 of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18, such as 3 of the nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18, e.g. 4 of the nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID 35 No:16, SEQ ID No:17 and SEQ ID No:18, such as 5 of the nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 and ultimately the transcriptional product may comprise all of the six nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 40 and SEQ ID No:18. The transcriptional product of the present invention can have any sequence which is a result of combining the nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 as long as the specific nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15,

SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 can be identified as intact sequences in the transcriptional product.

Examples of transcriptional products in the form of specific mRNAs which comprise at least one of the nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 are the sequences corresponding to SEQ ID No 2 (short cDNA clone) SEQ ID No 4 (long cDNA clone) SEQ ID No 6, SEQ ID No 7, SEQ ID No 8, SEQ ID No 9, SEQ ID No 10 and SEQ ID No 11. These mRNA sequences have been found in patients with poor prognosis.

10

It is obvious for a person skilled in the art that any fragments of SEQ ID No:2, SEQ ID No:4, SEQ ID No:6, SEQ ID No:7, SEQ ID No:8, SEQ ID No:9, SEQ ID No:10 and SEQ ID No:11 will have the same diagnostic value as long as the nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 can be found in the fragments.

The mRNA sequence may be detected in a sample using hybridisation techniques. In particular when more than one analysis is to be performed at the same time it is advantageous to use a DNA array comprising e.g. an oligomer of at least 15 consecutive bases selected from the group consisting of SEQ ID No:2, SEQ ID No:4, SEQ ID No:6, SEQ ID No:7, SEQ ID No:8, SEQ ID No:9, SEQ ID No:10, SEQ ID No:11, SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18.

Another way of detecting the presence or absence of the transcriptional product is by specifically amplifying the transcriptionals product having a sequence corresponding to SEQ ID No 2, 4, 6, 7, 8, 9, 10 or 11 or fragments thereof. This can be done by selecting primer pairs which cause only the amplification of these sequences.

Generally, hybridisation techniques are selected from not limited to the group consisting of in situ hybridisation, northern blots, Southern blots, dot blots and PCR based techniques.

A non-limiting list of PCR based techniques include rt-PCR, quantitative PCR and realtime PCR.

35 According to yet another embodiment, the translational product is a protein encoded by a polynucleotide selected from the group consisting of SEQ ID No:1, SEQ ID No:5, SEQ ID No:2, SEQ ID No:4, SEQ ID No:6, SEQ ID No:7, SEQ ID No:8, SEQ ID No:9, SEQ ID No:10 and SEQ ID No:11. Detection of this protein can be done with state of the art methods including the detection with an antibody directed against said protein, such as Western blotting, more preferably by using a fluorescently labelled antibody, preferably wherein the method comprises the use of flowcytometry, such as FACS. Other methods include but are not limited to gel electrophoresis, gel filtration, ion exchange chromatography, FPLC, mass spectrometry and immunohistochemistry.

Preferably, said protein is selected from the group comprising SEQ ID No 3 (protein), or a protein sharing at least 60 % sequence identity with SEQ ID No 3. The protein with the amino acid sequence set forth in SEQ ID No 3 is the longest open reading frame in the cDNA sequence of SEQ ID No 2 or 4.

5

In a specific embodiment of the present invention is a method for determining whether an individual has a B-CLL sub-type with poor prognosis, the method comprising determining the level of an expression product which comprise a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 of said individual, and indicating the individual as having a B-CLL sub-type with poor prognosis if the level of the expression product is at or beyond a discriminating value and indicating the individual as not having a B-CLL sub-type with poor prognosis if the level of the expression product is not at or beyond the discriminating value, the discriminating value being a value which has been determined by measuring the level of the expression product which comprise a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 in both a healthy control population and a population with known B-CLL sub-type with poor prognosis, thereby determining sald discriminating value which identifies the B-CLL sub-type population

In this method the individual may be a member of an unselected population or be a member of a population already identified as having a B-CLL sub-type with a poor prognosis.

25

The above method may be performed such that the determination is performed at several time points at intervals as part of a monitoring of a cancer patient after or during the treatment for primary cancer.

30 The methods described so-far relate to the determination of the presence or absence of an expression product which comprise a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18. By quantitatively measuring the amount of an expression product which comprise a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 in a biological sample isolated from an individual, it is possible to predict the progression of B-CLL in an individual.

In one embodiment the quantitative measurement is performed during treatment to 40 estimate the efficiency of such treatment.

A preferred embodiment of the above diagnostic and prognostic methods is a method for detecting the presence or absence an expression product, wherein said at least one expression product comprise the nucleotide sequence of SEQ ID No:15 in a biological

sample isolated from an individual for establishing a differential diagnosis of B-CLL or for determining the prognosis of the B-CLL.

A further preferred embodiment of the above diagnostic and prognostic methods is a

5 method for detecting the presence or absence an expression product, wherein said at least
one expression product comprise the nucleotide sequence of SEQ ID No:16 in a biological
sample isolated from an individual for establishing a differential diagnosis of B-CLL or for
determining the prognosis of the B-CLL.

10 Yet a further preferred embodiment of the above diagnostic and prognostic methods is a method for detecting the presence or absence an expression product, wherein said at least one expression product comprise the nucleotide sequence spanning the junction sequence between Exon-2 (SEQ ID No:15) and Exon-3 (SEQ ID No:16) in a biological sample isolated from an individual for establishing a differential diagnosis of B-CLL or for determining the prognosis of the B-CLL.

The nucleotide sequence spanning the junction between Exon-2 and Exon-3 is the last 20 nucleotides of the 3'-end of SEQ ID No:15 and the first 20 nucleotides of the 5'-end of SEQ ID No:16.

20

The "junction sequence" between two nucleotide sequences, such as two exons, is herein defined as the at least 20 3'-nucleotides of the first exon which is located 5' relative to the second exon and the at least 20 5'-nucleotides of the second exon which is located 3' relative to the first exon.

25

For all diagnostic applications of the present invention, the biological sample may be selected from the group comprising blood, serum, plasma, urine, saliva, lymph node biopsy, bone marrow, spinal liquid, spleen biopsy, and liver biopsy. The cells to be assessed in a sample are preferably leukocytes, mononuclear leukocytes or lymphocytes or B-lymphocytes.

A further embodiment of the present invention also includes a diagnostic kit for *ex vivo* or *in situ* diagnosis of a subtype of B-cell chronic lymphocytic leukaemia (B-CLL) in a individual, the kit comprising a detector molecule capable of detecting the presence or absence of at least one expression product, wherein said at least one expression product comprise a nucleotide sequence selected from the group consisting of SEQ ID SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 in a biological sample isolated from the individual.

40 The detector molecule is preferably a nucleotide and even more preferably a nucleotide capable of hybridising to a nucleotide sequence selected from the group consisting of SEQ ID SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 under stringent condition.

PCT/DK2003/000794 WO 2004/046376 13

B-CLL therapy

With the identification of a new sub-type of B-CLL having a poor prognosis, the present inventors also provide methods for treatment of B-CLL in such patients. This method is based on the finding that transcription products comprising these sequence products are 5 present in B-CLL cells of patients with the poor prognosis. By modifying the activity and/or level of these transcription products, a treatment and/or cure for B-CLL is provided.

Accordingly, in a therapeutic aspect of the present invention there is provided a method of treating a B-CLL sub-type with poor prognosis comprising administering to an individual 10 with a poor prognosis B-CLL diagnosis a compound capable of decreasing or inhibiting the formation of an expression product which comprise a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18.

15 One such method is based on administering an oligonucleotide capable of inhibiting transcription from SEQ ID No 1 and/or SEQ ID No 5. Said oligonucleotide may comprises at least 8-10 consecutive nucleotides from the sequence of SEQ ID No 1. These sequences constitute the putative promoter sequences controlling the transcription transcription products which comprise a nucleotide sequence selected from the group consisting of SEQ 20 ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18. The oligonucleotides bind specifically to the promoter sequences and inhibit transcription of the gene. Such oligonucleotides may comprises nucleotide monomers selected from the group: DNA, RNA, LNA, PNA, methylated DNA, methylated RNA, more preferably PNA or LNA.

25

In a more preferred embodiment the therapeutic methods comprise administering an oligonucleotide capable of blnding to a transcriptional product and preventing translation by destroying the transcriptional product. One particularly preferred embodiment of this aspect is RNA interference (RNAi) oligonucleotides.

30

The discovery of the phenomenon RNAi has revealed an entirely new level of gene regulation in eukaryotic cells. It is based on the observation that the presence of long double stranded RNA (dsRNA) in a cell almost completely eliminates the expression of the gene having the same sequence, whereas expression of other unrelated genes are left 35 undisturbed. Although this observation had been know for time in plants as posttranscriptional gene silencing (PTGS) it was not before it was characterised as a general mechanism throughout the animal kingdom that its potentials were fully appreciated. Over the last few years it has been developed as a robust technique to knock down any desirable gene in worms and flies, and quickly a large body of information was 40 gathered about the function of genes in these organisms. Due to the activation of the interferon system by long dsRNA the RNAi method was at that time not applicable in a mammalian system.

A key observation that allowed the harnessing of RNAi as a tool for regulating gene expression in mammals was the observation that chemically synthesised oligo-mer small interfering RNAs (siRNA) effectively suppress gene expression in several human cell lines without inflecting interferon response. This has triggered new promises for siRNA as a therapeutic drug in humans.

RNAi works by hybridising specifically to the mRNA transcribed by the cell to form a (partly) double stranded RNA molecule. This is recognised as a double stranded molecule by the cell's own nucleases, which degrade them.

10

In order for the technique to work efficiently, the siRNA oligonucleotide comprises a sequence of 5-30 consecutive nucleotides which is the complementary sequence of the nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18. By targeting at least one of the nucleotide sequences selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18, the transcriptional products characterised by the nucleotide sequences from the group of SEQ ID No:2, SEQ ID No:4, SEQ ID No:6, SEQ ID No:7, SEQ ID No:8, SEQ ID No:9, SEQ ID No:10 and SEQ ID No:11 will be eliminated. Example 5 shows that cells characteristic for the poor prognosis B-CLL sub-type can be eliminated by destroying the herein mentioned transcription products.

By "complementarity" is meant a nucleic acid that can form hydrogen bond(s) with other DNA or RNA sequence by either traditional Watson-Crick or other non-traditional types of base-paired interactions, e.g. Hoogsteen type.

Preferred siRNA molecules of the present invention are between 5 to 30 nucleotides long, such as 8-30 nucleotides long, such as 8-25 nucleotides, e.g. 8-24 nucleotides, e.g. 8-23 nucleotides, e.g. 8-22 nucleotides, e.g. 8-21 nucleotides, such as 8-20 nucleotides, e.g. 9-30 23 nucleotides, e.g. 10-23 nucleotides, such as 11-23 nucleotides, e.g. 12-23 nucleotides such as 13-23 nucleotides, e.g. 14-23 nucleotides, e.g. 15-23 nucleotides, such as 16-23 nucleotides, such as 8 nucleotides, 9 nucleotides, 10 nucleotides, 11 nucleotides, 12 nucleotides, 13 nucleotides, 14 nucleotides, 15 nucleotides, 16 nucleotides, 17 nucleotides, 18 nucleotides, 19 nucleotides, 20 nucleotides, 21 nucleotides, 22 nucleotides, 23 nucleotides, 24 nucleotides, 25 nucleotides, 26 nucleotides, 27 nucleotides, 28 nucleotides, 29 nucleotides, such as 30 nucleotides long.

RNAi oligonucleotides may be administered to the cell, or a vector may be transfected into the cells, said vector comprising a promoter region capable of directing the expression of 40 at least one RNAi oligonucleotide. Due to the very restricted expression of the AMB-1 gene, it is not important only to target the RNAi oligos or the vectors to B-CLL cells.

One way of targeting to blood cells comprises using a heparin receptor for targeting to blood cells.

Another way of targeting the transcriptional products which comprise at least one nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 is to use an antisense construct comprising a promoter sequence capable of directing the transcription of at least part of the antisense equivalent of SEQ ID No 1 or 2 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 specifically to the poor prognosis B-CLL sub-type.

When desired targeting to B-CLL cells can be performed using the CD19 or CD20 receptor.

The CD19 receptor is particularly preferred since it internalises its ligand.

In a further therapeutic embodiment the compound is a gene therapy vector comprising a promoter sequence operably linked to a sequence coding for a protein capable of inhibiting cell division in the cell and/or capable of killing the cell, said promoter sequence being a tissue specific promoter capable of directing expression only in B cells, more preferably only in B-CLL cells. One particularly preferred promoter sequence is the extremely cell specific promoter of SEQ ID No:1 or SEQ ID No:5. When this promoter is used targeting of the suicide vector is not very important, since it will only be active in the cells in which AMB-1 is expressed and these are the cells to be targeted by the suicide gene.

20

Deletion studies will determine the exact length of the promoter sequence counted from the transcription start site. Accordingly, the promoter may comprise at least 100 nucleotides of Seq_ID:1 or Seq_ID:5, such as at least 200 nucleotides, for example at least 300 nucleotides, such as at least 400 nucleotides, for example at least 500 nucleotides, such as at least 600 nucleotides, for example at least 700 nucleotides, such as at least 800 nucleotides, for example at least 900 nucleotides, such as at least 1000 nucleotides, for example at least 1100 nucleotides, such as at least 1200 nucleotides, for example at least 1500 nucleotides, such as at least 1400 nucleotides, for example at least 1500 nucleotides, such as at least 1600 nucleotides, for example at least 1700 nucleotides, such as at least 1800 nucleotides, for example at least 1900 nucleotides, such as at least 2000 nucleotides, for example at least 3500 nucleotides, such as at least 3000 nucleotides, for example at least 10,000 nucleotides.

- 35 The specificity of expression of mRNAs described by the present invention are striking. The RT-PCR data and the Northern blot data using the dot-blot disclose that the mRNAs of the present invention are expressed either at very low levels in other tissues or only in the B-CLL patients where one can detect it.
- 40 Thus one embodiment of the present invention is the use of the promotor region for use in gene therapy. The promotor is defined as any sequence within SEQ_ID No:1 and SEQ_ID No:5 that directs the formation of an expression product which comprise a nucleotide sequence selected from the group consisting of SEQ_ID No:12, SEQ_ID No:13, SEQ_ID No:14, SEQ_ID No:15, SEQ_ID No:16, SEQ_ID No:17 and SEQ_ID No:18, said expression

product being any of the sequences selected from the group consisting of SEQ ID No:2, SEQ ID No:4, SEQ ID No:6, SEQ ID No:7, SEQ ID No:8, SEQ ID No:9, SEQ ID No:10 and SEQ ID No:11 in B-CLL cells or any other cell or tissue types in which any of the sequences are transcribed.

5

One way that one can use the promotor region in gene therapy is to make a gene therapy construct where the promotor drives the expression of a cell suicide gene such as but not limited to the gene for HSV-1 thymidine kinase, the varicella-zoster, virus thymidine kinase gene, E.Coli cytosine deaminase, the nitroreductase gene or the E.Coli Deo gene (Yazawa et al. & Kirn D. et al.). This would allow for selective expression of the suicide genes in B-CLL cells.

Alternatively, the promotor could be used for a selective expression of genes that could have curative effects when expressed in B-CLL cells, but unwanted effects if expressed ubiquitously.

Also, one embodiment of the present invention relates to the use of the promotor region for use in screening assays where the promotor is linked to a reporter gene and transfected into B-CLL cells in which the reporter gene will be expressed. This approach would allow for easy screening for compounds that would turn off the expression of the reporter gene for example by killing the cell.

A presently preferred embodiment relates a gene therapy vector of the present invention comprising an oligonucleotide capable of inhibiting transcription from SEQ ID No 1 and/or SEQ ID No 5, wherein the promoter is a B-CLL specific promoter, which may or may not be operably linked to a protein selected from the group comprising HSV-1 thymidine kinase, the varicella-zoster, virus thymidine kinase gene, E.Coli cytosine deaminase, the nitroreductase gene or the E.Coli Deo gene.

30 In one embodiment the compound is a therapeutic antibody directed against a polypeptide having the amino acid sequence of SEQ ID No 3, preferably wherein said antibody is a human or humanised antibody. Another possibility is to identify a modulator of binding of SEQ ID No 3 to its receptor within or outside the cell and to administer this modulator to the cells.

35

40

4-helical cytokines

A further object of preferred embodiments of the present invention is an isolated polypeptide comprising an amino acid sequence selected from the group consisting of:

- i) an amino acid sequence of SEQ ID NO: 3,
 - ii) an amino acid sequence having at least 60% sequence identity compared to the full length sequence of SEQ ID NO:3

WO 2004/046376 PCT/DK2003/000794 17

ii) a fragment of SEO ID NO:3 having at least 60% sequence identity compared to the full length sequence of SEQ ID NO:3.

The protein encoded by SEQ ID No 1 and/or SEQ ID No 5 shares a very small sequence 5 identity with any known protein. However, it has been possible to use 2D and 3D analytical tools to identify the protein as a 4-helical cytokine. The 3D structure of the protein is very similar to 4-helical cytokines and in particular to IL4.

IL4 is a very important cytokine in B-CLL biology. IL4 is not expressed by B-CLL cells, but 10 the IL4 receptor is found on the cells. The IL4 that stimulates B-CLL cells is believed to be produced by T-lymphocytes. The role of IL4 in B-CLL biology is complicated. It has been suggested that IL4 can inhibit B-CLL DNA synthesis and proliferation. Other reports demonstrated that IL4 protects B-CLL cells from apoptosis by upregulating Bcl-2, and IL4 was shown to inhibit apoptosis without stimulating proliferation. Recently, a clinical study 15 in Sweden has confirmed these In vitro studies since IL4 administration to B-CLL patients resulted in increased numbers of B-CLL cells in the blood, suggesting that IL4 had a stimulatory or anti-apoptotic effect on the B-CLL cells in vivo (Lundin, et al.).

In many systems the effects of IL13 are largely similar to those of IL4, but IL13 is slightly 20 less potent that IL4. It is unclear whether B-CLL cells express IL13, but the cells do express the IL13 receptor. The effects of IL13 in B-CLL are controversial. While Chaouchi et al. suggested that IL13, like IL4 protects B-CLL cells from apoptosis (Chaouchi et al), studies by Fluckiger et al. suggest that this is not the case (Fluckiger et al.).

25 The combined finding of 2D and 3D structure similarity to 4-helical cytokines and the importance of IL4 in B-CLL strongly suggests that the novel class of proteins of which the AMB-1 protein is one representative are cytokines.

These polypeptides constitute a novel class of proteins sharing 2D and 3D structure 30 similarities with 4-helical cytokines. In a preferred embodiment, the isolated polypeptide comprises or essentially consists of the amino acid sequence of SEQ ID No. 3 or a fragment thereof. This particular protein at least can be used for diagnosis, for raising antibodies for use in therapy against B-CLL, and for protective or therapeutic immunisation of an individual against B-CLL.

35

Consequently, the isolated polypeptide preferably has interleukin activity or interleukin like activity, such as having IL3, IL13, GM-CSF, TGF-β, IGF activity, more preferably having IL4 activity or IL4 like activity.

40 Probably the isolated polypeptides are capable of forming homo- or hetero-oligomer with each other and among themselves. Such oligomers are also within the scope of the present invention. Such oligomers may comprise at least one isolated polypeptides as defined in any the present invention, such as a dimer, a trimer, a quatramer, a quintamer, a

hexamer, an octamer, a decamer, a dodecamer. In biological systems the activity may be attributed only to dimer or higher –mer.

The protein defined by SEQ ID No 3 shares very little sequence identity with known cytokines and interleukines and as a matter of fact very little sequence identity with any known protein. Consequently the present inventors contemplates that the group comprises functionally equivalent polypeptide sharing at least 60% sequence identity with SEQ ID No 3, more preferably at least 70% sequence identity, more preferably at least 80 % sequence identity, such as at least 90 % sequence identity, for example at least 95 % sequence identity, such as at least 97 % sequence identity, for example at least 98 % sequence identity.

Activity as a cytokine or interleukin can be assessed in a biological assay where the polypeptide is contacted with a cytokine dependent cell line. Accordingly, polypeptides with cytokine or interleukin like activity can also be identified by similar methods.

One approach to assess cytokine/interleukin activity in a biological assay is to express the CDS (SEQ ID No:17) reading frame in a baculovirus system (Invitrogen, Carlsbad, USA) and purify the protein. The recombinant protein can be assayed in cytokine induced proliferation assays as described in general in the eBioscience catalog & Reference Manual 2002 p.260-262 (eBioscience, San Diego, USA). In particular IL4 activity can be determined using the CTh4S cell line as described by Petersen et al (see Example 8).

The promoter sequence (which forms part of SEQ ID No 1 and/or SEQ ID No 5) and the coding sequences (SEQ ID No:3) can be used in various aspects of gene therapy and immunotherapy.

Further polynucleotide sequences from other individuals or other species with the same function can be isolated by one of the following methods, which each form independent aspects of the present invention.

A first method for identifying a nucleotide sequence encoding a 4-helical cytokine comprises the steps of:

- i) isolating mRNA from a biological sample,
- 35 ii) hybridising the mRNA to a probe comprising at least 10 nucleotides of the coding sequence of SEQ ID No 1 and/or SEQ ID No 5 under stringent conditions,
 - iii) determining the nucleotide sequence of a sequence capable of hybridising under step ii), and
- iv) determining the presence of an open reading frame in the nucleotide sequencedetermined under step iii).

A second method for identifying a nucleotide sequence encoding a 4-helical cytokine is a computer assisted method comprising the steps of

- i) performing a sequence similarity search of at least 10 nucleotides of the coding sequence SEQ ID No 1 and/or SEQ ID No 5,
- ii) aligning "hits" to said coding sequence,
- iii) determining the presence of an open reading frame in the "hits".

5

It is highly likely that other similar polypeptides encoding further 4-helical cytokines can be found in other individuals and/or other species of mammals. In particular, individuals of other geographical origin may carry genes which differ from the polynucleotides of the present invention. It is also conceivable that similar sequences can be found in closely and even in distantly related species.

Functional Equivalents

Modification and changes may be made in the structure of the peptides of the present invention and DNA segments which encode them and still obtain a functional molecule that encodes a protein or peptide with desirable characteristics. The following is a discussion based upon changing the amino acids of a protein to create an equivalent, or even an improved, second-generation molecule. The amino acid changes may be achieved by changing the codons of the DNA sequence, according to the genetic code.

20 For example, certain amino acids may be substituted for other amino acids in a protein structure without appreciable loss of interactive binding capacity with structures such as, for example, antigen-binding regions of antibodies, binding sites of receptors, or binding sites on substrate molecules. Since it is the interactive capacity and nature of a protein that defines that protein's biological functional activity, certain amino acid sequence substitutions can be made in a protein sequence, and, of course, its underlying DNA coding sequence, and nevertheless obtain a protein with like properties. It is thus contemplated by the inventors that various changes may be made in the peptide sequences of the disclosed compositions, or corresponding DNA sequences which encode said peptides without appreciable loss of their biological utility or activity.

30

In making such changes, the hydropathic index of amino acids may be considered. The importance of the hydropathic amino acid index in conferring interactive biologic function on a protein is generally understood in the art (Kyte and Doolittle, 1982, incorporate herein by reference). It is accepted that the relative hydropathic character of the amino acid contributes to the secondary structure of the resultant protein, which in turn defines the interaction of the protein with other molecules, for example, enzymes, substrates, receptors, DNA, antibodies, antigens, and the like. Each amino acid has been assigned a hydropathic index on the basis of their hydrophobicity and charge characteristics (Kyte and Doolittle, 1982), these are: isoleucine (+4.5); valine (+4.2); leucine (+3.8); phenylalanine (+2.8); cysteine/cystine (+2.5); methionine (+1.9); alanine (+1.8); glycine (-0.4); threonine (-0.7); serine (-0.8); tryptophan (-0.9); tyrosine (-1.3); proline (-1.6); histidine (-3.2); glutamate (-3.5); glutamine (-3.5); aspartate (-3.5); asparagine (-3.5); lysine (-3.9); and arginine (-4.5).

It is known in the art that certain amino acids may be substituted by other amino acids having a similar hydropathic index or score and still result in a protein with similar biological activity, ie. still obtain a biological functionally equivalent protein. In making such changes, the substitution of amino acids whose hydropathic indices are within ±2 is preferred, those which are within ±1 are particularly preferred, and those within ±0.5 are even more particularly preferred. It is also understood in the art that the substitution of like amino acids can be made effectively on the basis of hydrophilicity. U.S. Pat. No. 4,554,101, incorporated herein by reference, states that the greatest local average hydrophilicity of a protein, as governed by the hydrophilicity of its adjacent amino acids, correlates with a biological property of the protein.

As detailed in U.S. Pat. No. 4,554,101, the following hydrophilicity values have been assigned to amino acid residues: arginine (+3.0); lysine (+3.0); aspartate (+3.0±1); glutamate (+3.0±1); serine (+0.3); asparagine (+0.2); glutamine (+0.2); glycine (0); threonine (-0.4); proline (-0.5±1); alanine (-0.5); histidine (-0.5); cysteine (-1.0); methionine (-1.3); valine (-1.5); leucine (-1.8); isoleucine (-1.8); tyrosine (-2.3); phenylalanine (-2.5); tryptophan (-3.4). It is understood that an amino acid can be substituted for another having a similar hydrophilicity value and still obtain a biologically equivalent, and in particular, an immunologically equivalent protein. In such changes, the substitution of amino acids whose hydrophilicity values are within ±2 is preferred, those which are within ±1 are particularly preferred, and those within ±0.5 are even more particularly preferred.

As outlined above, amino acid substitutions are generally therefore based on the relative similarity of the amino acid side-chain substituents, for example, their hydrophobicity, hydrophilicity, charge, size, and the like. Exemplary substitutions which take various of the foregoing characteristics into consideration are well known to those of skill in the art and include: arginine and lysine; glutamate and aspartate; serine and threonine; glutamine and asparagine; and valine, leucine and isoleucine.

30

Functional equivalents and variants are used interchangably herein. In one preferred embodiment of the invention there is also provided variants of a 4-helical cytokine, and variants of fragments thereof. When being polypeptides, variants are determined on the basis of their degree of identity or their homology with a predetermined amino acid sequence, said predetermined amino acid sequence being SEQ ID No. 3 or a fragment thereof.

Accordingly, variants preferably have at least 60 % sequence identity, for example at least 65% sequence identity, such as at least 70 % sequence identity, for example at least 75% sequence identity, for example at least 80% sequence identity, such as at least 85 % sequence identity, for example at least 90 % sequence identity, such as at least 91 % sequence identity, for example at least 91% sequence identity, such as at least 92 % sequence identity, for example at least 93 % sequence identity, such as at least 94 % sequence identity, for example at least 95 % sequence identity, such as at least 96 %

sequence identity, for example at least 97% sequence identity, such as at least 98 % sequence identity, for example 99% sequence identity with the predetermined sequence.

To determine the percent identity of two amino acid sequences or of two nucleic acids, the sequences are aligned for optimal comparison purposes (e.g., gaps can be introduced in the sequence of a first amino acid or nucleic acid sequence for optimal alignment with a second amino or nucleic acid sequence). The amino acid residues or nucleotides at corresponding amino acid positions or nucleotide positions are then compared. When a position in the first sequence is occupied by the same amino acid residue or nucleotide as the corresponding position in the second sequence, then the molecules are identical at that position. The percent identity between the two sequences is a function of the number of identical positions shared by the sequences (i.e., % identity # of identical positions/total # of positions (e.g., overlapping positions) x 100). In one embodiment the two sequences are the same length. The sequence identity is preferably calculated relative to the full length sequence of the molecule of the present invention.

A degree of "sequence identity" of amino acid sequences is a function of the number of identical amino acids at positions shared by the amino acid sequences. A degree of "sequence homology" or "sequence similarity" of amino acid sequences is a function of the number of amino acids, i.e. structurally related, at positions shared by the amino acid sequences. Sequence identity is determined by the alignment algorithm that performs global alignments which has been described by Smith TF and Waterman MS (Smith TF et al.)

25 A list of the standard qualifiers and the default values for the alignment algorithm is given below:

Standard (Man	datory) qualifiers	Allowed values	Default
[-asequence] (Parameter 1)	Sequence USA	Readable sequence	Required
[-bsequence] (Parameter 2)	Sequence database USA	Readable sequence(s)	Required
-gapopen	The gap open penalty is the score taken away when a gap is created. The best value depends on the choice of comparison matrix. The default value assumes you are using the EBLOSUM62 matrix for protein sequences, and the EDNAFULL matrix for nucleotide sequences.	Number from 1.000 to 100.000	10.0 for any sequence

-gapextend	The gap extension penalty is added to the	Number from 0.100	0.5 for any
	standard gap penalty for each base or	to 10.000	sequence
	residue in the gap. This is how long gaps are		
	penalized. Usually you will expect a few long		
ł	gaps rather than many short gaps, so the		
	gap extension penalty should be lower than		
	the gap penalty. An exception is where one		ł
	or both sequences are single reads with		
	possible sequencing errors in which case		
	you would expect many single base gaps.		:
1	You can get this result by setting the gap	ļ	
	open penalty to zero (or very low) and using	[
	the gap extension penalty to control gap		
	scoring.	ļ	ļ
[-outfile]	Output alignment file name	Alignment output	
(Parameter 3)		file	
Additional (Optional) qualifiers		Allowed values	Default
J-1-61-			
-datafile	This is the scoring matrix file used when	Comparison matrix	EBLOSUM62 for
-datafile	This is the scoring matrix file used when comparing sequences. By default it is the	Comparison matrix file in EMBOSS data	
-datanie	_		
-аасапіе	comparing sequences. By default it is the	file in EMBOSS data	protein EDNAFULL
-датапне	comparing sequences. By default it is the file 'EBLOSUM62' (for proteins) or the file	file in EMBOSS data	protein EDNAFULL
-дататне	comparing sequences. By default it is the file 'EBLOSUM62' (for proteins) or the file 'EDNAFULL' (for nucleic sequences). These	file in EMBOSS data	protein EDNAFULL
	comparing sequences. By default it is the file 'EBLOSUM62' (for proteins) or the file 'EDNAFULL' (for nucleic sequences). These files are found in the 'data' directory of the	file in EMBOSS data	protein EDNAFULL
	comparing sequences. By default it is the file 'EBLOSUM62' (for proteins) or the file 'EDNAFULL' (for nucleic sequences). These files are found in the 'data' directory of the EMBOSS installation.	file in EMBOSS data path	protein EDNAFULL for DNA
Advanced (Unp	comparing sequences. By default it is the file 'EBLOSUM62' (for proteins) or the file 'EDNAFULL' (for nucleic sequences). These files are found in the 'data' directory of the EMBOSS installation.	file in EMBOSS data path Allowed values	protein EDNAFULL for DNA Default

An "unrelated" or "non-homologous" sequence shares less than 40% identity, though preferably less than 25% identity, with one of the 4-helical cytokine sequences of the present invention. The term "substantial identity" means that two peptide sequences, when optimally aligned, such as by the Smith and Waterman algorithm using default gap weights, share at least 80 percent sequence identity, preferably at least 90 percent sequence identity, more preferably at least 95 percent sequence identity or more (e.g., 99 percent sequence identity). Preferably, residue positions which are not identical differ by conservative amino acid substitutions.

Additionally, variants are also determined based on a predetermined number of conservative amino acid substitutions as defined herein below. Conservative amino acid substitution as used herein relates to the substitution of one amino acid (within a predetermined group of amino acids) for another amino acid (within the same group), wherein the amino acids exhibit similar or substantially similar characteristics.

Within the meaning of the term "conservative amino acid substitution" as applied herein, one amino acid may be substituted for another within the groups of amino acids indicated herein below:

- Amino acids having polar side chains (Asp, Glu, Lys, Arg, His, Asn, Gln, Ser, Thr, Tyr, and Cys,)
- Amino acids having non-polar side chains (Gly, Ala, Val, Leu, Ile, Phe, Trp, Pro, and Met)
- 5 Amino acids having aliphatic side chains (Gly, Ala Val, Leu, Ile)
 - Amino acids having cyclic side chains (Phe, Tyr, Trp, His, Pro)
 - Amino acids having aromatic side chains (Phe, Tyr, Trp)
 - Amino acids having acidic side chains (Asp, Glu)
 - Amino acids having basic side chains (Lys, Arg, His)
- 10 Amino acids having amide side chains (Asn, Gln)
 - Amino acids having hydroxy side chains (Ser, Thr)
 - · Amino acids having sulphor-containing side chains (Cys, Met),
 - Neutral, weakly hydrophobic amino acids (Pro, Ala, Gly, Ser, Thr)
 - · Hydrophilic, acidic amino acids (Gln, Asn, Glu, Asp), and
- 15 Hydrophobic amino acids (Leu, Ile, Val)

Preferred conservative amino acids substitution groups are: valine-leucine-isoleucine, phenylalanine-tyrosine, lysine-arginine, alanine-valine, and asparagine-glutamine.

- 20 Accordingly, a variant or a fragment thereof according to the invention may comprise, within the same variant of the sequence or fragments thereof, or among different variants of the sequence or fragments thereof, at least one substitution, such as a plurality of substitutions introduced independently of one another.
- 25 It is clear from the above outline that the same variant or fragment thereof may comprise more than one conservative amino acid substitution from more than one group of conservative amino acids as defined herein above.
- The addition or deletion of at least one amino acid may be an addition or deletion of from preferably 2 to 250 amino acids, such as from 10 to 20 amino acids, for example from 20 to 30 amino acids, such as from 40 to 50 amino acids. However, additions or deletions of more than 50 amino acids, such as additions from 50 to 100 amino acids, addition of 100 to 150 amino acids, addition of 150-250 amino acids, are also comprised within the present invention. The deletion and/or the addition may independently of one another be a deletion and/or an addition within a sequence and/or at the end of a sequence.
- The polypeptide fragments according to the present invention, including any functional equivalents thereof, may in one embodiment comprise less than 250 amino acid residues, such as less than 240 amino acid residues, for example less than 225 amino acid residues, such as less than 200 amino acid residues, for example less than 180 amino acid residues, such as less than 160 amino acid residues, for example less than 150 amino acid residues, such as less than 140 amino acid residues, for example less than 130 amino acid residues, such as less than 120 amino acid residues, for example less than 110 amino acid residues, such as less than 100 amino acid residues, for example less than 90 amino acid residues,

such as less than 85 amino acid residues, for example less than 80 amino acid residues, such as less than 75 amino acid residues, for example less than 70 amino acid residues, such as less than 65 amino acid residues, for example less than 60 amino acid residues, such as less than 55 amino acid residues, for example less than 50 amino acid residues.

5

"Functional equivalency" as used in the present invention is according to one preferred embodiment established by means of reference to the corresponding functionality of a predetermined fragment of the sequence.

10 Functional equivalents or variants of a 4-helical cytokine will be understood to exhibit amino acid sequences gradually differing from the preferred predetermined 4-helical cytokine, as the number and scope of insertions, deletions and substitutions including conservative substitutions increases. This difference is measured as a reduction in homology between the preferred predetermined sequence and the fragment or functional equivalent.

All fragments or functional equivalents of SEQ ID No. 3 are included within the scope of this invention, regardless of the degree of homology that they show to the respective, predetermined 4-helical cytokines disclosed herein. The reason for this is that some regions of the 4-helical cytokines are most likely readily mutatable, or capable of being completely deleted, without any significant effect on the binding activity of the resulting fragment.

A functional variant obtained by substitution may well exhibit some form or degree of
native cytokine activity, and yet be less homologous, if residues containing functionally
similar amino acid side chains are substituted. Functionally similar in this respect refers to
dominant characteristics of the side chains such as hydrophobic, basic, neutral or acidic, or
the presence or absence of steric bulk. Accordingly, in one embodiment of the invention,
the degree of identity is not a principal measure of a fragment being a variant or functional
equivalent of a preferred predetermined fragment according to the present invention.

One particularly preferred method of determining the degree of functional equivalence is by performing a biological or chemical assay such as the assays described in the appended examples. Preferred functional equivalents of SEQ ID No 3 are those that have a K_D with respect to a predefined receptor which is less than 10 times higher than the K_D of the polypeptide of SEQ ID No 1 with respect to the same receptor, more preferably less than 5 times higher, more preferably less than 2 times higher.

With respect to functional equivalence this may be defined in a biological assay based on a cytokine dependent or stimulated cell line. Such cell lines are e.g. available from American Type Culture Collection, P.O.Box 1549, Manassas, VA 20108 USA. The following cell lines at least are available for testing cytokines and in particular interleukins:

	Accession number	Description	Activity
	CRL-1841	TH-2 clone A5E	IL2 dependent, IL4 stimulated
	CRL-2003	TF-1	IL3 dependent
	CRL-2407	NK-92	IL2 dependent
5	CRL-2408	NK-92MI	IL2 dependent
	CRL-2409	NK92CI	IL2 dependent
	CRL-9589	AML-193	IL3 stimulated, GM-CSF dep.
	CRL-9591	MV-4-11	GM-CSF dependent
	TIB-214	CTLL-2	IL2 dependent

10

The following cell lines are available from DSMZ - Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH, Mascheroder Weg 1b, D-38124 Braunschweig, GERMANY. As can be seen from the table, some of the cell lines can be used to broadly assess cytokine activity whereas others are only reported to respond to one or a few specific cytokines.

Accession	Description	Acvitity
number		
ACC 211	Mouse hybridoma, B9	IL6 dependent
ACC 137	Human acute myelold leukemia, UT-7	Constitutively cytokine
		responsive to various
		cytokines.
ACC 104	Human acute megakaryoblastic leukemia	Respond with proliferation
İ		to: GM-CSF, IFN-alpha,
\		IFN-á, IFN-gamma, IL2,
		IL3, IL4, IL6, IL15, NG F,
		SCF, TNF-alpha, TPO
ACC 247	Human acute myeloid leukemia, OCI-	G-GSF, GM-CSF, IL3, FTL3-
	AML5	ligand
ACC 271	Human acute myeloid leukemia, MUTZ-2	IL3, SCF, G-CSF, M-CSF,
		IFN-gamma
ACC 334	Human erythroleukemia, TF-1	GM-CSF, IFN-gamma, IL3,
		IL4, IL5, IL6, IL13, LIF,
		NGF, OSM, SCF, TNF-
		alpha, and TPO

The TF-1 cell line mentioned above can be used for assaying IL13 function. This cell line is sensitive to various different cytokines but gives a very strong proliferative response when exposed to IL13. This cell line can in particular be used if there is no response in the IL4 sensitive cell line (CT.h4S). Further cell lines which can be used for distinguishing between IL4 and IL13 activity include cell lines/hybridomas such as B-9-1-3 (Bouteiller et al.) and A201.1 (Andrews et al.).

WO 2004/046376

PCT/DK2003/000794

26

Pharmaceutical uses of isolated polypeptides

Apart from being used for diagnosis, it is also within the scope of the present invention to use an isolated polypeptide as defined in the invention for a pharmaceutical composition together with a pharmaceutically acceptable carrier. Such pharmaceutical compositions may be used for any of the purposes for which cytokines and in particular interleukin is used at present.

Examples of such uses include the treatment of bone disorders, inflammation, for lowering blood serum cholesterol, allergy, infection, viral infections, hematopoietic disorders, preneoplastic lesions, immune related diseases, autoimmune related diseases, infectious diseases, tuberculosis, cancer, viral diseases, septic shock, reconstitution of the haematopoietic system, induction of the granulocyte system, pain, cardial dysfunction, CNS disorders, depression, artheritis, psoriasis, dermatitis, collitis, Crohn's disease, diabetes, in an individual in need thereof.

15

It is also within the scope of the present invention to use an isolated polypeptide according to the invention as an adjuvant or as an immune anhancer, for regulating TH2 immune responses, and for suppressing Th1 immune responses.

20 A further use of an isolated polypeptide of the invention is as a growth factor for administration to cell cultures or as a growth factor for veterinary use, e.g. for stimulating the growth of livestock.

Immunotherapy

25 Having identified a transcriptional and/or translational product of SEQ ID No 1 and/or SEQ ID No 5 as an etiological factor in B-CLL it is also within the scope of the present invention to perform an immunisation of a patient in need thereof against B-CLL, wherein the immunisation generates an immune response in the patient which recognises a translational product of SEQ ID No 2, SEQ ID No 4, SEQ ID No 6, SEQ ID No 7, SEQ ID No 30 8, SEQ ID No 9, SEQ ID No 10 and SEQ ID No 11. A preferred immunotherapy is a vaccination against B-CLL by immunising an individual against a translational product of SEQ ID No 1 and/or SEQ ID No 5. In this way the individual builds up antibodies directed against said translational product and any developing B-CLL will be stopped by these antibodies.

35

Immunisation may be performed in various ways, such as by immunising said individual with at least one isolated polypeptide as defined the present invention and optionally adjuvants and carriers or immunising with an expression construct capable of expressing an isolated polypeptide according to the invention in the cells (DNA vaccination).

40

Another method comprises peptide loading of dendritic cells, or ex vivo expansion and activation of T-cells, or inducing a CTL response that targets cells expressing the polypeptide encoded by SEQ ID No 1 and/or SEQ ID No 5.

Antibodies

Antibodies against any of the polypeptides belonging to the novel class of proteins identified by the present inventors can be produced by any known method of immunisation.

5

In one embodiment, the antibodies are produced in a non-human mammal, or in an insect. If antibodies are to be used for therapy in human beings they are preferably subsequently humanised. In one embodiment, the antibody is formulated into a single-chain antibody.

- 10 In another embodiment, in particular for therapeutic purposes, the host organism is a human being and the antibody is subsequently produced recombinantly in a non-human mammal, such as a mouse. The antibody may also be produced as a monoclonal antibody in a hybridoma. One way of producing a monoclonal antibody is described in US 5,681,729 in which a human lymphocyte producing an antibody is generated by the steps, in the
 15 order mentioned, comprising
 - transplanting human lymphocytes to a mouse lacking both functional T and B cells so that said human lymphocytes take in said mouse's body;
 - 2. immunizing said mouse with a desired antigen so as to generate human lymphocytes producing an antibody specific to said antigen;
- administering to said mouse an antiserum to mouse cells;
 - 4. recovering lymphocyte containing cells from said mouse;
 - 5. separating human lymphocytes from the recovered cells by centrifugation; and
 - 6. separating said human lymphocytes producing said antibody.
 - 7. immortalizing said human lymphocytes
- 25 8. cloning the obtained immortalized human-derived lymphocytes producing said antibody; and

recovering a monoclonal antibody specific to said desired antigen from the cloned immortalized human-derived lymphocytes.

30 The antibodies of the present invention may be provided as part of a pharmaceutical composition. Such a pharmaceutical composition may be used for treating cancer, preferably for treating leukaemia, more preferably for treating B-CLL leukaemia, more preferably for treating poor prognosis B-CLL leukaemia.

35

Use of antibodies in therapy

Antibodies directed against epitopes can be used for prevention and/or therapy of for example B-CLL. Antigenic epitopes can be used in vaccines to stimulate an immunological response in a mammal that is directed against cells having the B-CLL-associated epitope

40 found in the AMB-1 protein(s) or functional equivalents. Antibodies directed against the antigenic epitopes of the invention can combat or prevent B-CLL.

An antigenic epitope may be administered to the mammal in an amount sufficient to stimulate an immunological response against the antigenic epitope. The antigenic epitope

WO 2004/046376 PCT/DK2003/000794

28

may be combined in a therapeutic composition and administered in several doses over a period of time that optimizes the immunological response of the mammal. Such an immunological response can be detected and monitored by observing whether antibodies directed against the epitopes of the invention are present in the bloodstream of the mammal.

Such antibodies can be used alone or coupled to, or combined with, therapeutically useful agents. Antibodies can be administered to mammals suffering from any B-CLL that displays the B-CLL-associated epitope. Such administration can provide both therapeutic treatment, and prophylactic or preventative measures. For example, therapeutic methods can be used to determine the spread of a B-CLL and lead to its remission.

Therapeutically useful agents include, for example, leukeran, adrimycin, aminoglutethimide, aminopterin, azathioprine, bleomycin sulfate, bulsulfan, carboplatin, 15 carminomycin, carmustine, chlorambucil, cisplatin, cyclophosphamide, cyclosporine, cytarabidine, cytosine arabinoside, cytoxin dacarbazine, dactinomycin, daunomycin, daunorubicin, doxorubicin, esperamicins, etoposide, fluorouracil, ifosfamide, interferon-α, lomustine, melphalan, mercaptopurine, methotrexate, mitomycin C, mitotane, mitoxantrone, procarbazine HCI, taxol, taxotere (docetaxel), teniposide, thioguanine, 20 thiotepa, vinblastine sulfate, vincristine sulfate and vinorelbine. Additional agents include those disclosed in Chapter 52, Antineoplastic Agents (Paul Calabresi and Bruce A. Chabner), and the introduction thereto, pp.1202-1263, of Goodman and Gilman's "The Pharmacological Basis of Therapeutics", Eighth Edition, 1990, McGraw-Hill, Inc. (Health Professions Division). Toxins can be proteins such as, for example, pokeweed anti-viral 25 protein, cholera toxin, pertussis toxin, ricin, gelonin, abrin, diphtheria exotoxin, or Pseudomonas exotoxin. Toxin moieties can also be high energy-emitting radionuclides such as cobalt-60, I-131, I-125, Y-90 and Re-186, and enzymatically active toxins of bacterial, fungal, plant or animal origin, or fragments thereof.

30 Chemotherapeutic agents can be used to reduce the growth or spread of B-CLL cells and tumors that express the AMB-1 associated epitope of the invention. Animals that can be treated by the chemotherapeutic agents of the invention include humans, non-human primates, cows, horses, pigs, sheep, goats, dogs, cats, rodents and the like. In all embodiments human B-CLL antigens and human individuals are preferred.

35

Species-dependent antibodies can be used in therapeutic methods. Such a species-dependent antibody has constant regions that are substantially non-immunologically reactive with the chosen species. Such species-dependent antibody is particularly useful for therapy because it gives rise to substantially no immunological reactions. The species-dependent antibody can be of any of the various types of antibodies as defined above, but preferably is mammalian, and more preferably is a humanized or human antibody.

Compositions

Therapeutically useful agents can be formulated into a composition with the antibodies of the invention and need not be directly attached to the antibodies of the invention.

However, in some embodiments, therapeutically useful agents are attached to the antibodies of the invention using methods available to one of skill in the art, for example, standard coupling procedures.

Compositions may contain antibodies, antigenic epitopes or trypsin-like protease inhibitors. Such compositions are useful for detecting the AMB-1 protein (for example antigenic epitopes) and for therapeutic methods involving prevention and treatment of B-CLLs associated with the presence of the AMB-1 (for example antigenic epitopes).

The antibodies, (and for example antigenic epitopes and protease inhibitors) can be formulated as pharmaceutical compositions and administered to a mammalian host, such as a human patient in a variety of forms adapted to the chosen route of administration. Routes for administration include, for example, intravenous, intra-arterial, subcutaneous, intramuscular, intraperitoneal and other routes selected by one of skill in the art.

Solutions of the antibodies, (and for example antigenic epitopes and protease inhibitors)

20 can be prepared in water or saline, and optionally mixed with a nontoxic surfactant.

Formulations for intravenous or intra-arterial administration may include sterile aqueous solutions that may also contain buffers, liposomes, diluents and other suitable additives.

The pharmaceutical dosage forms suitable for injection or infusion can include sterile
aqueous solutions or dispersions comprising the active ingredient that are adapted for
administration by encapsulation in liposomes. In all cases, the ultimate dosage form must
be sterile, fluid and stable under the conditions of manufacture and storage.

Sterile injectable solutions are prepared by incorporating the antibodies, antigenic epitopes and protease inhibitors in the required amount in the appropriate solvent with various of the other ingredients enumerated above, as required, followed by filter sterilization.

Polynucleotides

In a still further aspect the invention relates to an isolated polynucleotide selected from the group consisting of:

- a polynucleotide comprising nucleotides of SEQ ID No 5,
- ii) a polynucleotide encoding a polypeptide having the amino acid sequence of SEQ ID No
 3,
- 40 iii) a polynucleotide, the complementary strand of which hybridises, under stringent conditions, with a polynucleotide as defined in any of i) and ii).
 - iv) a polynucleotide which is degenerate to the polynucleotide of iii), and
 - v) the complementary strand of any such polynucleotide.

The polypeptides encoded by the polynucleotides may furthermore

- a) have at least 60 % sequence identity with the amino acid sequence of SEQ ID No 3 and have interleukin or cytokine activity,
- b) be recognised by an antibody, or a binding fragment thereof, which is capable of
 recognising an epitope, wherein said epitope is comprised within a polypeptide having the amino acid sequence of SEQ ID No 3; and/or
 - be competing with a polypeptide having the amino acid sequence as shown in SEQ ID
 No 3 for binding to at least one predetermined binding partner such as a cytokine
 receptor.

10

Specific examples of fragments of SEQ ID No 1 include the nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18.

15 Hybridisation

The entire nucleotide sequence of the coding sequence of SEQ ID No 1 and/or SEQ ID No 5 or portions thereof can be used as a probe capable of specifically hybridising to corresponding sequences. To achieve specific hybridisation under a variety of conditions, such probes include sequences that are unique and are preferably at least about 10 nucleotides in length, and most preferably at least about 20 nucleotides in length. Such probes can be used to amplify corresponding sequences from a chosen organism or individual by the well-known process of polymerase chain reaction (PCR) or other amplification techniques. This technique can be used to isolate additional nucleotide sequences from a desired organism or as a diagnostic assay to determine the presence of the coding sequence in an organism or individual. Examples include hybridisation screening of plated DNA libraries (either plaques or colonies; see e. g. Innis et al. (1990) PCR Protocols, A Guide to Methods and Applications, eds., Academic Press).

The terms "stringent conditions" or "stringent hybridisation conditions" include reference to conditions under which a probe will hybridise to its target sequence, to a detectably greater degree than other sequences (e. g., at least twofold over background). Stringent conditions are target sequence dependent and will differ depending on the structure of the polynucleotide. By controlling the stringency of the hybridisation and/or washing conditions, target sequences can be identified which are 100% complementary to a probe (homologous probing).

Alternatively, stringency conditions can be adjusted to allow some mismatching in sequences so that lower degrees of similarity are detected (heterologous probing).

40 Generally, probes for hybridisation of this type are in a range of about 1000 nucleotides in length to about 250 nucleotides in length.

An extensive guide to the hybridisation of nucleic acids is found in Tijssen, Laboratory Techniques in Biochemistry and Molecular Biology-Hybridization with Nucleic Acid Probes,

Part I, Chapter 2, "Overview of principles of hybridization and the strategy of nucleic acid probe assays", Elsevier, New York (1993); and Current Protocols in Molecular Biology, Chapter 2, Ausubel, et al., Eds., Greene Publishing and Wiley-Interscience, New York (1995). See also Sambrook et al. (1989) Molecular Cloning: A Laboratory Manual (2nd ed. Cold Spring Harbor Laboratory, Cold Spring Harbor, N. Y.).

Specificity is typically the function of post-hybridisation washes, the critical factors being the ionic strength and temperature of the final wash solution.

10 Generally, stringent wash temperature conditions are selected to be about 5°C to about 2°C lower than the melting point (Tm) for the specific sequence at a defined ionic strength and pH. The melting point, or denaturation, of DNA occurs over a narrow temperature range and represents the disruption of the double helix into its complementary single strands. The process is described by the temperature of the midpoint of transition, Tm, which is also called the melting temperature.

Formulas are available in the art for the determination of melting temperatures.

Preferred hybridisation conditions for the nucleotide sequence of the invention include
hybridisation at 42°C in 50% (w/v) formamide, 6X SSC, 0.5% (w/v) SDS, 100 mg/ml
salmon sperm DNA. Exemplary low stringency washing conditions include hybridization at
42°C in a solution of 2X SSC, 0.5% (w/v) SDS for 30 minutes and repeating. Exemplary
moderate stringency conditions include a wash in 2X SSC, 0.5% (w/v) SDS at 50°C for 30
minutes and repeating.

25

Exemplary high stringency conditions include a wash in 2X SSC, 0.5% (w/v) SDS, at 65°C for 30 minutes and repeating. Sequences that correspond to the AMB-1 gene or fractions thereof according to the present invention may be obtained using all the above conditions. For purposes of defining the invention, the high stringency conditions are used.

30

Mutations

Finally, the invention provides a method for determining an increased or decreased predisposition for B-CLL comprising determining in a biological sample from an individual a germline alteration in a target nucleic acid sequence comprising 150,000 nucleotides, said target nucleic acid sequence comprising at least 10 nucleotides of SEQ ID No 1 and/or SEQ ID No:5. This aspect is based on the finding of the importance of the expression product of SEQ ID No 1 and/ SEQ ID No:5, and the complete absence of any detectable expression product of SEQ ID No 1 and/or SEQ ID No:5 in healthy tissue and in patients with good prognosis B-CLL. It is highly likely that the difference is caused by a germline alteration. A 40 germline alteration can be targeted by gene therapy methods and by the methods provided in the present invention.

Preferably, said predisposition is a predisposition for poor prognosis of B-CLL.

Examples

Example 1: cDNA cloning

By Differential Display (Pardee et al., 1992, Jørgensen et al., 1999) part of a gene (hereafter referred to as AMB-1) was found that is expressed in unmutated B-CLL patients with poor prognosis. This gene is not found in the mutated B-CLL patients. When AMB-1 was sequenced and aligned to known sequences in GenBank, perfect homology was found to 225 base pairs (bp) of human genomic DNA from chromosome 12.

RNA was prepared using the RNeasy kit from Qiagen, as described by the manufactor 10 (Qiagen, Hilden, Germany). RNA was prepared from patients with B-CLL without hyper mutation who, by PCR analysis, using primers FDP5 (CCTTTATGTGTGACAAGTG) and F10 (ATCCAGCCAGGATGAAATAGAA), showed a high level of the resulting PCR fragment. Poly-A+ RNA was isolated from total RNA by the "MicroPoly(A)Purist" kit from Ambion, as described by the manufactor (Ambion, Inc., Texas, USA). Cloning-ready cDNA was 15 prepared from 8 µg poly-A+ RNA using the "ZAP Express® XR Library Construction Kit" from Stratagene as described by the manufactor (Stratagene, San Diego, USA). The cDNA was size fractionated and two size fractions (fraction-1: > 2500 bp and fraction-2 300-2500 bp) were independently ligated to pre-digested lambda Zap vectors and packed into phage particles as described by the manufacture (Stratagene, San Diego, USA). The titer 20 was determined for each library and 200,000 pfu of from the fraction-1 library were plated onto two 22x22 cm screening plates (100,000 pfu on each plate) and 750,000 pfu of the fraction-2 library were plated on five 22x22 cm screening plates (150,000 pfu on each) as described by Stratagene, San Diego, USA. The plates were incubated at 37°C for 18 hours and the plagues transferred to replica nylon filters (Amersham) and denatured and 25 renatured to allow hybridisation. All procedures were made as described by the manufactures (Stratagene, San Diego, USA & Amersham Biosciences, Buckinghamshire, UK).

The filters were screened by independent hybridisations with alpha[\$^{32}P\$]-dATP-labelled

30 DNA fragments; alpha[\$^{32}P\$]-dATP was purchased from Amersham Biosciences,
Buckinghamshire, UK. Between succesive hybridisations, the old probe was removed by
incubation for 20 min in 2l 90-100°C water containing 0.1% SDS. The DNA fragments
used as probes were (all positions relate to sequence ID # X): 1) pos. 48978-49250; 2)
pos. 50011-51591; 3) pos. 51461-52182; 4) pos. 51901-52589; 5) pos. 53121-56521; 6)

35 pos. 58163-59408. All hybridisations and washes were made according to the indtructions
from Stratagene, San Diego, USA and Amersham Biosciences, Buckinghamshire, UK;
Washing was done at a high stringency (0.1 x SSC at 65°C for 20 min).

A total of 38 plaques that showed a positive response from one or more of the screenings, 40 were excised from the screening plates and grown as plasmids as described (Stratagene, San Diego, USA). A total of 8 cDNAs were identified by cDNA cloning or by a combination of cDNA cloning, PCR analysis and RACE (rapid amplification fo cDNA ends-polymerase chain reaction) using the the SMART RACE cDNA amplification kit (Clontech, Palo Alto, CA) according to the manufacturer's instructions.

5

Example 2: Bioinformatic analysis of AMB-1.

The DNA and protein sequence data bases (GenBank and EBI) have been searched for sequences with similarity to AMB1. There is no significant DNA sequence similarity to any known gene. In particular, the coding region of the AMB1 mRNA (SEQ ID no 3) is not 10 present in any known EST. The only significant match to the complete mRNA sequences and the DNA sequence of the putative coding region were BAC clones derived from the region on human chromosome 12 where the gene is located. The "AMB-1 gene" had not been annotated as a gene on the chromosome. Searches with the peptide sequence in the sptrnr data base of peptide sequences (includes Sprot and nrtrembl) showed a low 15 similarity to putative intron maturases from cloroplasts and to bovine IL4. The percentage similarity to both maturases and bovine IL4 was low (25.6% and 30.3%, respectively) and the similarity to maturases only included a match to 75 amino acids of the much larger maturases. In contrast, the match to bovine IL4 extended over the full peptide sequence. IL4, and other 4-helical cytokines, include a leader peptide sequence (signal peptide) 20 allowing the proteins to be secreted. The AMB1 peptide sequence includes a N-terminal peptide sequence with similarity to signal peptide sequences, however, it is not a typical sequence.

A 3D search has been performed, where a peptide sequence is searched for similarity to 25 known protein or peptide 3D-structures. The two best matches were the thioredoxin fold and the human 4-helical cytokine IL4 (Fig. 5). The two matches had almost similar probability scores (2.88 and 3.05, respectively). Searches with 4-helical cytokine peptide sequences (IL4, IL3, IL13 and GM-CSF) revealed that all could be folded into both a 4helical cytokine structure and the thioredoxin fold. Alignment based on the structural 30 similarity between IL4 (d1iara) and AMB-1 is shown in Fig. 5. Thus, the AMB1 peptide sequence share this property with 4-helical cytokines. The structural similarity is not perfect (Fig. 6) and there are no obvious glycosylation sites in the AMB1 sequence, however, the similarity is significant. Alignment of the AMB1 peptide sequence with the sequences of IL4, IL3, IL13 and GM-CSF, based on their structures, showed very little 35 sequence conservation but a high degree of structural conservation (Fig.7). Based on this alignment, AMB1 has similarities to all the 4-helical cytokines, and the length of AMB1 and the position of gaps in the alignment could suggest a higher similarity to e.g. IL13, but searches at 3D-PSSM only identified a significant similarity to the structure of IL4, not IL13, IL3 or GM-CSF. However, the search algorithms are not perfect and may therefore 40 not detect a possible low structural similarity.

Example 3: Differential expression of AMB-1

Patient material

Blood samples were collected from newly diagnosed untreated patients with B-CLL.

5 Mononuclear cells were isolated by Lymphoprep separation (Nycomed Pharma, Oslo, Norway), and the percentage of CD5+CD20+ B-CLL cells in the mononuclear fraction was >90% in all samples as determined by flow cytometric analysis.

Isolation of RNA and conversion to cDNA.

Material for RNA production was isolated mononuclear cells from B-CLL patients or mononuclear cells from lymphoprep separated buffy coats from normal donors. Total RNA was isolated from 5x10⁷ or more cells using the QIAamp RNA Blood Mini kit (Qiagen, Valencia, CA) with DNAse treatment. RNA (1ug) was converted to cDNA by incubation with a mixture of random-primers (1µg) and T24-primer (1µg) for 5 minutes at 70°C. After cooling on ice, the reaction mixture was added to a final volume of 25µl containing 30U of AMV Reverse Transcriptase HC (Promega, Madison, WI, USA), 1x First Strand Buffer (50mM Tris-HCl, pH 8.3, 50mM KCl, 10mM MgCl₂, 10mM DTT, 0.5mM spermidine), 2.5mM of each dNTP and 60U rRNasin ribonuclease inhibitor (Promega, Madison, WI, USA). The reaction was performed for 60 minutes at 37°C.

20

Determination of somatic hypermutation status

Two µl of cDNA was amplified using a GeneAmp PCR System 2700 (Applied Biosystems, Warrington, UK) with a 40 pmol specific upstream primer corresponding to 1 of the 6 human VH family leader sequences (VH1: 5'-CCATGGACTGGACCTGGAGG-3', VH2: 5'-

- 25 ATGGACATACTTTGTTCCAGC-3', VH3: 5'-CCATGGAGTTTGGGCTGAGC-3', VH4: 5'ATGAAACACCTGTGGTTCTT-3', VH5: 5'-ATGGGGTCAACCGCGATCCT-3', VH6: 5'ATGTCTGTCTCCTCAT-3') and a 40 pmol downstream primer (Cμ:5'GAGGCTCAGCGGGAAGACCTT-3' or Cγ:5'-GGGGAAGACCGATGGGCCCCT-3') corresponding
 to a consensus sequence of the constant region of IgM or IgG respectively. The Reverse
- 30 Transcription (RT)-PCR reaction contained 1xPCR buffer (10mM Tris-HCl, pH 9.0, 50mM KCl, 0.1% Triton X-100), 2.5mM MgCl₂, 0.2mM of each dNTP and 1.5U Taq DNA Polymerase (Promega, Madison, WI, USA) in a final volume of 100μl. The RT-PCR was performed under the following conditions: 1 cycle of 94°C for 5 minutes, 30 cycles of denaturation at 94°C for 30 secs, annealing at 62°C for 30 sec. and extension at 72°C for
- 35 30 sec, and a final extension at 72°C for 7 minutes. The RT-PCR products were analysed on 2% agarose gels and sequenced in an HBI Prism 310 Genetic Analyzer (Perkin Elmer, Foster City ,CA, USA) using the BigDye Terminator Cycle Sequencing Ready Reaction kit (Applied Biosystems, Warrington, UK) following the manufacturer's instructions.
- 40 Sequences obtained from each sample were compared to germ line sequences in the V base sequence directory (I.M. Tomlinson, MRC Center for Protein Engineering, Cambridge, UK) using BLAST, and the closest germ line sequence was assigned. A gene sequence was

considered to be mutated if it had equal or more than 2% sequence alterations when compared to the closest published germ line sequence.

RT-PCR that amplifies the Exon 2-Exon 3 junction

5 To evaluate the mRNA expression pattern of AMB1 in unmutated and mutated B-CLL patients RT-PCR was performed. Exon-overlapping oligonucleotide primers were: 5'-ATCCAGCCAGGATGAAATAGAA-3' and 5'-CACTTGTCACACACATAAAGG-3'. The RT-PCR was performed in a GeneAmp PCR System 2700 thermal cycler with an initial denaturation at 94°C for 2 minutes, 40 cycles of 96°C for 25 sec., 62°C for 25 sec. and 72°C for 90 secs, and a final extension at 72°C for 5 minutes. The reactions contained 2µl cDNA, 1x DDRT-PCR buffer (10mM Tris-HCl, pH 8.3, 50mM KCl, 1.8mM MgCl₂, 0.1% Triton X-100, 0.005% gelatine), 0.25mM of each dNTP, 30 pmol of each primer and 0.5U Taq DNA Polymerase (Promega, Madison, WI, USA) in a 30µl final volume. RT-PCR products were analyzed by gelelectrophoresis on 2% agarose gels and visualized with a Gene Genius Bio Imaging
15 System (Syngene, Frederick, MD) after staining with ethidium bromide. An actin control RT-PCR was performed using the primers: 5'-TGACGGGGTCACCCACACTGTGCCCATCTA-3' and 5'-CTAGAAGCATTTGCGGTGGACGATGGAGGG-3'.

RT-PCR that amplifies the Exon 1-Exon 3 junction:

To evaluate the mRNA expression pattern of AMB1 in unmutated and mutated B-CLL patients RT-PCR was performed. Exon-overlapping oligonucleotide primers were: 5'-AGACGGCTCTCACC AATAAG-3' and 5'-CACTTGTCACACACATAAAGG-3'. The RT-PCR was performed in a GeneAmp PCR System 2700 thermal cycler with an initial denaturation at 94°C for 2 minutes, 40 cycles of 96°C for 25 sec., 62°C for 25 sec. and 72°C for 90 secs, and a final extension at 72°C for 5 minutes. The reactions contained 2μl cDNA, 1x DDRT-PCR buffer (10mM Tris-HCl, pH 8.3, 50mM KCl, 1.8mM MgCl₂, 0.1% Triton X-100, 0.005% gelatine), 0.25mM of each dNTP, 30 pmol of each primer and 0.5U Taq DNA Polymerase (Promega, Madison, WI, USA) in a 30μl final volume. RT-PCR products were analyzed by gel electrophoresis on 2% agarose gels and visualized with a Gene Genius Bio Imaging
System (Syngene, Frederick, MD) after staining with ethidium bromide (Continental Lab Products, San Diego, USA).

Statistical analysis

Statistical significance of the correlation between somatic hypermutation status and AMB1 expression was analyzed using Fisher's exact test.

Northern blotting. RNA from spleen, bone marrow and colon was purchased from Clontech. The AMB1 probe was an 896 base pair fragment (57661-56766) obtained by RT-PCR as described above with the primers 5'-TCACCTGGGAGCTCAGAGGA-3' and 5'-40 GTGATCCTGGGAGAATCTCT-3'. For Northern blotting, 5 µg of RNA was run on a 1% agarose-gel with 6% formaldehyde dissolved in 1 x MOPS (20 mM 3-(N-morpholino)-propane-sulfonic acid, 5 mM sodium acetate, 1 mM EDTA, pH 7.0) for size separation. The presence of equal amounts of RNA in each lane was ensured by ethicium bromide staining. The RNA was transferred to a Hybond-N membrane (Amersham, Little Chalfont, UK) by

PCT/DK2003/000794

capillary blotting and fixed by UV-irradiation. The filters were pre-hybridized for 1-2 hours at 42°C in 6 ml ULTRAhyb (Ambion, Austin, TX, USA) preheated to 68°C and hybridized overnight at 42°C after addition of further 4 ml containing the 32 P-labeled probe and sheared salmon sperm DNA (10 µg/ml). The membranes were washed for 2 x 15 min. at 42°C in 2 x SSC, 0.1% SDS followed by 1 x 15 min. in 0.2 x SSC, 0.1 % SDS and 2 x 15 min. in 0.1 x SSC, 0.1 % SDS at 42°C. The blot was developed and quantified by a phosphoimager. The sizes of the mRNAs were determined by reference to 18S and 28S ribosomal RNA, which were visualized by ethidium bromide staining. The AMB1 probe used for hybridization was radiolabeled with [α - 32 P] dCTP using the Random Primers DNA Labeling System (Gibco BRL).

Dot blot of multiple tissue expression (MTE) array. An MTE array (Clontech, Palo Alto, CA, USA) was hybridised to AMB1 at 65°C in ExpressHyb (Clontech) supplemented with sheared salmon sperm DNA (7.5 μg/ml) and human Cot-1 DNA (1.5 μg/ml) according to the manufacturers recommendations. The tissue types represented on the MTE array are shown in Figure 11. Following hybridisation the filter was washed 5 x 20 min. at 65°C in 2 x SSC (1 x SSC =150 mM NaCl, 15 mM sodium citrate, pH 7.0), 1% SDS and 2 x 20 min at 65°C in 0.1 x SSC, 0.5% SDS. The blot was developed and quantified by a phosphoimager (Fuji Imager Analyzer BAS-2500, Image Reader ver. 1.4E, Image Gauge ver. 3.01 software, Fuji, Stockholm, Sweden). The membranes were stripped by boiling in 0.5% SDS for 10 min. before rehybridization. The probe used for hybridization were radiolabeled with [α-32P] dCTP using the Random Primers DNA Labeling System (Gibco BRL, Rockville, ML, USA).

25 Results

Based on the known sequence of the AMB-1 cDNA RT-PCRs with primers that extend across the Exon 2-Exon 3 junction and the Exon 1- Exon 3 junction were set up. As shown in Figure 10, where the Exon 2- Exon 3 junction has been amplified, AMB-1 is expressed in the unmutated patients (UPN1-8) while no expression of AMB-1 is seen in mutated patients (UPN9-16).

Northern blot analysis was performed to determine the size of AMB-1's mRNA transcript. As shown in Figure 3 the probe identifies transcripts in the samples from the three patients without somatic hypermutation (UPN1, UPN4 and UPN7). However, the probe does not recognise any transcripts from the patients with somatic hypermutation (UPN9, UPN10, UPN13, UPN21) or the various cell lines and tissue samples. Similar results were obtained when cell lines and tissue samples were investigated by RT-PCR (results not shown). Dot blot analysis on a purchased filter with 96 different RNA samples (Figure 8) only revealed specific binding to the total DNA control dot, but not to any specific tissue (results not shown). Thus AMB-1 is only expressed in B-CLL cells without hypermutation or AMB-1 is expressed at extremely low levels in other tissues.

We next tested the predictive value, in terms of IgV_H mutational status, of expression of AMB-1 in 29 consecutive newly diagnosed patients. At present 13 somatically unmutated and 16 somatically mutated patients have been included in our prospective patient database. The sensitivity and specificity for expression of AMB-1 in predicting mutational status is well above 90% (p<0.0001), which is at the level obtained by sequencing.

Example 4. Investigation of the prognostic significance of AMB-1 in terms of patient survival

To obtain information about the ability of AMB-1 to predict survival or time to progression for B-CLL patients survival curves were made. For each patient the following data were collected: clinical stage at time of diagnosis (Ral and Binet staging), date of diagnosis, date of first time of treatment and last follow up date. Time to treatment (progression free survival) and survival time were calculated based on these dates using the Microsoft Excel software. Survival times and progression free survival times were plotted be the Kaplan-Meier Method and compared using the log-rank test (Prism 3.0 Graph Pad software).

34 newly diagnosed, untreated B-CLL patients were investigated as described above. As shown in Figure 2a-d AMB-1 expression is a good predictor of B-CLL patient survival and 20 B-CLL patient time to progression.

Example 5: siRNA assays.

Materials and Methods:

Frozen cells from unmutated or mutated B-CLL patients pruified and characterized for mutational status as previously described were thawed and Ficoll separated to obtain the live cells. Cells were counted and resuspended at 2x10⁶ cells/ml in RPMI 1640 medium with glutamax-1 (RPMI, GIBCO, Paisley, UK). 1x10⁶ cells (500μl of cell suspension) were incubated on ice for 10 minutes with the appropriate siRNA or combination of siRNAs at a final concentration of 100nM each. The suspension was electroporated using a 4mm cuvette (Molecular BioProducts, San Diego, CA, USA) in a BioRad Gene Pulser. Following electroporation the cells were incubated on ice for 10 minutes, washed once in RPMI with 20% FCS and 100units/ml Penicillin and 100μg/ml Streptomycin (GIBCO, Paisley, UK), resuspended at a concentration of 4x10⁶ cells/ml in the same medium and incubated for 48 hours. For each patient the optimal voltage allowing for maximum siRNA uptake was determined by making a voltage curve (300-450V, 960μF) using a FITC-labeled unspecific probe (Xeragon, Qiagen, Hilden, Germany) at a final concentration of 200nM and the uptake was followed by flow cytometry.

The siRNAs were produced using the SilencerTM siRNA Construction Kit, (Ambion, Texas, USA) according to the manufacturers instructions. SiRNAs had the following target sequences:

siRNA name:	mRNA target sequence:	ļ į

Exon 1 A	5'- AAUAAGGGCAGGCAUCAUCCA -3'	SEQ ID No:19
Exon 1 B	5'- AAUUACACUGCCAGGUUUCCU -3'	SEQ ID No:20
Exon 2 A	5'- AAUUCAUUCACAAUGAUUGCU -3	SEQ ID No:21
Exon 2 B	5'- AAUUUCUCUUGGGUAAUUCAG-3'	SEQ ID No:22
Exon 3 (DDend) A	5'- AAAAUCAGAAUCUGCGCAGCA -3'	SEQ ID No:23
Exon 3 (DDend) B	5'- AAUGAUGAUGGGAAGAAGGAA -3'	SEQ ID No:24
CDS A	5'- AAACUUAGUAAUUGAGUGUGA 3'	SEQ ID No:25
CDS B	5'- AAUAUGUCACUUUCAUAAAGC -3'	SEQ ID No:26
Transcript on -strand A	5'- AAUGAUGAUGGGAAGAAGGAA -3'	
Transcript on -strand B	5'- AAACUAUGAGAUUUCAGAAGG -3'	

Table 1: Overview of the siRNAs used in electroporation experiments

After 48 hours of incubation the various B-CLL samples were counted and live and dead cells were distinguished by nigrosin exclusion (0.1% in Nigrosin in PBS from Fluka, Buchs, Switzerland).

Results:

Following 48 hours of incubation with control GFP siRNA or siRNAs against various regions of the cDNAs (see table 1), the viable cells and dead cells were counted based on the ability of the cells to exclude nigrosin. As shown in table 2, in 3 out of 4 patients introduction of siRNAs against Exon 1, Exon 2 and Exon 3 resulted in an increase of dead cells as compared to the controls (no siRNA or GFP siRNA).

Treatment:	UPN 67	UPN 66	UPN 62	UPN 73
No siRNA	33.0%	19.7%	30.9%	20.2%
Control siRNA	28.4%	26.7%	24.0%	16.0%
CDS siRNA	23.7%	25.5%	21.0%	13.3%
Ex1-3 siRNA	47.3%	54.1%	17.2%	29.1%

Table 2: Percent dead cells of total cells following electroporation and incubation with siRNAs.

- 20 Example 6: Identification of possible cytogenetic aberrations near or within the region encoding AMB-1 on chromosome 12.
 - Rationale: The limited expression profile of AMB-1 suggests that it may be a result of a genetic aberration (e.g. deletion, translocation or alternative splicing) or that the promotor region controlling the expression of AMB-1 is uniquely activated in unmutated B-CLL.
- 25 Another gene is situated about 200.000 bases upstream of the AMB-1 gene (SEQ ID No 1) on chromosome 12 and the inventors we have determined that this gene is expressed at equal levels in unmutated and mutated patients.

Methods: Using primers, initially spaced about 20.000 bp apart; this region on chromosome 12 is characterised in unmutated B-CLL patients. If genetic aberrations within the region are detected by PCR analysis of chromosomal DNA, detailed molecular genetic studies using FISH, microsatellite analysis and Southern blotting will be employed. The whole region from unmutated patients is sequenced.

Example 7: Polyclonal antibodies

10

Production of polyclonal antibodies:

Synthetic peptides CDLETNSEINKLIIYLFSQNNRIRF and CQVSKKHIIYSTFLSKNF were synthesized and conjugated to KLH (K.J.Ross-Petersen Aps, Holte, Denmark). Polyclonal antibodies were produced by immunization of rabbits with these conjugated peptides by DAKO (DAKO Cytomation A/S, Glostrup, Denmark).

Testing of polyclonal antibodies:

At the present time we have produced polyclonal antibodies from three rabbits that have been immunized with peptides representing predicted immunogenic regions of the protein that can be predicted from the CDS sequence (SEQ ID No:17) (cDNA 4). The antibodies are tested in various ways. The proposed reading frame of CDS (SEQ ID No:17) is expressed in 293 cells and the binding of antibodies to lanes on a western blot with non-transfected 293 cells versus transfected 293 cells are compared. The size of the band in the lanes with transfected 293 cells is compared to the size of western blot bands in lanes with proteins from B-CLL patients. Specificity of the bands is secured by peptide blocking experiments.

Additionally the polyclonal antibodies are tested in B-CLL immunoprecipitation experiments where the antibodies are used to immunoprecipitate the protein produced from the CDS sequence and the immunoprecipitates are analyzed by western blotting.

Example 8: Assay for the biological activity of 4-helix cytokines.

The assay is based on the use of a cytokine dependent or stimulated cell line, for example an IL4 dependent cell line ("Optimisation of the CT.h4S bioassay for detection of human interleukin-4 secreted by mononuclear cells stimulated by phytohaemaglutinin or by human leukocyte antigen mismatched mixed lymphocyte culture", Petersen, S.L., Russell, C.A., Bendtzen, K. & Vindeløv, L.L., Immunology Letters 84 (2002) 29-39). Other examples of cytokine dependent cell lines include IL13 dependent cell lines. A list of commercially available cytokine dependent cell lines is disclosed in the general part of the description. These can all be used for assessing cytokine activity. The most preferred cell lines are those that are IL4 dependent.

The assay can be performed in two ways. The first assay comprises providing recombinantly produced AMB1 protein or a functional equivalent thereof and determine the proliferation rate of the cell line. The proliferation rate (either rate of proliferation or ± proliferation) can be compared to the proliferation rate of the cell line exposed to IL4 or another known 4-helical cytokine or interleukin.

If a positive result is obtained with a polypeptide an assay will be performed on the same cell line with the IL4 receptor blocked. This will check whether the stimulus goes through IL4R.

The second assay is based on transfection of a gene encoding a 4-helix cytokine according to the invention into cytokine dependent cells and observe proliferation or non-proliferation during transient expression.

Example 9: Cytokine receptor binding assays

30

The following is a description of the layout of a cytokine receptor binding assay used to determine the cytokine activity of the 4-helix cytokines according to the present invention.

The assays can be performed with any cytokine receptor. Preferred receptors include but is not limited to the receptors for IL4 IL13, IL3, and GM-CSF.

The ability of recombinant cytokine receptor to bind to 4-helical cytokine is assessed in a competitive binding ELISA assay as follows. Purified recombinant cytokine receptor (IL4, IL13, IL3 or GM-CSF receptors) (20 µg/ml in PBS) is bound to a Costar EIA/RIA 96 well microtiter dish (Costar Corp, Cambridge Mass., USA) in 50 µL overnight at room temperature. The wells are washed three times with 200 µL of PBS and the unbound sites blocked by the addition of 1% BSA in PBS (200 µl/well) for 1 hour at room temperature. The wells are washed as above. Biotinylated AMB-1 (1 µg/ml serially diluted in twofold steps to 15.6 ng/mL; 50 µL) is added to each well and incubated for 2.5 hours at room temperature. The wells are washed as above. The bound biotinylated AMB-1 is detected by

the addition of 50 µl/well of a 1:2000 dilution of streptavidin-HRP (Pierce Chemical Co.,

Rockford, Ill.) for 30 minutes at room temperature. The wells are washed as above and 50 µL of ABTS (Zymed, Calif.) added and the developing blue color monitored at 405 nm after 30 min. The ability of unlabelled 4-helical cytokine to compete with biotinylated AMB-1, respectively, is assessed by mixing varying amounts of the competing protein with a quantity of biotinylated AMB-1 shown to be non-saturating (i.e., 70 ng/mL; 1.5 nM) and performing the binding assays as described above. A reduction in the signal (Abs 405 nm)

performing the binding assays as described above. A reduction in the signal (Abs 405 nm) expected for biotinylated 4-helical cytokine indicates a competition for binding to immobilised cytokine receptor.

10 The above identified assays can be used to identify 4-helical cytokines with similar binding affinities as AMB-1 (SEQ ID No. 3). In the competitive binding assays biotinylated IL4, IL13, IL3, or GM-CSF can be used to identify 4-helical cytokines which can compete with these cytokines.

15 References

- 1. U.S. Pat. No. 4,554,101
- 2. U.S. Pat. No. 5,681,729
- 3. Antineoplastic Agents (Paul Calabresi and Bruce A. Chabner
- Andrews, R., L. Rosa, M. Daines, and G. Khurana Hershey. 2001. Reconstitution of a functional human type II IL4/IL13 receptor in mouse B cells: demonstration of species specificity. *J Immunol* 166, no. 3:1716
 - 5. Ausubel, et al., Current Protocols in Molecular Biology, Chapter 2, Eds., Greene Publishing and Wiley-Interscience, New York (1995).
- Bouteiller, C.L., R. Astruc, A. Minty, P. Ferrara, and J.H. Lupker. 1995. Isolation of an
 IL13-dependent subclone of the B9 cell line useful for the estimation of human IL13 bioactivity. *J Immunol Methods* 181, no. 1:29
 - Chaouchi, N., C. Wallon, C. Goujard, G. Tertian, A. Rudent, D. Caput, P. Ferrera, A. Minty, A. Vazquez, and J.F. Delfraissy. 1996. Interleukin-13 inhibits interleukin-2induced proliferation and protects chronic lymphocytic leukemia B cells from in vitro apoptosis. *Blood* 87, no. 3:1022
 - Damle, R.N., T. Wasil, F. Fais, F. Ghiotto, A. Valetto, S.L. Allen, A. Buchbinder, D. Budman, K. Dittmar, J. Kolitz, S.M. Lichtman, P. Schulman, V.P. Vinciguerra, K.R. Rai, M. Ferrarini, and N. Chiorazzi. 1999. Ig V gene mutation status and CD38 expression as novel prognostic indicators in chronic lymphocytic leukemia. *Blood* 94, no. 6:1840
- Dancescu, M., M. Rubio-Trujillo, G. Biron, D. Bron, G. Delespesse, and M. Sarfati.
 1992. Interleukin 4 protects chronic lymphocytic leukemic B cells from death by apoptosis and upregulates Bcl-2 expression. J Exp Med 176, no. 5:1319
 - Dohner, H., S. Stilgenbauer, A. Benner, E. Leupolt, A. Krober, L. Bullinger, K. Dohner,
 M. Bentz, and P. Lichter. 2000. Genomic aberrations and survival in chronic
- lymphocytic leukemia. N Engl J Med 343, no. 26:1910
 Fluckiger, A.C., F. Briere, G. Zurawski, J.M. Bridon, and J. Band
 - Fluckiger, A.C., F. Briere, G. Zurawski, J.M. Bridon, and J. Banchereau. 1994. IL13 has only a subset of IL4-like activities on B chronic lymphocytic leukaemia cells. *Immunology* 83, no. 3:397

10

15

25

- 12. Goodman and Gilman's "The Pharmacological Basis of Therapeutics", Eighth Edition, 1990, McGraw-Hill, Inc. (Health Professions Division)
- Hamblin, T.J., Z. Davis, A. Gardiner, D.G. Oscier, and F.K. Stevenson. 1999.
 Unmutated Ig V(H) genes are associated with a more aggressive form of chronic lymphocytic leukemia. *Blood* 94, no. 6:1848
- 14. Innis et al. (1990) PCR Protocols, A Guide to Methods and Applications, eds., Academic Press
- 15. Jørgensen M, Bévort M, Kledal TS, Hansen BV, Dalgaard M, and Leffers H (1999)

 Differential Display Competitive PCR: An Optimal Tool for Assaying Gene Expression.

 Electrophoresis 20:230-240
- 16. Kirn D. et al., "The emerging fields of suicide gene therapy and virotherapy", Trends Mol. Med. 2002, 8:568-573
- 17. Kröber, A., T. Seiler, A. Benner, L. Bullinger, E. Bruckle, P. Lichter, H. Dohner, and S. Stilgenbauer. 2002. V(H) mutation status, CD38 expression level, genomic aberrations, and survival in chronic lymphocytic leukemia. *Blood* 100, no. 4:1410
- 18. Kyte J and Doolittle RF. 1982. A simple method for displaying the hydropathic character of a protein. J. Mol. Biol. 157, no. 1:105
- 19. Liang P, and Pardee AB (1992) Differential Display of eukaryotic messenger RNA by means of the polymerase chain reaction. Science 257:967-71
- 20 20. Lin, K., P.D. Sherrington, M. Dennis, Z. Matrai, J.C. Cawley, and A.R. Pettitt. 2002. Relationship between p53 dysfunction, CD38 expression, and IgV(H) mutation in chronic lymphocytic leukemia. *Blood* 100, no. 4:1404
 - 21. Lundin, J., E. Kimby, L. Bergmann, T. Karakas, H. Mellstedt, and A. Osterborg. 2001. Interleukin 4 therapy for patients with chronic lymphocytic leukaemia: a phase I/II study. *Br J Haematol* 112, no. 1:155
 - 22. Luo, H.Y., M. Rubio, G. Biron, G. Delespesse, and M. Sarfati. 1991. Antiproliferative effect of interleukin-4 in B chronic lymphocytic leukemia. *J Immunother* 10, no. 6:418
 - 23. Merrifield, J. Am. Chem. Soc. 85:2149-2146, 1963)
- Oscier, D.G., A.C. Gardiner, S.J. Mould, S. Glide, Z.A. Davis, R.E. Ibbotson, M.M.
 Corcoran, R.M. Chapman, P.W. Thomas, J.A. Copplestone, J.A. Orchard, and T.J.
 Hamblin. 2002, Multivariate analysis of prognostic factors in CLL: clinical stage, IGVH gene mutational status, and loss or mutation of the p53 gene are independent prognostic factors. *Blood* 100, no. 4:1177
- 25. Panayiotidis, P., K. Ganeshaguru, S.A. Jabbar, and A.V. Hoffbrand. 1993. Interleukin-4
 inhibits apoptotic cell death and loss of the bcl-2 protein in B-chronic lymphocytic leukaemia cells in vitro. *Br J Haematol* 85, no. 3:439
 - 26. Petersen, S.L., Russell, C.A., Bendtzen, K. & Vindeløv, L.L., Optimisation of the CT.h4S bioassay for detection of human interleukin-4 secreted by mononuclear cells stimulated by phytohaemaglutinin or by human leukocyte antigen mismatched mixed lymphocyte culture", *Immunology Letters* 84 (2002) 29-39)
 - 27. Sambrook et al. (1989) Molecular Cloning: A Laboratory Manual (2nd ed. Cold Spring Harbor Laboratory, Cold Spring Harbor, N. Y.).

PCT/DK2003/000794

- 28. Tijssen, Laboratory Techniques in Biochemistry and Molecular Biology-Hybridization with Nucleic Acid Probes, Part I, Chapter 2, "Overview of principles of hybridization and the strategy of nucleic acid probe assays", Elsevier, New York (1993)
- 29. Yazawa et al., Current Progress in suicide gene therapy for cancer, World J. Surg.
 2002, 26(7):783-789.

Claims

- A method for establishing a diagnosis of a subtype of B-cell chronic lymphocytic leukaemia (B-CLL) in a individual comprising detecting the presence or absence of at least one expression product, wherein said at least one expression product comprise a nucleotide sequence selected from the group consisting of SEQ ID SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 in a biological sample isolated from the individual.
- 2. A method for establishing the prognosis of B-CLL in a individual comprising detecting the presence or absence of at least one expression product, wherein said at least one expression product comprise a nucleotide sequence selected from the group consisting of SEQ ID SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 in a biological sample isolated from the individual.
- 15
- A method for determining whether an individual has a B-CLL sub-type with poor prognosis, the method comprising determining the level of an expression product which comprise a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18
 of said individual, and indicating the individual as having a B-CLL sub-type with poor prognosis if the level of the expression product is at or beyond a discriminating value and indicating the individual as not having a B-CLL sub-type with poor prognosis if the level of the expression product is not at or beyond the discriminating value, the discriminating value being a value which has been determined by measuring the level of the expression product which comprise a nucleotide sequence selected from the group consisting of SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 in both a healthy control population and a population with known B-CLL sub-type with poor prognosis, thereby determining said discriminating value which identifies the B-CLL sub-type population having a poor prognosis.
- 30
- 4. The method according to claim 3, wherein the individual is a member of an unselected population.
- 5. The method according claim 3, wherein the Individual is a member of a population 35 already identified as having a B-CLL sub-type with a poor prognosis.
 - 6. The method according to any of claims 3-5, wherein the determination is performed at several time points at intervals as part of a monitoring of a cancer patient after or during the treatment for primary cancer.
- 40
- 7. The method according to any of the preceding claims, wherein the expression product is a transcriptional product.

- 8. The method according to claim 7, wherein the at least one transcriptional product is selected from the group consisting of SEQ ID No 2, SEQ ID No 4, SEQ ID No 6, SEQ ID No 7, SEQ ID No 8, SEQ ID No 9, SEQ ID No 10 and SEQ ID No 11.
- 5 9. The method according to claim 7, wherein said at least one transcriptional product comprise a nucleotide sequence selected from the group consisting of SEQ ID SEQ ID No:15.
- 10. The method according to claim 7, wherein said at least one transcriptional product10 comprise a nucleotide sequence selected from the group consisting of SEQ ID SEQ ID No:16.
 - 11. The method according to claim 7, wherein said at least one transcriptional product comprise a nucleotide sequence spanning the junction between Exon-2 and Exon-3.
 - 12. The method according to claim 11, wherein the nucleotide sequence spanning the junction between Exon-2 and Exon-3 is the last 20 nucleotides of the 3'-end of SEQ ID No:15 and the first 20 nucleotides of the 5'-end of SEQ ID No:16.
- 20 13. The method according to any one of the preceding claims, wherein the presence of at least one of the transcriptional product(s) indicates that the individual has a subtype of B-CLL associated with a poor prognosis.
- 14. The method according to any one of the preceding claims, wherein the presence or absence of the transcriptional product(s) is/are determined by a method selected from the group consisting of a nucleic acid hybridisation based technique and a PCR based technique.
- 15. The method according to any one of the preceding claims, wherein the biological30 sample is selected from the group comprising blood, serum, plasma, urine, saliva, lymph node biopsy, bone marrow, spinal liquid, spleen biopsy, and liver biopsy.
- 16. Use of a compound capable of eliminating transcription of at least one expression product comprising a nucleotide sequence selected form the group consisting of SEQ ID
 35 SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 for the treatment of B-CLL.
- 17. Use of a compound capable of eliminating transcription of at least one transcriptional product comprising a nucleotide sequence selected form the group consisting of SEQ ID
 40 SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 for manufacture of a medicament for the treatment of B-CLL.
 - 18. A method of treating B-CLL comprising administering to an individual in need thereof a compound capable of eliminating at least one type of transcriptional product, said

transcriptional product comprising at least one nucleotide sequence selected from the group consisting of SEQ ID SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18.

- 5 19. The method according to claim 18, wherein all types of the transcriptional product(s) are eliminated.
- 20. The method according to any one of claims 18 or 19, wherein the at least one transcriptional product is selected from the group consisting of SEQ ID No 2, SEQ ID No 4,
 SEQ ID No 6, SEQ ID No 7, SEQ ID No 8, SEQ ID No 9, SEQ ID No 10 and SEQ ID No 11.
 - 21. The method according to any one of claims 18-20, wherein the elimination of the at least one transcriptional product is achieved by inhibiting the formation of the transcriptional product.
 - 22. The method according to any one of claims 18-20, wherein the elimination of the at least one transcriptional product is achieved by destroying the transcriptional product.
- 23. The method according to claim 21, wherein the compound is an nucleotide capable of inhibiting the transcription of a nucleic acid sequence encoding any transcriptional product comprising a nucleotide sequence selected from the group consisting of SEQ ID SEQ ID SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18.
- 25. 24. The method according to claim 22, wherein the compound is an nucleotide capable of destroying any transcriptional product comprising a nucleotide sequence selected from the group consisting of SEQ ID SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18.
- 30 25. The method according 24, wherein the nucleotide is an si-RNA.
 - 26. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of:
- 35 i) an amino acid sequence of SEQ ID NO: 3,
 - ii) an amino acid sequence having at least 60% sequence identity compared to the full length sequence of SEQ ID NO:3
- 40 ii) a fragment of SEQ ID NO:3 having at least 60% sequence identity compared to the full length sequence of SEQ ID NO:3.
 - 27. An isolated polypeptide according to claim 26, said polypeptide having interleukin or cytokine activity

- 28. The isolated polypeptide according to any one of claims 26 or 27, which folds as a 4-helical cytokine.
- 5 29. Use of an isolated polypeptide according to any of claims 26-28 in a diagnostic method for a subtype of B-CLL having a poor prognosis.
 - 30. The use according to claim 29, wherein the diagnostic method is based on immunological assays, such as FACS analysis, western blotting, RIA, ELISA,
- 10 immunohistochemistry etc.
 - 31. Use of an isolated polypeptide as defined in any of the claims 26-28 for the treatment of cancer.
- 15 32. Use of an isolated polypeptide as defined in any of the claims 26-28 for the preparation of a medicament for the treatment of cancer.
 - 33. Use according to claims 31 or 32, wherein the cancer is B-CLL.
- 20 34. A method of immunisation of a patient in need thereof against B-CLL, wherein said immunisation generates an immune response in said patient which recognises a translational product of SEQ ID No 2, SEQ ID No 4, SEQ ID No 6, SEQ ID No 7, SEQ ID No 8, SEQ ID No 9, SEQ ID No 10 and SEQ ID No 11.
- 25 35. A method for producing an antibody with specificity against an isolated polypeptide as defined in any of the claims 26 to 28, said method comprising the steps of
 - i) providing a host organism,
- 30 ii) immunising said host organism with an isolated polypeptide as defined in any of the claims 26 to 28, or transfecting said host organism with an expression vector capable of directing the expression of an isolated polypeptide as defined in any of the claims 26 to 28,
- 35 iii) obtaining said antibody.
 - 36. An antibody obtainable by the method of claim 35.
 - 37. An isolated polynucleotide selected from the group consisting of:

- i) a polynucleotide comprising SEQ ID NO:5
- ii) a polynucleotide encoding a polypeptide having the amino acid sequence of SEQ ID No 3,

iii) a polynucleotide, the complementary strand of which hybridises, under stringent conditions, with a polynucleotide as defined in any of i) and ii), and encodes a polypeptide, which has at least 60% sequence identity with the amino acid sequence of SEQ ID No 3,

5

- iv) a polynucleotide which is degenerate to the polynucleotide of iii), and
- v) the complementary strand of any such polynucleotide.

- 38. The isolated polynucleotide according to claim 37, comprising the nucleotide sequence selected from the group consisting of SEQ ID No:2, SEQ ID No:4, SEQ ID No:6, SEQ ID No:7, SEQ ID No:8, SEQ ID No:9, SEQ ID No:10 and SEQ ID No:11.
- 15 39. A diagnostic kit for ex vivo or in situ diagnosis of a subtype of B-cell chronic lymphocytic leukaemia (B-CLL) in a individual, the kit comprising a detector molecule capable of detecting the presence or absence of at least one expression product, wherein said at least one expression product comprise a nucleotide sequence selected from the group consisting of SEQ ID SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 in a biological sample isolated from the individual.
 - 40. A kit according to claim 39, wherein the detector molecule is a nucleotide.
- 41. A kit according to claim 40, wherein the nucleotide is capable of hybridising to a nucleotide sequence selected from the group consisting of SEQ ID SEQ ID No:12, SEQ ID No:13, SEQ ID No:14, SEQ ID No:15, SEQ ID No:16, SEQ ID No:17 and SEQ ID No:18 under stringent condition.





Fig. 1

PCT/DK2003/000794

2/13

Time to progression based on AM B-1 expression



PCT/DK2003/000794

3/13

Time to progression based on IgV_H mutational status




Fig. 2b

Survival based on AMB-1 expression




Fig. 2c

Survival based on IgV_H mutational status




Fig. 2d

PCT/DK2003/000794




Fig. 3


•			
CCCCCEEEEE NSEINKLIIY + +1-+- KTLCTELTVT CCCCCCEEE	Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н	CCCCCE SKNFKF SK REKYSKCSS HHHHHCCCC	
HHHEEECCCC NLVIECDLET N-+ - E- NSL TEO HHH HCC	HHH	HHH TEL NFLERLKTIM HHHHHHHHHH	
HHHHHHHHHHHH SSLCAIICFL -+LIIL ITLQEIIKTL HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH	HH HHHCCHH YI SIFSYPE -+ + + + + + + E VIRQFYSHHE HHHHHHHHHHH 4900300000	CCCCC EEEH VSKKH IIVS V +-+ VKEANOSTLE CCCCCEEEHH 2000002060	1. 1. 1.
CCCCCCCCH IVRPAADNSA HKCD	НИННИННИННИ - + +	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	
CCCCCCCCCCCCC MFNKCSFH3S	EECCCCCH LFSQNNRIR +F+-+ DIFAASKNTT CCCCCCCC	HHHIC TETK -F+K RFLKRLDRNL HHHHHHHHH	EEEEGC Ollirkycw
AMB1_pe_FSG AMB1_pe_Seq dliaraSeq dliaraSS CORE	AWB1_pe_PSS AWB1_pe_Seq dliara_Seq dliara_SS CORE	AMB1_pe_pss AMB1_pe_seq dliara_seq dliara_ss core	AMB1_pe_PSS AMB1_pe_Beq

BEST AVAILABLE COP

8/13

		•		
Protein	Glutathione S-transferase	Interleukin-4 (IL-4)	PDBTitle: solution structure of ice interleukin-2 1beta generation .	SREEP-1a
X = Family	Gurathione S- transferases, M- terminal domain	Short-chain cytokines		Helix-loop-helix DNA-binding domain
Superfamily.	Thioredoxin-like	4-helical cytokines	Chair: A: PDB Molecule:iceberg (grotease inhibitor);;	Helix-loop-helix DNA-binding domain
Fold	Thioredoxin fold	4-helical cytokines	PDB header. hydrolace inhibitor.	Helix-loop-helix DNA-birding domain
Glass	Alpha and beta proteins (ab)	All alpha proteins	netin SCOP 1.53	All alpha proteins
Bjotext Class	n/a	n/a	ru ^l a	11/a
SAMILED EVALUE	-	-		
PS\$M E_value	.2 .88 .89	3.05	5.34	5.57
Model				
Template Length	57	129	68	80
Fold Clbrary	23%i.d.	dliara 17%i.d.	c1dgna 17%i.d. 89	dlam'ya 22%i.d.

Fig. 5




AMB1 IL4 IL3 IL13 GM-CSF

Fig. 7


_				_			_		_										-			
12	yeast	tota	RNA	yeast	tRNA	E.coli	rRNA	E.coli	DNA	Poly	€		human	ن ئ	DNA	human	ONA ONA	100 ng		human	DNA DVA	500 ng
1	fetal	brain		fetal	heart	fetal	kidney	fetal	liver	fetal	spleen		fetal	thymus		fetal	lung					
10	leukemia,	HL-60		HeLa	53	leukemia	K-562	leukemia,	MOLT-4	Burkitt's	lymphoma,	Raji	Burkitt's	lymphoma,	Dandi	colorectal	adeno-	carcinoma	SW480	gunj	carcinoma	A549
6	liver	_		pancreas		adrenal	gland	thyroid	gland	salivary	gland		mammary	gland								
8	gun			placenta		bladder		nterus		prostate			testis			ovary						
	kidney	-		skeletal	muscle	spleen		thymus		peripheral	plood	leukocyte	lymph	node		pone	marrow			trachea		
9	colon,	transverse		colon,	desending	rectum						-										
5	esophagus			stomach		duodenum		jejunum		ileum	•		ilocecum		_	appendix				colon,	ascending	1
4	heart			aorta		atrium,	left	atrium,	right	ventricle	left		ventricle	right)	inter-	ventricular	septum		apex of	the heart	
3	substantia	nigra)	accumpens	nucleus	thalamus	-	pituitary	gland	spinal	cord											
2	cerebellum	left		cerebellum	right	corpus	callosum	amygdala		caudate	nucleus		hippo-	cambus	•	medulla	oblongata			putamen		
-	whole	brain	-	cerebral	cortex	frontal	lobe	parietal	lope	occipital	lobe		temporal	lobe		p.g. * of	cerebral	cortex		suod		
	<		_	В		ပ		٥		ш			ш			U				Ξ	_	

Fig. 8









SUBSTITUTE SHEET (RULE 26)

PCT/DK2003/000794

WO 2004/046376

<110> Rigshospitalet

1/48

SEQUENCE LISTING

```
Henrik Leffers
     Anne Mette Buhl Hertz
     Jørgen Kjems
<120> Methods and kits for diagnosing and
 treating B-cell Chronic lymphocytic leukemia (B-CLL)
<130> P34546PC01
<150> DK/PA 200201792
<151> 2002-11-19
<160> 43
<170> FastSEQ for Windows Version 4.0
<210> 1
<211> 19999
<212> DNA
<213> Homo Sapiens
<220>
<221> gene
<222> 40000-60000
<223> Sequence of ac063949.emhum
<400> 1
cacacqtagg ctacqagtgq ccctcagcct gcctcatcat ggacctgtgt tataataaat 60
atgittaatt gigcigitti citatagagg aaagtcciga tgitagitgc citgaagica 120
gacacccaga gagaatcaca ggttttcaga ttaattcatc gcttgattct tatccctgaa 180
gtcatatctc tggatctctg gttctcacat tataaatttc aatgattctt tttctatatg 240
gccatgtcat tcatatcctg tgtaatatgg ggaaactgag gtatgaatga catcattcaa 300
aaagcacctg caatttttct ttgccaagca cttacagctt tttctcatgt tgctttcaaa 360
aagtcattga aatattgttc acatattttg cagatgagga aatgaatatt caaatgcatt 420
aggtatettg tecaagttet tacagecaga aagtagagaa atgaatttga attacaaate 480
ttctacctct tggcttatgc tcttttcatg acactgggaa taaatgtctg aacaagcatg 540
acttcatgtt tcaactattt atcaaatact tgttttctac taagatcttg cactcactca 600
gtgggatece etgaageetg etgattattt gteetttgge atttateaet etetgtggga 660
ccttactctc ctatggtaaa gttttattgt tattaaaagt attatttgac aataaatgta 720
gaaatcctac agatcatact caacaacatg tctaatgtca gcacacaatg tctaacaatc 780
atttatqaat actttatqtc aaacataaqc aataacctaa ttaaqqaaqq tatttttaat 840
aaattgacac tttttgacat aaccatattt caagtggctc cattgttttg tttatttatt 900
tatttattta tttatttatt tatttttgag aaagggtete aetetgttge ecagaetgga 960
gtgcagtggc aacatcatag ctcactacag cctcgacctc tctgggctca agcaatcctc 1020
ccatctcagc ttcccaagta gctgggacta caggtgtgta ccatcatgcc aggctaattt 1080
ttcgtatttt gtagagacgg ggttttgcct ggtcgtccgg gttggtctca aactcctggg 1140
tgttccgccc accttggcct cccaaagtgc tgggattata ggcatgagcc tcaagtggct 1200
actttttagg gttgaaattt atattgactg tcaactagct tccctagtta gtatttggga 1260
tetgetaact aatttatatt-accatecaac ttgtcaacat ttgttgaaat ataactgtee 1320
tcactttttt tgtgtgaaca ttgaatacac tttcagacta aatttggttt attacttaat 1380
qtcttattct ttattagagt taataatatt tcttaatact ttgccttcca caaatgaata 1440
acttgtttgt gatggctacc tctttttttc tcttagcctg tcacaggtat tatggataaa 1500
aattagcacg gctgggcaaa aacaatgaaa gaaatacact tgcctgggaa agctggggag 1560
gggtaaatga atataattca aaataccata tatttattca acactqttqq aatatatqtc 1620
ctgttggaaa tgtaaaagtg acatatgttc tcttcctggg tctcagactt ttaggatcta 1680
gttgagggaa ctggacttat acacaaaata caattcaaca acattatgag ctagaaaatc 1740
```

WO 2004/046376 PCT/DK2003/000794

catgagctaa agtctttggc aaagacatta ggtaacatga ggagtcagga aaaggagaaa 1800 ttactgtggg ctggaatggt ctgggaacat gagatggagg aagtggcttg ttactggaga 1860 aaaaacaagt tgccagaaag aacaaggaag aatagaggca ggtaagcagt ggattttgcc 1980 ctagggaagg taatataact agagacggca gtttctaaca ggccatgatg aataagatac 2040 actttagccc tcattggtac gtgcagaaat tcaaatttgg aaattcaagc ttacatgaca 2100 gtaaatatat gttgggaaaa aaataaccgg taaacattta catcagctct ttttcctaaa 2160 gagaaaccta ttccatgcta tgaaatattt gtcacaattc tgttttcaaa atacttgctc 2220 tacttttcca agccacaaga ggaaacattt tctctgccaa cactctctga ccttaaccag 2280 tttctccact acgtctactc ttaagctctc tttagagctg tgtgtatctc gtctttatgt 2340 aaacctccta gatgatatac ttatggaaat attcaggcaa ctttttcatg aactttacca 2400 ggaaagacat ttctagcagg agaqcatgaa tagaaatgga ctcttcccca gtctctgctg 2460 ggttctgact gtggtcactc taactataaa aagtgtgtaa aaatcatgag cagattattt 2520 catttccttg gggtccctaa aaatttcaag gtatctgtat tagcacagga agatttaaat 2580 tgatttctca acacattcag atatcttatg aactttatta agataaattt cctccagcat 2640 tcagaaactc atatattaca gaataaaaaa taaagcagaa aattagtgta cctggctaaa 2700 aatgagagca gggttctatt tcattttgga aagtcactaa gacagtaata ataccattaa 2760 tgataaaatg ttaacattag ttaattatta gatgtgtttt tgtatgccag ccacataata 2820 tatactttta tatgtatcac ctacatttct agatgtaaat gtgagggaat tatagtagta 2880 tctacctcgt atgattgctg gatgatttaa atgagctgtt gtctcaaaaa cttggtatag 2940 aaagcagaaa cttttagtta ttaagattct tactattcca atatttgaat aaaacagtga 3000 cctgctaaga aaccccaata atattctgat acatcaaaac cttctggcat tagatgtttc 3060 taatctaaca tcttcatatt aatttttta tgttttgatt atctacattc agtagtgaat 3120 gtgtttctaa acgctggatg catttttaac taaatgtgtt ttgtaccaca ttttgacaac 3180 ttaataaggt taatgaaaag ttgacttatg aaaaaaatcc taatttatgc acattctcat 3300 tgttttcctt gctaaggata ttagtacttg acgattctgt aacaaagaat tatcatggga 3360 tgaaactttg atgcaaatat cttatcaata caatgtgctt gattttacct agatgagatt 3420 tttettttet tetteettt ttgagacagg gttttgetgt gttacccagg ctageetcaa 3480 acceptages cottagentea agtgatects teacetetge etcecaaagt getgggtatt 3540 acagatgtga gtcactgaat ccagectcac ttagttgget ttettagtga attatttat 3600 ctggttctaa aactttttga taatactctc aaatatttat ggattttata acataattta 3660 tggattacqt aqttatgaat ttcataaatq attttqtqat attqccacaq atcatcacca 3720 ttatacagga tgtataacat aaccatggtt taatatattt tcataaacta tagaccaaac 3780 aaagactggt caggaccagg gcacgcatgc attttatatg tgtggtgcct attggaatat 3840 gccaggcctc ctgtgaaaaa aatcagtaag tgcttatctc ataggaccaa cggcccaaca 3900 ttcctgaagt cactaccaca ctttgcactt atctccatgt ggaaatagat agccactgtt 3960 gaattetggt gagaacgaca cgtetgaaat eteteagett cacaacceet attacagece 4020 tcagagaatc ttctcacata gcgccaaaca acaactttag gaagtgatgt tcctagaatg 4080 aatcaatttc taaaattaaa agtgaaaaca atgacaagga gaagggaggg tcagagagga 4140 aaggetgatg ttactaaaag acaaaagaca gtataacete ttatgaggat ggtecagaca 4200 ctcagggaaa tgcaggaaga aataaaagat aggagtttga accacactgt gatggctaac 4260 tttatgtgtg gacccgaccg atctatggga cacccagata gcttgtaaag cactatttct 4320 gggtgcgtca gtgagggtgt ttttggaaga gatcaacact tgagtcagta gactgagtaa 4380 agcagatggt cctcaccaat gtgggtgcac attgtttaat ctgttgagtg cctggataga 4440 caaaaaaggc aaaagaaggg tgaattccct ttctcgtctt aagctgggac agccatcctt 4500 tectaceete agacatgaga ggtttggatt ettggatett tggteecaag ggetgacaet 4560 ggtggccacc tctggtttca ggtctttggc cccagattgt aagttacacc atcagcttcc 4620 ttggttcttg ggccttgaga ctcaagctaa aatacactac cagcttccct tgttctctag 4680 tgtagggaca gcaaatcatg aaaccttctg cctccataat catataagtc aattcccgta 4740 ataaatctgt gcttatatat ctatagcttt ccttttggtc tgtttctcca aagaacctta 4800 atgtacacac tatatgacct aacctgtagt aatgataacc ttatgcaggt ttgaataaga 4860 tgatggtatt ctcagtatct gggaggtatg ggctagagtg atgaaccacc gccatgagcc 4920 taggactgag gagatttctg aaatgtggaa tatttggtgt caaaaccaag agataatata 4980 gccatgtgga aaacatgtag aactatcgta tgattcagca acccaaccac tgggaattta 5040 cccaaaggaa aggaaaccag tatattaaag agaatctgca ctcccatggt tattgcagca 5100 ttattotcaa tagootagat atggactcaa cotaggagat tagatgaatg gacaaagaaa 5160 atgtggcata tgtacaccat gaaatactta ccaqctataa aaaaqaatta qccaaaqcaq 5220 tggtgtgtgc ctgtcatccc agetccttgg gaggctgagg tgggaagatc tcgaggccag 5280 aagtttgaga ccagcctggg caaaataata agactcggtc tctaaaacaa tttaaaaata 5340 ggccttcctt aaaaaaagaa taaaatcatg tcattcacgg caacatagat gggactggag 5400

PCT/DK2003/000794 WO 2004/046376 3/48

gatattactg ttaagtgaaa ttagccaqqa acaqcaagtt aaaccccaca tattctgatt 5460 catatgcgga agctaaaaaa acgttgatct catagaagta aaaagtagaa cagaggatgc 5520 tggagactag aaaaggtagg gagaaggaag ggagagggaa aaatttgtta acaggtacaa 5580 aaacaaaatt acagttagtt agggagaatt aattccagca tcctgtagca ctataggatg 5640 actatagtta ataataatac tttaattagt ctcaaatagc tagaaggagg atattgaatg 5700 ttcccaacac acacaaaaaa atgataatgt atgagatgat ggatatggta gttatcctga 5760 tetgateact etacattata tgtateaaca cateactatg taccecacaa atatgtagaa 5820 tgttccatgt aaacctggat gaactggtca ccctacgtct gcccatctag atggctggtc 5940 aaagtttccc aggctccaca tcaagttgtt ccactgctca ctggaacttc cctagtcagg 6000 ttgggcaaat agtaatttac agcaatagtg aatttatcac tgacatttct tcagttcccc 6060 tetttggcat etgettette ttttetgtaa tgetgtttgt tgaaatgece aacattettt 6120 ttcttcccta gagctattca gggtgacctt tcttttcgca ttttcccatg ccacttccat 6180 tatatcaaaa taaaacagtc ctgtgtggcc actgctcatg accttgtttc ctgccatgtg 6240 aagataggat eggetgetet ttetteteet eettttttt eagagacagg ateteteeet 6300 gtcacccaga ctggagtgca atggcacagt cgtagcttgc tgcagcctcg aactcctgga 6360 cetecteage etectgagta getgggacta caggtgeaca ceaceatgee tteetaatet 6420 gatatatata tatatata ttatatatat aaaatatata tataaatata tatattttat 6480 atatataaaa tatatatt atatatata atatatatta tagagatggg qtcttqctct 6600 gtcacccagg ctgaagatca gctgctcttt ctaatctgtg gttagataag atctgtctcc 6660 caggggataa aatactacct ggaataaagg tatctttaaa ataatcccag agaagaaaac 6720 atttttatag tatgacagag gcagagaaaa cagagaatat ttgttaaggc aggactttca 6780 ccactcccag tacaatcatc tgtctgttac ctgcatacct tacacgggct ggcactgctg 6840 ggggtacaaa gtagatgcca aacttcacaa tggttagatt catgtttaaa aagccattgg 6900 atcaaacctt tgtgaaagtt tccagctttt ttctgttcca aatatgtgtc cattataaaa 6960 gaatctcaag agcataattg ccaagatagt ctatqtccat qagtatttca acatctctca 7020 tgaaatctgt tcccatcatt actcaagata ttgtatgaac agtattccac ataaactagg 7080 tgctcaataa tgattgattg gccaatggag ggtcattatt taatgcacta caatctttta 7140 tgcaaggggc ccacaggaat cagtatgatc ccataggaat ccttttcttt tccattgaaa 7200 aagaaacaga tagtggcttg tattaggttt cttgtgtgtg ttgtgaggtg gaaagatatg 7260 aaaagaaatt tgatcagagc ataaatctga gcccatggga taggaaaqaa tgaqqqaata 7320 aggaagaaaa cacagattat agacaggaaa atcaaaccta ttaaaactga taattttcga 7380 atactaaaaa tgtacattca tttgaacaaa aagattctat aaagcaagat ttctctgttc 7440 ttaccagcac taccatgccc aaactacctt aggaaatgaa tagcagagtc aaacttaaaa 7500 gcacctgaaa tttaaaacaa aaaccaattt acattttatt taagaaaagc aaacagatgg 7560 gcctgctaac aatgtcaaag tctcgtttac aaagaaaaaa acaaatctgg aacctgaagt 7620 caaacgagtt caaaataaaa agcaaaccaa taaacagaaa ccaacataaa cagaagttac 7680 taccatetee eteageetgt gaaattetgg aacttetett tetttetege ettettette 7740 teteacetgg aagacgagea gagtgaacae atcaggggtt gtcagtteee cagatggeae 7800 cacattcata aaccaccgac tccaggagaa tgtaggaagc ttagttaagg ccaaagttct 7860 ctttggatct tcctcatggg cttcaaggca aaagaaaaaa aagtttgctt gagaatatct 7920 tcatatctat tagtttgaac catgcaaaat tacagttttt ataggtaaaa tgagtgcata 7980 ttggcaattt caaatgatta accctaatac attatgcttt tgggtataga aatattcaga 8040 tettaaacat atgetgttae atacaaaate aggtatatte etgettetat aattaaagea 8100 aagagaattt ettttggtea etacteette tgacatgagg tatgaaccaa gttcaggace 8160 cctaaaggtc tgggtctggg tcatttctcc acctctaact tgtgccgctt tcttggtcag 8220 teattgtgtt ctgagetgte teataaaaca tetgetatga etttaettte teetgatagg 8280 gtggctttcc atcgttggca cttcgttggc cttattggta tgctttatac actggttctc 8340 gtttccaaat tggcattatt attgttatga ttcctgctgc tctcccacat ttcccatctt 8400 tetectgate teteteacet gtacatttet tacattttet cetgtgette ettettecca 8460 teateattge ccaagtgtgt ettettett eteettgtea cattteettt geeggetete 8520 acatatgcag agatggctct tggttttcct tctgaaatct catagtttgg aggtaaactt 8580 gttagcaagg ccactgagaa gagaacaaaa gggaaacata agagaaacca agtcactatc 8640 tctctcattt cctggtttct agaagtaaga cccaaagaac tcactgtttc agtgctttca 8700 gctcaggcca aactagggtg atcaaactga gcttctgagt gctgatcaaa acctataaaa 8760 ccaagtagac agaccatcta caaatcttca ctgttaaata ccataaagaa tgaaaaggtc 8820 actaattggt aagactatat gtgtgataat taaatttatg catcaacctg gctaggctaa 8880 aggatgacca ggtagctggt aaaacattat tctgggtgtg tccataagag tgttttcgga 8940 agagatcage atttgaattg gtgaacttag taaagcagac ggeteteace aataagggea 9000 ggcatcatcc aatctgtcga aagcttgaat aaaacaaaaa gaggaaggga aaatttgctt 9060

cttttcttct tgatctagta tatcatcttc tcctgccctt ggatgtgagt gggccttcag 9120 acttaaacca ggagttacac ctttqqcttc cctqqttctc aqttctttqq acttggactq 9180 aattacactg ccaggtttcc tggttctcca gcttgcagat ggcagatcat gggacttctt 9240 ggcctccata attgtgtgag tcaatttcca ttttatttac atatccagtt atgcattgct 9300 taacaatgga gacaggttct gagaaatgca ttgttaagtg atttcatcat tgtgcaaaca 9360 tcatagagtg taactacaca aacctggaca gcatagacta ctacacatct aggctacatg 9420 gtgtagcttg taacctcatg ataagtatgt ataacatcat gataagtatg tatgtatcta 9480 ccatatctaa atgtagaaaa ggtacagtaa aaatatggta taatcttatg ggatcaccat 9540 catatatgca atcctttgta gactgaaatg tcattgtgta gtgcatgact gtatacgcac 9600 acatacacaa acacacacaa atatactatt ggttcttttt ctctgaagag ccctaataca 9660 atatgttata catttatatt gactctattt caaaatttat ggttttggtg aaacatatgt 9720 ggaqatgqqq catagqtqtq tgaactgqqa tagtqtcctq ctqatqaatq ggtgggaqgc 9780 atcatttqqq acaaqcccaq qqcatcaqct tataqatatc aaqaqctcaa caaqaqcact 9840 ttatggcaaa acctcccaca agacctctca gaagttgaga aactgctaaa agtttcttta 9900 tgacagatga catttatgga taaaataggg attagcagga ttctttaaat actttcgaac 9960 actaaccttc atttctacca ggcagtgggg ccccaagtgc agggccatag gaagtacaag 10020 tctgggagat actaggctgc actgtctgta gagaatctga aaaaataata gagtcactga 10080 aatgeagttt ggtataatta ttgccatgea teataattet aaateataet agtggteaaa 10140 tactetteee tgaaaaaaca ttttettggt ttgaatteta aataattgtt gtggteacea 10200 ctgagctttt aaatatataa atactttcaa gtttgcatat ttttattacc tgttccttaa 10260 caaacattga attcaacatg aaaatgatta tgggaaacat tcgggtatac agtccctgac 10320 tettaaggae teaggtaaat aettagggta ttteatggee etagtetttg gggtaceaea 10380 tgtttcttct tcaaatcaca gattcaaaat caagaatgat aacacagtga ttgtgtagac 10440 aaaataagtg aaccaaaatt gcttgcttct gtcattctat ggaaccactg agagttttta 10500 cttgtgctta aaattttgaa tagtaaaaca gagtgtcaac ttcatgctgg aatatttttg 10560 gctttttaga cacaatttta agtacatgaa gtatttttac aagactaagt aacatcactg 10620 aaattacagc tttcttcttt ttaaaactgg tatttgttat aaaactaaag agcgaatcaa 10680 gaaaagcata attattactg attattacag gattattact gaaaaagaaa tgtacggaat 10740 agaggaggaa ggagttaaca aatgatccac tctgggtgtt gaaaacacca ataagcctgc 10800 ttccaggaag tgcctaagac agagctggct cagcttgctg ggtcacagca tgtaaggaaa 10860 ctgctgggct acatgccacc atcctcagtt gtccagatag ataatcccat agccccatgg 10920 ggaaataatc tttaattatg atatagctga caccattcaa agcactatgc taagtccttt 10980 atgtgaatta acttttgtca aatttattt tcataaataa cccaaatatg tataccacta 11040 ttatcctacc ttaaagagga gaaactgagc tcctaaagtt taaatatcta acccaagtta 11100 agactgctag tcaccctagg ctattaactc aggcagtcta actcaggtat aataacatta 11160 tgctactgtt tgcagctttg actatgcctg aattataacg tcatgctatc taactaaaaa 11220 gctaagggaa ataaaatgag ccatagggct caatttcata aaaggagaga aaatactggg 11280 gaaaagtgat aatgcagagt ttaaaatatt tttgtaaaag tgccagagat tgagtataac 11340 tctgagaaat agaaatatca gaggaaggaa ataaaggagg gtgagagtaa attctctttt 11460 agcattcaga ttccacagat tccacaaatc acatttcttt ttttaccaac taaggaaaaa 11520 taacacttga cctaacattt cattgcagtt agctaaagga tgctagaaaa actatgttgc 11580 agaaaggaaa ctatcagaaa aatacagaat tggagtagga tataacatat ttgggttgaa 11700 ggtaaaattt tatattgtaa tcttaagtat cttgctactt cagtttggtc cctggaacag 11760 caqcatcaga atctgccgag ggcttgttaa aaaggcagaa tctcaggtcc catcccagac 11820 tcactgaatc agaatataaa tactgacaag atgccccggg attcatatgc acagtagagc 11880 tggcgaagtt ccattgtagc ctgtgattgt tttctgcaac ttagtatttc tgagttttcc 11940 caaggaagaa aacccaggcc ttagcttctg gcagacttgt gtttctcctt tacttactag 12000 ctgcatgact catgagcaag gaaatcaaac tttatgtgcc tgagtttcct catctataaa 12060 atggagacta taataatcat ctcctaggct tgttttgagg atgttcaaca aatgctcctt 12120 teatteetet atttacagae etgeegeaga caattetget ageageettt gtgetattat 12180 ctgttttcta aacttagtaa ttgagtgtga tctggagact aactctgaaa taaataagct 12240 gattatttat ttattttctc aaaacaacag aatacgattt agcaaattac ttcttaagat 12300 attattttac atttctatat tctcctaccc tgagttgatg tgtgagcaat atgtcacttt 12360 cataaaagcca ggtatacatt atggacaggt aagtaaaaaa catattattt attctacgtt 12420 tttgtccaaa aattttaaat ttcaactgtt gcgcgtgtgt tggtaatgta aaacaaactc 12480 agtacagtag tattcagtac agtatttaag cccctgtact taaacatatt cctcgtacca 12540 atgaaqttac atgaaaaqca aatttqtqtq aqatatcqta qatqqaaqta aattaqtctt 12600 tatgttcccc acaaattgaa atgcatttca aaaactctgt gtgtgtatgt gtgtgtgtga 12660 cagagtgtgt gtgagagaga gacagagaga tacgctttgg ttgcctccat aagctggctg 12720

PCT/DK2003/000794 WO 2004/046376 5/48

ctatgattaa	taagaccaag	ttttctaaag	aaaatgagat	cataacaaaa	gccctcttta	12780
tgactatctt	ttatcagggg	caaaaaggaa	agagacaaaa	cagcatgaaa	tgatgagacc	12840
					gggtaattca	
gcagcctgtt	actatggctc	tctggagtga	tagctaatgt	aaatgaagcc	tctaaaagtg	12960
gattatcctg	acaagaatat	actcagccaa	taatgcaaca	gaaatccatt	caaagcattc	13020
gggaaaaatt	caaaagaata	aatattcttt	tttttttt	aaagttaatg	acctacgatc	13080
catttcttcc	ctgactaaca	agcagcaagc	acttaaaaat	atccagccag	gatgaaatag	13140
aaacccacct	gacttgttaa	tatttttgtt	tggtcccagg	gactcagatt	ctaagccaaa	13200
ttctttgaat	gatcttggca	aatgtctcga	attatttttg	ccaacttttc	tttatcttgg	13260
aaaaaagtt	tcatgaatgg	gtgtcaaaat	tgattagttt	taaaaacctt	tcttgcagat	13320
					gtgaaaaatt	
cttaaaggac	accctcttt	acaaactcac	aaaaacagcc	tttggaatac	ccacatgaag	13440
tagctgttgt	tattgctttc	tatataccta	catcttgtct	attataaaaa	gactggtttt	13500
tggcaggtgt	ggtggctcac	acctgtaatt	ccagcacttt	gggaggccaa	ggcgggcgga	13560
tcacctgaga	tcaggagttc	aggaccagcc	tgatcaatat	ggtgaaaccc	agtctttact	13620
gaaaatacaa	aaatcacccg	ggtgtggtga	cgggcgcctg	tagtcccagc	tactcgggta	13680
gctgaggcag	gagaatcact	tgaactcagg	agtcagaggt	tgcagtgagc	tgagatcatg	13740
ccactgcact	ccagcctggg	tgacagagca	agactccatc	tcaaaaaaaa	aaaaaaaaa	13800
gactggtttt	tcaacagcta	ttcccacccc	tctgcatgga	aatattcacc	cagtcaattg	13860
ttttcctagt	ttgggtaatg	gccctctggg	caggactgga	gtggggcaca	caggagaagc	13920
tgcaaactat	gtttagaagc	atgtctggga	aatgtcatgc	aagaaaagac	atatttaaag	13980
					ctcttacttg	
					gccaaatttg	
					tgtaaagaaa	
gtggactaga	ttaatttcat	ccattacagg	aagaggagcc	gtgaaagata	atccagaaat	14220
					agaaggtacc	
					tgactcagaa	
					tcacttctta	
					tttctggaca	
caaggcaagg	tagctacctg	ggcagagctg	ttttatttct	ctatgccgtg	gagagaaatt	14520
ggttaattgg	ccatggaagg	cagtcattaa	gatgttccca	tgcgagtgaa	ctttccaggg	14580
					acaatgtctc	
tcccatcagc	ctcatgaagt	tctctctcat	ttattaaaat	ttgctttcag	gaaaaatttt	14700
gaaaatgtgt	ccagtaatgc	ctgattggcc	ccttatccta	aaggcttaaa	ctggaggaag	14760
					agcaagatct	
atcatttatt	gactagtatg	tggcaggcag	tgccctttta	tttaggcagg	gagagttgat	14880
gggggggcg	gggttcacac	atcttaaaga	ggtgctatct	cctcctatat	aaatcatgta	14940
agtcaagaga	gtaaggaatt	gtctttgttt	ggttatattc	aggggattag	agtatacagt	15000
agaagatccc	aagaaacctt	gggatcattt	tagactaaga	aatgccaata	ccgccgggcg	15060
cggtggctca	cgcctgtaat	cccagcactt	tgagaggccg	aggtgggcgg	atcacaaggt	15120
caggagattg	agaccgtcct	ggctaacgtg	gtgaaaccct	gtctctacta	aaaatacaaa	15180
					gcggaggcag	
gagaatggtg	tgaactcagg	aggcggagct	tgcagtcagc	cgagattgcc	ccaatgcact	15300
ccagcctggg	cgacagaacg	agactccgtc	tcagaacaaa	acaaaaggaa	atgccaatac	15360
					tgtagcctag	
tggttaagag	agcagactct	taactagaac	actgcactcc	atgtcctcac	tgtagaccct	15480.
cactgtgggg	ttctaattaa	cccctgttac	ttaccagtgg	cagtcttaag	gcattcctta	15540
					agtgtttact	
					gcttaaaatg	
					aaactgacag	
					ctacatgaag	
gcaaaaatgt	tcgtttcttt	tgttcagccc	tgtgcctaga	tcaatatcta	gtgatcatgc	15840
					aaagagttct	
					agattctgtg	
					cctatatgat	
					ctcccttcct	
					tcttctttc	
					ctcttctctt	
					tctgtccttt	
					ttccttcttt	
tttcctttaa	gcagaccatg	tctgttagat	gaatgccttt	ttctagttaa	aaggttaaac	16380

aggaaagtga agcacaatta tcaagggtct ccagtcatct ccacatgttc ttaatcatta 16440 tettetttta cagtttcata tetecaqqee tttcattqqq teaqqttqqe atttcqetqe 16500 cctttatgtg tgtgacaagt gaaaataagg aaagaaaaaa actcaagtga agaaaatcag 16560 aatctgcgca gcagttcctg ggcgtttcaq ctqcttccca catcacctgc ctcatcaaqc 16620 cccagcatcc atctccttgc tcatcttaca ccctgtgtgc atgacaggcc caccattcat 16680 ttatcagagc aaaggetete ccactattet ggttcacccc cctacttagc cagatataca 16740 agaatatctg cacggatgac ctgcctcacc tgggagctca gaggagctca gattccatta 16800 ctatcgcacc aaggacagat ctcccagcaa gaatgacaga aaagactaac tgcccccaaa 16860 atttcccttc caaaacacag ttctcttaat tctcccaaga aaccagaatg tgactgctca 16920 cctctctaag gacctgaaaa caactggcca tttcagctat ttaaatcaac tttaaaaaat 16980 ccaaccgcca aaatattaaa ccattttggt tggaatgata acataactaa cctgctgaca 17040 gctgcttctg ctaggtgcaa aaatggaaaa aaaaatactt ctaatcaggt caaatcactc 17100 tacctttggg attctaaatt tactcatatt ctcaaagaaa tatattcagt catagtgggg 17160 aaaataggat tatteettta getegataag caaccagaag ttetteette aaatettgae 17220 atttaatcaa tcagaaattg atttttggaa aactgtttcc tatgaagcta tctctgcctg 17280 aaggattttt cttttacaat ccagactata gaaggaaatt cacaacctgg actttcacct 17340 ccattggtca gagttttact gaccaattcc cacctctgcc ttacacctaa cggaagttta 17400 tgcctgtttt ctcttcacat accccaacag ttacaaatgg ttgttattat taagcatctt 17460 ttattttgtg gcctctgatt acatggtccc ctaaattttg acctaatcac aaaagattgg 17520 taaaatttct taacatatta ataatatttt gtttatgtgt caatatctta gcatgtatca 17580 attaagacag aggtettaac gttetetttt tgaaagagaa tattaggatt cagagatatt 17640 aagagattet eecaggatea eagttaggta acagagetgg attttagtee aggtetgtet 17700 acagetetaa egtatataea eeetttgtat aacatgteae gaatteagea taaagggate 17760 ttcagtgatc taagtcaggg gtcagcaacc ttttctaaaa aggaccaaat agtaatattt 17820 caggetttgt ggaccetatg gtetetatea taactgttea aateaceatg tagtgtaaaa 17880 ggagccataa gcaaaatata aactaacgaa tgtggctgtt ttatgggatt tttttttaac 17940 tetttattta caaaagcagg tggcagatca gaactcactt atgggccata gttetetgae 18000 ccctgacctg agaaaatctt atatttatgg acaacattta gactgtgact tgccaagtaa 18060 gaacaagaag ctctgtcaac tgaaggtcaa ggctggagtt ctgaaagcaa agagctgtct 18120 ggtgttaatg ataagtgaaa tagttaaagt tagaagatcc cagttataag aagcacaaag 18180 aataatgacc atagactcct gaacaagaat gtctggactt ctggcttagg cactcttgtt 18240 gtatggtcca ggccaagtta cctaatctct ccaggcctcc attttcttat cattaaatga 18300 agataataaa agtattttcc tcaqaqaqct qtaaqaataa actqaqctaa cccatqtcaa 18360 gcacatagaa tagggcccag cctatattaa tttatcaata aatgccagct acatattagt 18420 tctctatatt tttattcatt atcataaaat gtttatctac agattggcat tgtaaggatg 18480 gagttaaaat tgtatgtatg tgaagggaaa ttattcctgt tactattgat ctgcatcaca 18540 ttaccccaaa tttgatggct taaagtaaca acattcattt tgcaaacaaa tttgaaattt 18600 gaggagget tgtctgggaa gacttgtctc tgccctatgt ggtatcagca gggggagget 18660 tgacggactg gcacatgccc ttccagaatg gcccactcgc atgcctgcca agttggtgct 18720 ggctcttggc tgggagctca gctggggctg agtgctaggg tccctgggag gttccttgtg 18780 gcctgaactt cctcaccaca aggcggctgc ggtgcgagag tgagcatttc aagatagagc 18840 caagatgaca ctgtattact gtgtaagacc cagcctggga attaatgtag cctcacttcc 18900 atcccactct attittaaaa agtgaattat taaggtcacc ccatattcaa ggggatagga 18960 attagacttc atctgtatta agaaaaatgt ttttaaaaat tgtagacatg ttttaaaatt 19020 ctaaagtcca cttactggct gcagattatt tatatataca tgcaagatac actcctacat 19080 tetettetta gaaggeteag ttgeaggtae agatgaaget etteaagtga gatttettat 19140 gtatttatcc tctcaatctg aagacttgta aactaagaga caagttattt gcaacctaca 19200 tacgcaatat tcaatggtaa agtatacata ggacagccac tacagacact cttgttttaa 19260 atagaggaaa atgagagcac ataacagtca ttggctcata gcaactctga tatccagaca 19320 gcaaacacaa gcaggtettt ttttaggtet cagteetact geetggatte cetactgete 19380 ttgggtcttc cctccaggtt cttggttctt ggacctcttt tcatttaata ctatttctgt 19440 tcctttaagt tcaagctggc aaaatatgat tgtacaattc tgtttaaaat tccaggactt 19500 cctgtgattc ttattgggga atactccatt agacaagaat ctctttgaca taagccattc 19560 tctacctgag atccctgtaa ggctgtgatg ggaccacata accttaaaat tattagaaga 19620 ctcattgttt actgagagaa tatgcctagc atatgcttag atccttagag gaactctgtt 19680 tcaaagggct tatgagacat taccttatat ctttctaagg tacaaacaaa aggtctttgg 19740 cttttgagtt tgatctttga gctgacacct tttcttaatt tgagaatccc ctgctctatg 19800 gagagactga caaagagaaa tagttttata tttgaatgta acatcttgga tctttaatag 19860 attatettaa aatttteetg aaaatgtaae agtteetttt tttaaaatte atteteeeta 19920 cacacttatt atatatgact aaaagaaact ccctggcatt ttcaacattc tggttagaat 19980

ttttcttagc ccaatctac

```
<210> 2
<211> 3893
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> short version of mRNA
atcagaggaa ggaaataaag gagggtgaga gtaaattctc ttttagcatt cagattccac 60
agattccaca aatcacattt ctttttttac caactaagga aaaataacac ttgacctaac 120
atttcattgc agttagctaa aggatgctag aaaaactatg ttgcagtggt ttgctctaat 180
ttcttcagga atagagaaaa gtgacaaaaa gatcagagaa gagaagaaag gaaactatca 240
qaaaaataca qaattqqaqt aqqatataac atatttqqqt tqaaqqtaaa attttatatt 300
gtaatcttaa gtatcttgct acttcagttt ggtccctgga acagcagcat cagaatctgc 360
cgagggcttg ttaaaaaggc agaatctcag gtcccatccc agactcactg aatcagaata 420
taaatactga caagatgccc cgggattcat atgcacagta gagctggcga agttccattg 480
tagcctgtga ttgttttctg caacttagta tttctgagtt ttcccaagga agaaaaccca 540
ggccttagct tctggcagac ttgtgtttct cctttactta ctagctgcat gactcatgag 600
caaggaaatc aaactttatg tgcctgagtt tcctcatcta taaaatggag actataataa 660
teateteeta ggettgtttt gaggatgtte aacaaatget cettteatte etetatttae 720
agacctgccg cagacaattc tgctagcagc ctttgtgcta ttatctgttt tctaaactta 780
gtaattgagt gtgatctgga gactaactct gaaataaata agctgattat ttatttattt 840
tctcaaaaca acagaatacg atttagcaaa ttacttctta agatattatt ttacatttct 900
atattctcct accetgagtt gatgtgtgag caatatgtca ctttcataaa gccaggtata 960
cattatgqac aggtaagtaa aaaacatatt atttattcta cgtttttgtc caaaaatttt 1020
aaatttcaac tgttgcgcgt gtgttggtaa tgtaaaacaa actcaqtaca qtaqtattca 1080
gtacagtatt taagecectg taettaaaca tatteetegt accaatgaag ttacatgaaa 1140
agcaaatttg tgtgagatat cgtagatgga agtaaattag tctttatgtt ccccacaaat 1200
tgaaatgcat ttcaaaaact ctgtgtgtgt atgtgtgtgt gtgacagagt gtgtgtgaga 1260
gagagacaga gagatacgct ttggttgcct ccataagctg gctgctatga ttaataagac 1320
caagttttct aaagaaaatg agatcataac aaaagccctc tttatgacta tcttttatca 1380
qqqqcaaaaa qqaaaqaqac aaaacaqcat qaaatqatqa qaccaaqtqa tqaaaattca 1440
ttcacaatga ttgctttcaa gagtaatttc tcttgggtaa ttcagcagcc tgttactatg 1500
gctctctgga gtgatagcta atgtaaatga agcctctaaa agtggattat cctgacaaga 1560
atatactcag ccaataatgc aacagaaatc cattcaaagc attcgggaaa aattcaaaag 1620
aataaatatt cttttttt ttttaaagtt aatgacctac gatccatttc ttccctgact 1680
aacaagcagc aagcacttaa aaatatccag ccaggatgaa atagaaaccc acctgacttg 1740
ttaatatttt tgtttggtcc cagggactca gattctaagc caaattcttt gaatgatctt 1800
ggcaaatgtc tcgaattatt tttgccaact tttctttatc ttggaaaaaa agtttcatga 1860
atgggtgtca aaattgatta gttttaaaaa cctttcttgc agatacgtat ggcaccctaa 1920
aactgtatta gaaaaaaatt tcatatctcc aggcctttca ttgggtcagg ttggcatttc 1980
gctgcccttt atgtgtgtga caagtgaaaa taaggaaaga aaaaaactca agtgaagaaa 2040
atcagaatct gcgcagcagt tcctgggcgt ttcagctgct tcccacatca cctgcctcat 2100
caagccccag catccatctc cttgctcatc ttacaccctg tgtgcatgac aggcccacca 2160
ttcatttatc agagcaaagg ctctcccact attctggttc accccctac ttagccagat 2220
atacaagaat atctgcacgg atgacctgcc tcacctggga gctcagagga gctcagattc 2280
cattactatc gcaccaagga cagatctccc agcaagaatg acagaaaaga ctaactgccc 2340
ccaaaatctc ccttccaaaa cacagttctc ttaattctcc caagaaacca gaatgtgact 2400
gctcacctct ctaaggacct gaaaacaact ggccatttca gctatttaaa tcaactttaa 2460
aaaatccaac cgccaaaata ttaaaccatt ttggttggaa tgataacata actaacctgc 2520
tgacagctgc ttctgctagg tgcaaaaatg gaaaaaaaaa tacttctaat caggtcaaat 2580
cactctacct ttgggattct aaatttactc atattctcaa agaaatatat tcagtcatag 2640
tggggaaaat aggattattc ctttagctcg ataagcaacc agaagttctt ccttcaaatc 2700
ttgacattta atcaatcaga aattgatttt tggaaaactg tttcctatga agctatctct 2760
```

WO 2004/046376 PCT/DK2003/000794 8/48

```
gcctgaagga titttctttt acaatccaga ctatagaagg aaattcacaa cctggacttt 2820
cacctccatt ggtcagagtt ttactgacca attcccacct ctgccttaca cctaacggaa 2880
gtttatgcct gttttctctt cacatacccc aacagttaca aatggttgtt attattaagc 2940
atcttttatt ttgtggcctc tgattacatg gtcccctaaa ttttgaccta atcacaaaag 3000
attggtaaaa tttcttaaca tattaataat attttgttta tgtgtcaata tcttagcatg 3060
tatcaattaa gacagaggto ttaacgttot otttttgaaa gagaatatta ggattoagag 3120
atattaagag attctcccag gatcacagtt aggtaacaga gctggatttt agtccaggtc 3180
tgtctacagc tctaacgtat atacaccctt tgtataacat gtcacgaatt cagcataaag 3240
ggatcttcag tgatctaagt caggggtcag caaccttttc taaaaaggac caaatagtaa 3300
tatttcagge titgtggace ctatggtete tatcataact gttcaaatea ccatgtagtg 3360
taaaaggagc cataagcaaa atataaacta acgaatgtgg ctgttttatg ggatttttt 3420
ttaactcttt atttacaaaa gcaggtggca gatcagaact cacttatggg ccatagttct 3480
ctgaccctg acctgagaaa atcttatatt tatggacaac atttagactg tgacttgcca 3540
agtaagaaca agaagctctg tcaactgaag gtcaaggctg gagttctgaa agcaaagagc 3600
tgtctggtgt taatgataag tgaaatagtt aaagttagaa gatcccagtt ataagaagca 3660
caaagaataa tgaccataga ctcctgaaca agaatgtctg gacttctggc ttaggcactc 3720
ttqttqtatq qtccaggcca agttacctaa tctctccagg cctccatttt cttatcatta 3780
aatgaagata ataaaagtat tttcctcaga gagctgtaag aataaactga gctaacccat 3840
qtcaaqcaca tagaataggg cccagcctat attaatttat caataaatgc cag
<210> 3
<211> 121
<212> PRT
<213> peptide
<220>
<221> PEPTIDE
<222> (0)...(0)
<400> 3
Met Phe Asn Lys Cys Ser Phe His Ser Ser Ile Tyr Arg Pro Ala Ala
                                    10
1
                 5
Asp Asn Ser Ala Ser Ser Leu Cys Ala Ile Ile Cys Phe Leu Asn Leu
Val Ile Glu Cys Asp Leu Glu Thr Asn Ser Glu Ile Asn Lys Leu Ile
                            40
                                                45
Ile Tyr Leu Phe Ser Gln Asn Asn Arg Ile Arg Phe Ser Lys Leu Leu
                       55
Leu Lys Ile Leu Phe Tyr Ile Ser Ile Phe Ser Tyr Pro Glu Leu Met
                                        75
                    70
Cys Glu Gln Tyr Val Thr Phe Ile Lys Pro Gly Ile His Tyr Gly Gln
                85
                                   90
Val Ser Lys Lys His Ile Ile Tyr Ser Thr Phe Leu Ser Lys Asn Phe
                               105
            100
Lys Phe Gln Leu Leu Arg Val Cys Trp
        115
<210> 4
<211> 6209
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> long version of mRNA
<400> 4
ggatqtqaqt gggccttcag acttaaacca ggagttacac ctttggcttc cctggttctc 60
agttetttgg acttggactg aattacactg ccaggtttee tggtteteea gettgeagat 120
```

PCT/DK2003/000794 WO 2004/046376 9/48

ggcagatcat	gggacttctt	ggcctccata	attgtgtgag	tcaatttcca	ttttatttac	180
		taacaatgga				
		tcatagagtg				
		gtgtagcttg			_	
		ccatatctaa				
		catatatgca				
		acatacacaa				
		atatgttata				
		ggagatgggg				
		atcatttggg				
_		ttatggcaaa				
aactgctaaa	agtttcttta	tgacagatga	catttatgga	taaaataggg	attagcagga	840
ttctttaaat	actttcgaac	actaaccttc	atttctacca	ggcagtgggg	ccccaagtgc	900
		tctgggagat				
aaaaataata	gagtcactga	aatgcagttt	ggtataatta	ttgccatgca	tcataattct	1020
		tactcttccc				
aataattgtt	gtggtcacca	ctgagctttt	aaatatataa	atactttcaa	gtttgcatat	1140
ttttattacc	tgttccttaa	caaacattga	attcaacatg	aaaatgatta	tgggaaacat	1200
tcgggtatac	agtccctgac	tcttaaggac	tcaggtaaat	acttagggta	tttcatggcc	1260
ctagtctttg	gggtaccaca	tgtttcttct	tcaaatcaca	gattcaaaat	caagaatgat	1320
aacacagtga	ttgtgtagac	aaaataagtg	aaccaaaatt	gcttgcttct	gtcattctat	1380
		cttgtgctta				
ttcatgctgg	aatatttttg	gctttttaga	cacaatttta	agtacatgaa	gtatttttac	1500
aagactaagt	aacatcactg	aaattacagc	tttcttcttt	ttaaaactgg	tatttgttat	1560
		gaaaagcata				
gaaaaagaaa	tgtacggaat	agaggaggaa	ggagttaaca	aatgatccac	tctgggtgtt	1680
gaaaacacca	ataagcctgc	ttccaggaag	tgcctaagac	agagetgget	cagcttgctg	1740
ggtcacagca	tgtaaggaaa	ctgctgggct	acatgccacc	atcctcagtt	gtccagatag	1800
ataatcccat	agccccatgg	ggaaataatc	tttaattatg	atatagctga	caccattcaa	1860
agcactatgc	taagtccttt	atgtgaatta	acttttgtca	aatttattt	tcataaataa	1920
cccaaatatg	tataccacta	ttatcctacc	ttaaagagga	gaaactgagc	tcctaaagtt	1980
taaatatcta	acccaagtta	agactgctag	tcaccctagg	ctattaactc	aggcagtcta	2040
actcaggtat	aataacatta	tgctactgtt	tgcagctttg	actatgcctg	aattataacg	2100
tcatgctatc	taactaaaaa	gctaagggaa	ataaaatgag	ccatagggct	caatttcata	2160
		gaaaagtgat				
tgccagagat	tgagtataac	aagtgtgacc	aaaaaaaaa	aaaaaaaaa	aaaaggaaga	2280
		tctgagaaat				
		agcattcaga				
		taacacttga				
-		agtggtttgc				
_		agaaaggaaa	_	_		
		ggtaaaattt				
		cagcatcaga				
tctcaggtcc	catcccagac	tcactgaatc	agaatataaa	tactgacaag	atgccccggg	2760
		tggcgaagtt				
		caaggaagaa				
		ctgcatgact				
		atggagacta				
		tcattcctct				
		ctgttttcta				
		gattatttat				
		attattttac				
		cataaagcca				
		tttgtccaaa				
		agtacagtag	-	-	-	
		atgaagttac				
		tatgttcccc				
		cagagtgtgt ctatgattaa				
-		tgactatctt		_		
		aagtgatgaa				
caycatyada	cyacyayacc	aagtgatgaa	aaccacca	caacyactyc	cccaayayt	5,00

```
aatttetett gggtaattea geageetqtt actatggete tetggaqtga tagetaatgt 3840
aaatgaagcc tctaaaagtg gattatcctg acaagaatat actcaqccaa taatgcaaca 3900
gaaatccatt caaagcattc gggaaaaatt caaaagaata aatattcttt ttttttttt 3960
aaagttaatg acctacgate catttettee etgactaaca ageageaage acttaaaaat 4020
atccagccag gatgaaatag aaacccact gacttgttaa tatttttgtt tggtcccagg 4080
gactcagatt ctaagccaaa ttctttqaat gatcttggca aatgtctcga attatttttt 4140
ccaacttttc tttatcttqq aaaaaaaqtt tcatqaatqq qtqtcaaaat tqattaqttt 4200
taaaaacctt tettgeagat aegtatggea eeetaaaact gtattagaaa aaaattteat 4260
atctccagge ctttcattgg gtcaggttgg catttcgctg ccctttatgt gtgtgacaag 4320
tgaaaataag gaaagaaaaa aactcaagtg aagaaaatca gaatctgcgc agcagttcct 4380
gggcgtttca gctgcttccc acatcacctg cctcatcaag ccccagcatc catctccttg 4440
ctcatcttac accetgtgtg catgacagge ccaccattca tttatcagag caaaggetet 4500
cccactattc tggttcaccc ccctacttag ccagatatac aagaatatct gcacggatga 4560
cetgcetcac etgggagetc agaggagetc agattecatt actategeac caaggacaga 4620
teteccagea agaatgacag aaaagaetaa etgeeeccaa aateteeett ecaaaacaca 4680
gttctcttaa ttctcccaag aaaccagaat gtgactgctc acctctctaa ggacctgaaa 4740
acaactggcc atttcagcta tttaaatcaa ctttaaaaaa tccaaccgcc aaaatattaa 4800
accattttgg ttggaatgat aacataacta acctgctgac agctgcttct gctaggtgca 4860
aaaatggaaa aaaaaatact totaatcagg toaaatcact otacotttgg gattotaaat 4920
ttactcatat tctcaaagaa atatattcag tcatagtggg gaaaatagga ttattccttt 4980
agctcgataa gcaaccagaa gttcttcctt caaatcttga catttaatca atcagaaatt 5040
qatttttgga aaactgtttc ctatgaagct atctctgcct gaaggatttt tcttttacaa 5100
tecagactat agaaggaaat teacaacetg gaettteace tecattggte agagttttae 5160
tgaccaattc ccacctctgc cttacaccta acggaagttt atgcctgttt tctcttcaca 5220
taccccaaca gttacaaatg gttgttatta ttaagcatct tttattttgt ggcctctgat 5280
tacatggtcc cctaaatttt gacctaatca caaaagattg gtaaaatttc ttaacatatt 5340
aataatattt tgtttatgtg tcaatatctt agcatgtatc aattaagaca gaggtcttaa 5400
cgttctcttt ttgaaagaga atattaggat tcagagatat taagagattc tcccaggatc 5460
acagttaggt aacagagctg gattttagtc caggtctgtc tacagctcta acgtatatac 5520
accetttgta taacatgtca cgaattcage ataaagggat ettcagtgat etaagtcagg 5580
ggtcagcaac cttttctaaa aaggaccaaa tagtaatatt tcaggctttg tggaccctat 5640
ggtctctatc ataactgttc aaatcaccat gtagtgtaaa aggagccata agcaaaatat 5700
aaactaacga atgtggctgt tttatgggat ttttttttaa ctctttattt acaaaaqcag 5760
gtggcagatc agaactcact tatgggccat agttctctga cccctgacct gagaaaatct 5820
tatatttatg gacaacattt agactgtgac ttgccaagta agaacaagaa gctctgtcaa 5880
ctgaaggtca aggctggagt tctgaaagca aagagctgtc tggtgttaat gataagtgaa 5940
atagttaaag ttagaagatc ccagttataa gaagcacaaa gaataatgac catagactcc 6000
tgaacaagaa tgtctggact tctggcttag gcactcttgt tgtatggtcc aggccaagtt 6060
acctaatctc tccaggcctc cattttctta tcattaaatg aagataataa aagtattttc 6120
ctcagagage tgtaagaata aactgageta acceatgtea ageacataga atagggeeca 6180
gcctatatta atttatcaat aaatgccag
```

```
<210> 5
<211> 80000
<212> DNA
<213> Homo sapiens
<220>
<221> gene
<222> (0)...(0)
<223> human genome sequence
<400> 5
```

cacacgtagg	ctacgagtgg	ccctcagcct	gcctcatcat	ggacctgtgt	tataataaat	60
atgtttaatt	gtgctgtttt	cttatagagg	aaagtcctga	tgttagttgc	cttgaagtca	120
gacacccaga	gagaatcaca	ggttttcaga	ttaattcatc	gcttgattct	tatccctgaa	180
gtcatatctc	tggatctctg	gttctcacat	tataaatttc	aatgattctt	tttctatatg	240
	tcatatcctg					
aaagcacctg	caatttttct	ttgccaagca	cttacagctt	tttctcatgt	tgctttcaaa	360

WO 2004/046376 PCT/DK2003/000794

	aatattgttc					
aggtatcttg	tccaagttct	tacagccaga	aagtagagaa	atgaatttga	attacaaatc	480
ttctacctct	tggcttatgc	tcttttcatg	acactgggaa	taaatgtctg	aacaagcatq	540
	tcaactattt					
	ctgaagcctg					
	ctatggtaaa					
	agatcatact					
	actttatgtc					
	tttttgacat					
tatttattta	tttatttatt	tatttttgag	aaagggtctc	actctgttgc	ccagactgga	960
gtgcagtggc	aacatcatag	ctcactacag	cctcgacctc	tctgggctca	agcaatcctc	1020
ccatctcagc	ttcccaagta	gctgggacta	caggtgtgta	ccatcatgcc	aggctaattt	1080
ttcgtatttt	gtagagacgg	ggttttgcct	ggtcgtccgg	gttggtctca	aactcctggg	1140
	accttggcct					
	gttgaaattt					
	aatttatatt			_		
•	tgtgtgaaca		-		-	
	ttattagagt					
	gatggctacc					
	gctgggcaaa					
	atataattca					
	tgtaaaagtg	_		_		
	ctggacttat					
catgagctaa	agtctttggc	aaagacatta	ggtaacatga	ggagtcagga	aaaggagaaa	1800
ttactgtggg	ctggaatggt	ctgggaacat	gagatggagg	aagtggcttg	ttactggaga	1860
aaggatgagg	ttcaaagaga	tgggaaaaaa	agaaagagag	aagaaagaaa	agaaatgagg	1920
aaaaacaagt	tgccagaaag	aacaaggaag	aatagaggca	ggtaagcagt	ggattttgcc	1980
ctagggaagg	taatataact	agagacggca	gtttctaaca	ggccatgatg	aataagatac	2040
actttagccc	tcattggtac	gtgcagaaat	tcaaatttgg	aaattcaagc	ttacatgaca	2100
_	gttgggaaaa			_	_	
-	ttccatgcta			-		
	agccacaaga	-	-	-	_	
	acgtctactc					
	gatgatatac					
	ttctagcagg					
	gtggtcactc				-	
_	gggtccctaa	_	-		-	
	acacattcag					
-	atatattaca	_				
	gggttctatt					
	ttaacattag					
	tatgtatcac					
	atgattgctg					
aaagcagaaa	cttttagtta	ttaagattct	tactattcca	atatttgaat	aaaacagtga	3000
cctgctaaga	aaccccaata	atattctgat	acatcaaaac	cttctggcat	tagatgtttc	3060
taatctaaca	tcttcatatt	aatttttta	tgttttgatt	atctacattc	agtagtgaat	3120
	acgctggatg					
	actatgattc					
	taatgaaaag					
	gctaaggata					
	atgcaaatat					
	tetttettt					
	cctggcctca					
	gtcactgaat					
	aactttttga					
	agttatgaat					
	tgtataacat					
	caggaccagg					
	ctgtgaaaaa					
	cactaccaca					
gaattctggt	gagaacgaca	cgtctgaaat	ctctcagctt	cacaacccct	attacagccc	4020

tcagagaatc ttctcacata gcgccaaaca acaactttag gaagtgatgt tcctagaatg 4080 aatcaatttc taaaattaaa agtgaaaaca atgacaagga gaagggaggg tcagagagga 4140 aaggctgatg ttactaaaag acaaaagaca gtataacctc ttatgaggat ggtccagaca 4200 ctcagggaaa tgcaggaaga aataaaagat aggagtttga accacactgt gatggctaac 4260 tttatgtgtg gacccgaccg atctatggga cacccagata gcttgtaaag cactatttct 4320 gggtgcgtca gtgagggtgt ttttggaaga gatcaacact tgagtcagta gactgagtaa 4380 aqcaqatqqt cctcaccaat qtqqqtqcac attqtttaat ctqttqaqtq cctggataga 4440 caaaaaaggc aaaagaaggg tgaattccct ttctcgtctt aagctgggac agccatcctt 4500 tectaceete agacatgaga ggtttggatt ettggatett tggteecaag ggetgacaet 4560 ggtggccacc tctggtttca ggtctttggc cccagattgt aagttacacc atcagcttcc 4620 ttggttcttg ggccttgaga ctcaagctaa aatacactac cagcttccct tgttctctag 4680 tgtagggaca gcaaatcatg aaaccttctg cctccataat catataagtc aattcccgta 4740 ataaatctgt gcttatatat ctatagcttt ccttttggtc tgtttctcca aagaacctta 4800 atgtacacac tatatgacct aacctgtagt aatgataacc ttatgcaggt ttgaataaga 4860 tqatqqtatt ctcaqtatct qqqagqtatg qqctaqagtg atgaaccacc gccatgagcc 4920 taggactgag gagatttctg aaatgtggaa tatttggtgt caaaaccaag agataatata 4980 gccatgtgga aaacatgtag aactatcgta tgattcagca acccaaccac tgggaattta 5040 cccaaaggaa aggaaaccag tatattaaag agaatctgca ctcccatggt tattgcagca 5100 ttattctcaa tagcctagat atggactcaa cctaggagat tagatgaatg gacaaagaaa 5160 atqtqqcata tqtacaccat qaaatactta ccaqctataa aaaaqaatta gccaaagcag 5220 tggtgtgtgc ctgtcatccc agctccttgg gaggctgagg tgggaagatc tcgaggccag 5280 aagtttgaga ccagcctggg caaaataata agactcggtc tctaaaacaa tttaaaaata 5340 qqccttcctt aaaaaaaqaa taaaatcatg tcattcacgg caacatagat gggactggag 5400 qatattactg ttaagtgaaa ttagccagga acagcaagtt aaaccccaca tattctgatt 5460 catatgcgga agctaaaaaa acgttgatct catagaagta aaaagtagaa cagaggatgc 5520 tggagactag aaaaggtagg gagaaggaag ggagagggaa aaatttgtta acaggtacaa 5580 aaacaaaatt acagttagtt agggagaatt aattccagca tcctgtagca ctataggatg 5640 actatagtta ataataatac tttaattagt ctcaaatagc tagaaggagg atattgaatg 5700 ttcccaacac acacaaaaa atqataatqt atqaqatqat qqatatqqta qttatcctga 5760 tctgatcact ctacattata tgtatcaaca catcactatg taccccacaa atatgtagaa 5820 tgttccatgt aaacctggat gaactggtca ccctacgtct gcccatctag atggctggtc 5940 aaagttteec aggeteeaca teaagttgtt ecaetgetea etggaaette eetagteagg 6000 ttgggcaaat agtaatttac agcaatagtg aatttatcac tgacatttct tcaqttcccc 6060 tetttqqcat etgettette ttttetqtaa tqetqtttqt tqaaatgeee aacattettt 6120 ttcttcccta gagctattca gggtgacctt tcttttcgca ttttcccatg ccacttccat 6180 tatatcaaaa taaaacagtc ctgtgtggcc actgctcatg accttgtttc ctgccatgtg 6240 aagataggat eggetgetet ttetteteet eettttttt cagagacagg ateteteeet 6300 gtcacccaga ctggagtgca atggcacagt cgtagcttgc tgcagcctcg aactcctgga 6360 cetecteage etectgagta getgggaeta caggtgeaca ceaecatgee tteetaatet 6420 qatatatata tatatatata ttatatatat aaaatatata tataaatata tatattttat 6480 atatataaaa tatatatatt atatatatat atatatatta tagagatggg gtcttgctct 6600 gtcacccagg ctgaagatca gctgctcttt ctaatctgtg gttagataag atctgtctcc 6660 caggggataa aatactacct ggaataaagg tatctttaaa ataatcccag agaagaaaac 6720 attittatag tatgacagag gcagagaaaa cagagaatat tigitaaggc aggactitca 6780 ccactcccag tacaatcate tqtctqttac ctqcatacct tacacqqqct gqcactqctq 6840 ggggtacaaa gtagatgcca aacttcacaa tggttagatt catgtttaaa aagccattgg 6900 atcaaacctt tgtgaaagtt tccagctttt ttctgttcca aatatgtgtc cattataaaa 6960 gaatctcaag agcataattg ccaagatagt ctatgtccat gagtatttca acatctctca 7020 tgaaatctgt teccateatt acteaagata ttgtatgaac agtatteeac ataaactagg 7080 tgctcaataa tgattgattg gccaatggag ggtcattatt taatgcacta caatctttta 7140 tqcaaqqqqc ccacaqqaat caqtatqatc ccataqqaat ccttttcttt tccattqaaa 7200 aaqaaacaga tagtggcttg tattaggttt cttgtgtgtg ttgtgaggtg gaaagatatg 7260 aaaagaaatt tgatcagagc ataaatctga gcccatggga taggaaagaa tgagggaata 7320 aggaagaaaa cacagattat agacaggaaa atcaaaccta ttaaaactga taattttcga 7380 atactaaaaa tgtacattca tttgaacaaa aagattctat aaagcaagat ttctctgttc 7440 ttaccagcac taccatgccc aaactacctt aggaaatgaa tagcagagtc aaacttaaaa 7500 gcacctgaaa tttaaaacaa aaaccaattt acattttatt taaqaaaaqc aaacaqatqq 7560 qcctqctaac aatqtcaaaq tctcqtttac aaaqaaaaaa acaaatctgq aacctqaaqt 7620 caaacgagtt caaaataaaa agcaaaccaa taaacagaaa ccaacataaa cagaagttac 7680

taccatctcc ctcagcctqt gaaattctqq aacttctctt tctttctcqc cttcttcttc 7740 teteacetgg aagacgagca gagtgaacac atcaggggtt gtcagtteec cagatggeac 7800 cacattcata aaccaccgac tccaggagaa tgtaggaagc ttagttaagg ccaaagttct 7860 ctttqgatct tcctcatggg cttcaaggca aaagaaaaaa aagtttgctt gagaatatct 7920 tcatatctat tagtttgaac catgcaaaat tacagttttt ataggtaaaa tgagtgcata 7980 ttggcaattt caaatgatta accetaatac attatgettt tgggtataga aatattcaga 8040 tettaaacat atgetgttae atacaaaate aggtatatte etgettetat aattaaagea 8100 aaqaqaattt cttttggtca ctactccttc tgacatgagg tatgaaccaa gttcaggacc 8160 cctaaaggtc tggqtctggg tcatttctcc acctctaact tgtqccqctt tcttgqtcag 8220 tcattgtgtt ctgagctgtc tcataaaaca tctgctatga ctttactttc tcctgatagg 8280 gtggctttcc atcgttggca cttcgttggc cttattggta tgctttatac actggttctc 8340 gtttccaaat tggcattatt attgttatga ttcctgctgc tctcccacat ttcccatctt 8400 tetectgate teteteacet gtacatttet tacatttet cetgtgette ettetecca 8460 tcatcattgc ccaagtgtgt cttctttctt ctccttgtca catttccttt gcccgctctc 8520 acatatgcag agatggctct tggttttcct tctgaaatct catagtttgg aggtaaactt 8580 gttagcaagg ccactgagaa gagaacaaaa gggaaacata agagaaacca agtcactatc 8640 teteteattt eetggtttet agaagtaaga eecaaagaac teaetgttte agtgetttea 8700 gctcaggcca aactagggtg atcaaactga gcttctgagt gctgatcaaa acctataaaa 8760 ccaagtagac agaccatcta caaatcttca ctgttaaata ccataaagaa tgaaaaggtc 8820 actaattggt aagactatat gtgtgataat taaatttatg catcaacctg gctaggctaa 8880 aggatgacca ggtagctggt aaaacattat tctgggtgtg tccataagag tgttttcgga 8940 agagatcagc atttgaattg gtgaacttag taaagcagac ggctctcacc aataagggca 9000 ggcatcatcc aatctgtcga aagcttgaat aaaacaaaaa gaggaaggga aaatttgctt 9060 cttttcttct tgatctagta tatcatcttc tcctgccctt ggatgtgagt gggccttcag 9120 acttaaacca ggagttacac ctttggcttc cctggttctc agttctttqq acttqqactq 9180 aattacactg ccaggtttcc tggttctcca gcttgcagat ggcagatcat gggacttctt 9240 ggcctccata attgtgtgag tcaatttcca ttttatttac atatccagtt atgcattgct 9300 taacaatgga gacaggttct gagaaatgca ttgttaagtg atttcatcat tgtgcaaaca 9360 tcatagagtg taactacaca aacctggaca gcatagacta ctacacatct aggctacatg 9420 gtgtagcttg taacctcatg ataagtatgt ataacatcat gataagtatg tatgtatcta 9480 ccatatetaa atgtagaaaa ggtacagtaa aaatatggta taatettatg ggatcaccat 9540 catatatgca atcetttgta gactgaaatg teattgtgta gtgcatgaet gtatacgcae 9600 acatacacaa acacacacaa atatactatt ggttcttttt ctctgaagag ccctaataca 9660 atatgttata catttatatt gactctattt caaaatttat ggttttggtg aaacatatgt 9720 ggagatgggg cataggtgtg tgaactggga tagtqtcctg ctqatqaatq qqtqqqaqqc 9780 atcatttggg acaagcccag ggcatcagct tatagatatc aagagctcaa caagagcact 9840 ttatggcaaa acctcccaca agacctctca gaagttgaga aactgctaaa agtttcttta 9900 tgacagatga catttatgga taaaataggg attagcagga ttctttaaat actttcgaac 9960 actaacettc atttctacca ggcagtgggg ccccaagtgc agggccatag gaagtacaag 10020 tetgggagat actaggetge actgtetgta gagaatetga aaaaataata gagteactga 10080 aatgcagttt ggtataatta ttgccatgca tcataattct aaatcatact agtggtcaaa 10140 tactetteee tgaaaaaaca ttttettggt ttgaatteta aataattgtt gtggteacca 10200 ctgagctttt aaatatataa atactttcaa gtttgcatat ttttattacc tgttccttaa 10260 caaacattga attcaacatg aaaatgatta tgggaaacat tcgggtatac agtccctgac 10320 tettaaggae teaggtaaat aettagggta ttteatggee etagtetttg gggtaecaea 10380 tgtttcttct tcaaatcaca gattcaaaat caagaatgat aacacagtga ttgtgtagac 10440 aaaataagtg aaccaaaatt gcttgcttct gtcattctat ggaaccactg agagttttta 10500 cttgtgctta aaattttgaa tagtaaaaca gagtgtcaac ttcatgctgg aatatttttg 10560 gctttttaga cacaatttta agtacatgaa gtatttttac aagactaagt aacatcactg 10620 aaattacagc tttcttcttt ttaaaactgg tatttgttat aaaactaaag agcgaatcaa 10680 gaaaagcata attattactg attattacag gattattact gaaaaagaaa tgtacggaat 10740 agaggaggaa ggagttaaca aatgatccac tctgggtgtt gaaaacacca ataagcctgc 10800 ttccaggaag tgcctaagac agagctggct cagcttgctg ggtcacagca tgtaaggaaa 10860 ctgctgggct acatgccacc atcctcagtt gtccagatag ataatcccat agccccatgg 10920 ggaaataatc tttaattatg atatagctga caccattcaa agcactatgc taagtccttt 10980 atgtgaatta acttttgtca aatttatttt tcataaataa cccaaatatg tataccacta 11040 ttatcctacc ttaaagagga gaaactgagc tcctaaagtt taaatatcta acccaagtta 11100 agactgctag tcaccctagg ctattaactc aggcagtcta actcaggtat aataacatta 11160 tgctactgtt tgcagctttg actatgcctg aattataacg tcatgctatc taactaaaaa 11220 gctaagggaa ataaaatgag ccatagggct caatttcata aaaggagaga aaatactggg 11280 gaaaagtgat aatqcagagt ttaaaatatt tttqtaaaag tqccagagat tqaqtataac 11340

aagtgtgacc	aaaaaaaaa	aaaaaaaaa	aaaaggaaga	aggtaaaaaa	aagagggagg	11400
tctgagaaat	agaaatatca	gaggaaggaa	ataaaggagg	gtgagagtaa	attctctttt	11460
					taaggaaaaa	
					actatgttgc	
					agagaagaga	
					ttgggttgaa	
					cctggaacag	
					catcccagac	
					acagtagagc	
					tgagttttcc	
					tacttactag	
					catctataaa	
					aatgctcctt	
tcattcctct	atttacagac	ctgccgcaga	caattctqct	agcagccttt	gtgctattat	12180
					taaataagct	
					ttcttaagat	
					atgtcacttt	
					attctacgtt	
					aaacaaactc	
_		_			cctcgtacca	
					aattagtctt	
					gtgtgtgtga	
					aagctggctg	
					gccctcttta	
					tgatgagacc	
					gggtaattca	
					tctaaaagtg	
					caaagcattc	
					acctacgatc	
					gatgaaatag	
					ctaagccaaa	
					tttatcttgg	
					tcttgcagat	
					gtgaaaaatt	
					ccacatgaag	
					gactggtttt	
					ggcgggcgga	
tcacctgaga	tcaggagttc	aggaccagcc	tgatcaatat	ggtgaaaccc	agtctttact	13620
gaaaatacaa	aaatcacccg	ggtgtggtga	cgggcgcctg	tagtcccagc	tactcgggta	13680
gctgaggcag	gagaatcact	tgaactcagg	agtcagaggt	tgcagtgagc	tgagatcatg	13740
ccactgcact	ccagcctggg	tgacagagca	agactccatc	tcaaaaaaaa	aaaaaaaaa	13800
gactggtttt	tcaacagcta	ttcccacccc	tctgcatgga	aatattcacc	cagtcaattg	13860
					caggagaagc	
tgcaaactat	gtttagaagc	atgtctggga	aatgtcatgc	aagaaaagac	atatttaaag	13980
gtaggctttg	catgaatgga	aaaggagagt	aattctatgt	agagcagagc	ctcttacttg	14040
					gccaaatttg	
caggtaggag	gattggctca	gtcatcttgg	ctgaggctca	tgaaaccagg	tgtaaagaaa	14160
					atccagaaat	
					agaaggtacc	
					tgactcagaa	
					tcacttctta	
					tttctggaca	
					gagagaaatt	
					ctttccaggg	
					acaatgtctc	
					gaaaaatttt	
					ctggaggaag	
					agcaagatct	
					gagagttgat	
					aaatcatgta	
agtcaagaga	gtaaggaatt	gtctttgttt	ggttatattc	aggggattag	agtatacagt	12000

WO 2004/046376 PCT/DK2003/000794

agaagatccc	aagaaacctt	gggatcattt	tagactaága	aatgccaata	ccgccgggcg	15060
		cccagcactt				
caggagattg	agaccgtcct	ggctaacgtg	gtgaaaccct	gtctctacta	aaaatacaaa	15180
aaattagccg	ggcgtggtgg	cgggcgcctg	tagtcccagc	tactcgggag	gcggaggcag	15240
		aggcggagct				
ccagcctggg	cgacagaacg	agactccgtc	tcagaacaaa	acaaaaggaa	atgccaatac	15360
cagcagaaat	agagccaaat	catgaacata	agctaaacaa	atgttggcag	tgtagcctag	15420
		taactagaac				
cactgtgggg	ttctaattaa	cccctgttac	ttaccagtgg	cagtcttaag	gcattcctta	15540
agttcgttgt	gccccaattt	gttcatctgt	agaaggggta	ggatgacagt	agtgtttact	15600
		ttaaatgagt				
ctgctccaaa	agagtttgtt	aaacacttaa	gaactgattt	acttgcatct	aaactgacag	15720
		tcaagcatag				
		tgttcagccc				
		aatcaatgaa				
		aaagtgacct				
		aattggtgtg				
		ctccctcttt				
		tectecetee				
		tttctttctt				
		ttgtgccttt			-	
		ctgcctttct				
		tctgttagat		_		
		tcaagggtct				
		tctccaggcc				
		gaaaataagg				
aatctgcgca	gcagttcctg	ggcgtttcag	ctgcttccca	catcacctgc	ctcatcaagc	16620
		tcatcttaca				
		ccactattct		-	_	
		ctgcctcacc				
		ctcccagcaa				
accecece	caaaacacag	ttctcttaat	teteceaaga	aaccagaatg	tgactgctca	16920
		caactggcca				
		ccattttggt				
		aaatggaaaa tactcatatt				
		gctcgataag				
		atttttggaa				
		ccagactata				
		gaccaattcc				
		accccaacag				
ttattttgtg	acctctaatt	acatggtccc	ctaaattttg	acctaatcac	aaaagattgg	17520
		ataatattt				
		gttctctttt				
		cagttaggta				
		ccctttgtat				
		gtcagcaacc				
caggetttgt	ggaccctatg	gtctctatca	taactgttca	aatcaccatg	tagtgtaaaa	17880
		aactaacgaa				
		tggcagatca				
		atatttatgg				
		tgaaggtcaa				
		tagttaaagt				
aataatgacc	atagactcct	gaacaagaat	gtctggactt	ctggcttagg	cactcttgtt	18240
gtatggtcca	ggccaagtta	cctaatctct	ccaggcctcc	attttcttat	cattaaatga	18300
		tcagagagct				
		cctatattaa				
		atcataaaat				
		tgaagggaaa				
		taaagtaaca				
gaggaggct	tgtctgggaa	gacttgtctc	tgccctatgt	ggtatcagca	gggggaggct	18660

tgacggactg	gcacatgccc	ttccagaatg	gcccactcgc	atgcctgcca	agttggtgct	18720	
ggctcttggc	tgggagctca	gctggggctg	agtgctaggg	tccctgggag	gttccttgtg	18780	
gcctgaactt	cctcaccaca	aggcggctgc	ggtgcgagag	tgagcatttc	aagatagagc	18840	
caagatgaca	ctgtattact	gtgtaagacc	cagcctggga	attaatgtag	cctcacttcc	18900	
atcccactct	atttttaaaa	agtgaattat	taaggtcacc	ccatattcaa	ggggatagga	18960	
attagacttc	atctgtatta	agaaaaatgt	ttttaaaaat	tgtagacatg	ttttaaaatt	19020	
ctaaagtcca	cttactggct	gcagattatt	tatatataca	tgcaagatac	actcctacat	19080	
tctcttctta	gaaggeteag	ttgcaggtac	agatgaagct	cttcaagtga	gatttcttat	19140	
gtatttatcc	tctcaatctg	aagacttgta	aactaaqaqa	caagttattt	gcaacctaca	19200	
tacqcaatat	tcaatggtaa	agtatacata	ggacagccac	tacagacact	cttgttttaa	19260	
atagaggaaa	atqaqaqcac	ataacagtca	ttggctcata	gcaactctga	tatccagaca	19320	
qcaaacacaa	gcaggtcttt	ttttaggtct	cagtcctact	gcctggattc	cctactgctc	19380	
ttagatette	cctccaggtt	cttggttctt	ggacctcttt	tcatttaata	ctatttctgt	19440	
tcctttaagt	tcaagctggc	aaaatatgat	tgtacaattc	tgtttaaaat	tccaggactt	19500	
cctgtgattc	ttattgggga	atactccatt	agacaagaat	ctctttgaca	taagccattc	19560	
tctacctgag	atccctgtaa	ggctgtgatg	ggaccacata	accttaaaat	tattagaaga	19620	
ctcattgttt	actgagagaa	tatgcctagc	atatgcttag	atccttagag	gaactctgtt	19680	
tcaaagggct	tatgagacat	taccttatat	ctttctaagg	tacaaacaaa	aggtctttgg	19740	
cttttgagtt	tgatctttga	gctgacacct	tttcttaatt	tgagaatccc	ctgctctatg	19800	
gagagactga	caaagagaaa	tagttttata	tttgaatgta	acatcttgga	tctttaatag	19860	
attatcttaa	aattttcctg	aaaatgtaac	agttcctttt	tttaaaattc	attctcccta	19920	
cacacttatt	atatatgact	aaaagaaact	ccctggcatt	ttcaacattc	tggttagaat	19980	
ttttcttagc	ccaatctacc	agtttattag	gtatatttgt	attttccacg	tcactgtagg	20040	
tgacaatctt	gctaaacttt	ctgccactac	ataacaagga	tccctttctc	cagttttcag	20100	
taacaatcta	ccaatagcct	cctcaaggtc	taccaagctt	ctactaaaaa	tctctttcag	20160	
ccccttccaa	cttctgccca	ccaactagtc	ccagaagcaa	tacccatgtt	ttaggtttca	20220	
ttatagcagc	atctagtttc	gagttctcag	aacctgtttc	gatcatgttt	cactgtttcc	20280	
aaaacatccc	aaaacagtag	cttaagacag	taacacttat	tttgctcaca	ggctgtacgg	20340	
gaagcatggc	tggagaggtc	tcaggaaata	tacaatcatg	gtggaaggca	aagaggaagg	20400	
aggtatgtct	tacatggcca	gagcaggaga	aagagaaggg	gaaggtgcca	cacacttttt	20460	
agaaacccag	atctcatgag	aacttactca	ctatcatgag	aacagcaaag	aagaaatctg	20520	
tctccatgat	ccaatcacct	cccaccaggc	ccctcctccc	acactgggga	ttacaattcg	20580	
acatgagatt	tgggcaggga	cacaaatcca	aaccataaca	gttggcaacc	cttttttaaa	20640	
gaaagtaatg	acatcaactc	cttggggatg	tggattgggg	gagaatattg	gagaggatcc	20700	
aggggaagtg	aagatatcaa	gttctttata	cataaataga	tctatctttt	tagggaagta	20760	
gaatatgtca	tttaggatag	ggaaagttga	agatgttact	ctattcagct	ttagggaaac	20820	
tccaagatgt	aacactatgt	cctgtgaata	ttagtcttgt	ggaaagtgct	ccattggaag	20880	
aagacagaaa	atgtcctgct	gcacagagat	ccatatcttc	atgccacgtc	ttgcaaatgc	20940	
agtcagggag	cttgctctaa	attcgtgttg	ccttttagga	agttacagag	catatttctt	21000	
tatatcttct	ttatttttgc	ccttgatagg	agactgccag	ggattcagtt	attataattt	21060	
tacatttatt	tatccttttc	tgggagcatc	tcataccttt	tttactagag	aggccaaggt	21120	
cacaattaag	attagggaga	caatacagag	tcaagacacc	tgaattttgc	cacactactc	21180	
					attaattatt		
ttatggtgtg	tataggagct	ggaagatagt	gacttctatt	agaatttatt	cttataaaca	21360	
atgctgtatg	gctcttggat	taagaagtaa	atagaaaaca	aaaagggtet	ttgaactgct	21300	
gtctcttcta	ggtcttctca	gagtgetaet	gggaarraga	tataaaaat	tgggtgaatt	21420	
tectttttet	tttgtttgag	aggictagat	cccgaagca	attatagaaa	ctttagatct	21540	
aagttaatct	ccaaaaagct	ttattgeetg	aaacattcca	grectaggaa	gtttgcattt tttttatccc	21590	
ctctgagtgt	aagggtetgg	tetgtaaete	ctigagatea	teatteaate	aagaaaggaa	21660	
catagttcag	egectacect	agegeeeee	cracaagrga	cettattaga	tocccettee	21720	
taaattcctt	cttetetaae	atacaccaga	gaccicigac	tectactygy	tccccttcc	21720	
tanatatat	accucac	actacttaca	tasstttt	ctaacccacc	atgggattct cccatttcta	21840	
agget = agg	atttaastt	totassaces	acatacacac	agadttogag	ttacaagaca	21900	
accyccacag	gillagailt	atassageaa	acacacayac	tatacaseta	ggctcagtga	21960	
cicaatagga	tatasasas	trassaceto	agggggaaga agcccacce	rgrygyacry	caggaatgag	22020	
tatasaatat	tagagotga	ctacatasaa	tcaacattco	tagatattt	tgcttctgcc	22080	
teatteact	atcagataca	acctoscoto	raaarartt+	actagace==	gatggctgtc	22140	
tacacatasa	greagargea	agecyacetg	adccasaact	gactyggcaa	tctcactacc	22200	
cacagatydg	tagesactes	ttcaadadda	anctonatos	tacttetee	cctctaccac	22260	
nacagorygg	rgycaagccc	cttattottt	ttetteetet	ctcccttccc	cctccccct	22320	
accadacada	. gcallictt	CLCCLCCLC	ceceectige			22320	

		tcctcctcct				
		gggtcttgct				
		caacctcctg				
		catgtgctat				
		cctgggctgg				
ggagctgtgc	tgttctcttt	gataacatga	atatggattt	gtatttaccc	ccttctggcc	22680
atcttaacta	atggcccaaa	ggaaggccag	tggtgaagat	gtttctctac	agggaagttt	22740
ctaagtgttt	ctcagcctac	atgtgtgagt	gtattaatgg	gaatactggg	gataattqqa	22800
tagaatgtat	gaaattagga	ttggcctaaa	ctatctggtc	caaagtttat	cctagtggcc	22860
ctaataacat	ctccagtgat	ggtctttcct	gaggttatag	aatgagctat	aggaaagagt	22920
gatagtacag	gaatgagagg	attggatcgt	cttttctctt	tgttctattc	ctctatgatt	22980
atttgatttc	ttttttttgt	gatggagtct	cactctgtcg	attatttgat	ttttgtttca	23040
		gactgagcag				
aaattaaacc	attcactgac	acccgggcac	acccattttc	accactctgc	tcttgcccgt	23160
		gggattcttc				
taagaaggcc	tccctcagtg	cccttggccc	tctcacagcc	ctttccatgg	ccttctccac	23280
tagactgtga	ggaacccagt	gtctggaaca	gttcatggca	ttgttgttag	tgttgtcatt	23340
		gtcagtggtc				
ctctttttgg	tatgcagtgt	ggaccctatt	gcacggctac	ttgtgtttca	gtggctttgt	23460
		acttactctg				
		atttgttttc				
		ttcattctga				
cagaaatgta	ttttattgta	ttttttattt	tttaatcttt	ctttctcttt	ctttcttct	23700
ttcattcatt	cattctttct	ttctttcttt	ttctttcttt	cctttcatct	ttcttttagt	23760
		ttgcctaggc				
ctcctgcctt	gctctgccaa	agggctgaga	ttacaggcat	caactactgc	acctagttga	23880
		ataaacccat				
		aagttagaag				
aagcacagga	gctcttattc	ctgccatttt	atgaaagtca	tgtgagtatt	ggtgaccatc	24060
actaatgggg	ctggtagaaa	ctttaggacc	agtctgtctt	agtcagctgg	gctgctacaa	24120
taaaaaacca	tggactgagt	gggttaaaca	atggacattt	acttctcaca	gttctggaag	24180
		aagccaacat				
atgcagatga	tcaccttctt	gccttgtcct	catgtggaag	agagagcaaa	ctctctagtc	24300
tctctttctt	ttcttaaagg	acaataatcc	cattatggag	gcctcatgct	catgacctca	24360
tctaaaccta	gttacttctt	aaaggctcca	actccaaata	ccatcacact	gaaggttagg	24420
		gagggacaca				
		ggctaccctt				
		tatttgaaat				
		ggaatgaaag				
aaacaaactt	gaattaggcc	aggacccctt	aaatattgtc	actatgaaat	ccaagggcag	24720
tatttacatg	cttttccttc	atgatgacct	tagatttcgc	ttctttatgc	tgcaatcaac	24780
		taatccttta				
		atattaaact				
gcaagggaag	tggcttctag	agaatgcctc	ttctccaaaa	ggcctagttc	tatttctgat	24960
atctaatcag	ttctgctccc	tttaaataat	tactgaaact	agtttattgt	ttaaatgacc	25020
		cccctttgcc				
		gacggtgtca				
ggacattctg	tactcataag	agtgattctc	acaagttctt	taagttttt	ggaagtgcaa	25200
acccaacagg	aagaaagaat	aggactccct	gcattctatt	ttgctctgca	gtgaagatgc	25260
attgttgagt	aatttgcttt	acattcagat	atacccagat	tcccatcttc	ccaatccatg	25320
tgacttggct	aagttacaac	tctttataag	cctcaatgcc	tgcaactgaa	taagaaagtg	25380
gtaaccatct	catggggcat	tgggtaaatg	agataatact	tatgaagtat	gcagcacaca	25440
		aatcaatgat				
		gggaaaagga				
		aaattcattg				
ggaatacacc	attcaggcag	gctttcttca	gtagtgcagg	tcatttcagg	ggttctccac	25680
actctagaat	aattttttt	tttacccact	acagacacat	ttactggcaa	ggcccatgat	25740
aacaaaatga	aattaataca	ggctttacag	tcagagacct	aggcgacctt	gggtaattca	25800
		tttcctcagc				
aataatcatg	agtataaaat	aagataaatg	agataactat	gtaatatgca	ttagtttagc	25920
accaagccat	acacaaaggc	acaataaaga	gaatctaata	tgtttccttt	attcccactg	25980

PCT/DK2003/000794

ctatgaactg	aatgtgtgtg	tcccccgccc	accgcaaatt	catatgatga	agccctaatc	26040
		aggtggggca				
atgaaggtgg	agcccccatg	ctgagatcaa	tgcccttatt	taacaaaaat	cagaaacaac	26160
		catgaaatct				
		gcacccgcaa				
ccctcccaag	accctgaccc	tgctggcgct	ctgatctcag	acttccagcc	tccaggacca	26340
		ttcaagccac				
gaactgagat	acctattaac	agatgttcct	ttccttcttc	tccctcattt	ttatggcaca	26460
ttaccagtgt	ttggtactaa	atactagctg	ttaattctcc	cttagtagaa	gacaatagag	26520
		ctgtgggaaa				
		tcccttactg				
aaagtgagta	attgctaaag	ggaaacagat	catgtgcatt	tacatagtca	gagatgtttt	26700
atgggattag	gtgggtgatg	aagagtaatc	attataataa	ttttacaacc	cagacataaa	26760
		ccagttctct				
atctttgggc	aagccaactt	attttcttac	aaataagcag	taactagaca	cagatattta	26880
agaggagaaa	tggaccttag	atgttctgtg	gcataatttt	cctttcacat	aggggaaaac	26940
caggaccaga	gcagcggatg	aagatgccaa	gatcaggcac	tgccaattgt	tttgactacc	27000
		actcacacat				
		taaggtcagt				
		attggaactt				
		caaggaacca				
		ataaaataca				
		ggtggaggag				
		tacatatgat				
		gacaaaaaac				
		acagagttag				
		gccaaagaaa				
		gtttccacag				
		tggcatcaag				
		aaaagagaag				
		cagacagaca				
		gtctattaag				
		atagtcaaga				
acatggcaga	tcaaatattt	aaattttaat	gacatattag	atggaatata	agaagttttt	28020
gtgttatgaa	ataaaaagaa	ctcattcttt	taaaaaatgg	caatccaata	tttatacacg	28080
ttcttctatc	ttatagcatg	actgaattcg	aagtgttctt	gttcatgtct	ccttctctga	28140
gaaagagtaa	gtgcctccac	aaacacattc	actgggagtc	cagaagtgga	gagtatcgtg	28200
ttttcactgt	tcaaggtcac	gtagtggttc	ctggcccaaa	caagtaggag	ctttctaaaa	28260
ttaaaggcaa	ctatccataa	aggttccttc	atctgctgtc	tcctagtcca	ttggcaggac	28320
ttggcaggga	aagccctctt	cttgatagag	atattggacc	tccaacctat	ctcttcatct	28380
tctcccatac	atctcctcca	tacagggttg	tcaggtcagt	aatccctact	ggccatttag	28440
aaggtgacat	ttatcaatta	taattaggtg	acttaggagg	cttactcaac	tccccagaat	28500
		aactggaaat				
catattaaat	gggataacat	atataaagca	cttagcacat	gctatgaccc	cagaagatac	28620
		gcactgctgt				
cttgactccc	attctgctaa	ttctccctct	ggctactagg	acatcttgac	tttcagggtc	28740
		aaagctaaga				
agaagctgat	ctgcattagg	gctggttgct	cccttctccc	catctcaagc	cccagaatct	28860
		cccaaagttc				
		tagttcaaac				
		ctcttagact				
		cacaatttct				
		gggtggttgg				
		ctacttattg				
		atcaatacaa				
		ttataataca				
		aatagaacca				
		caaaatccct				
		cattctgcag				
		cacaattaag				
aggctgcaaa	gggaagatga	catctgagct	aagtctttt	tttttttt	tttttttt	29640

tttgagacag agtctcgctc tgtcacccag gctgaagtgt agtggcataa tctcggctca 29700 ctgcaacctc cgcctcctgg gttcaagcaa ttctcctgcc tcagctgccc cagtagctgg 29760 gataacatgc acccgccact atgcttggct aatgttttgt atttttagta gagatggggt 29820 ttcaccatgt tgaccaggct ggctcaaact cctgacctca agtaatctac ccaccttggc 29880 ctcccaaagt gctgggatta caggcatgag ccaccacacc cggccctgag ctaagtcttg 29940 acaaatgagt tgcccaagtg aagatgtggg aaagccattt caagggcaga ggaacaagat 30000 gagttcatag aactgcctgt aattttgggt acagtttaga gagtgctaaa tgctaaagca 30060 tttagcctgt ctctggcagg caaaaggaga gtcattgaag gattgttaaa aaggaaataa 30120 tatggtcagt attatataca tctgaagtac caagacatca gttggggagc aaattttact 30180 ttcattgcat cttgccccag cagaactatc tccctttaat aagaccttta aaactgttgg 30240 cacctccctg gcttcaaaca ttagaaacag gaaactctac ccatgagcta accttcaccc 30300 catcetttcc tgaaacaaag aacatetgtt etcecaettg gatgtgeetg gagtaaagag 30360 gggcgcctaa gtattctcag ttgactacag agaaatgatt ggcgtcacgt agattagtca 30420 tacatacatg cagatgatga catagtcaaa tgtattgaga cattttagtt ccaaaaagta 30480 aqtqttttqt ttctgataca gtgctgtcac ccttggccag ggaaacccag ggatcatagc 30540 tgctacagat aaattatgat ttattccttg gaagagggcc tgaactcaaa agaaattaag 30600 tagtaataac acttgaaaat tctctttctc caatttcagt atgcaaatct atttacatat 30660 caaccaagcc tttgggacag gttagttatt gtttgtggtg gtagtggttg tgttgtttat 30720 gtttqaqttt tqtqtttttc tttaattctq aqatacatta tcaatttaat qacaactttq 30780 gaagggaaaa aagagaaaaa atgattaaat ttaatttgtg ttctaattgt gaaacaatct 30900 aatttcaaaa atgttaaaat ctgtgtgttg ggttagagat gggaaaagta tgctgtataa 30960 taaaaaaaaa atccccagga ggaaaatgaa atattttag aggtactagg aattttatag 31020 tcaatgggat ccaaagctgt atttttagac agagaaatct gaggcacagg tagacgagaa 31080 attttcttca aattctcgag ggaattactt aqtagtgaag ctggaatcag aaacctcatt 31140 teteageete aagtitggti tgetiteeat gacaceetag aatatteeaa etaatatetg 31200 agaagcaaaa aagcatctca tcctttctac tcatatttct ggctgaggga actattcaaa 31260 gagataaagt acatgaataa ataaaaaatg tgtatcacag ctaagtacat cttagcaaaag 31320 aaataagcaa aagactatgg tgcctcagtt ctcaacactc tcttttgttc atttatttag 31380 tggctgttat cttgagtagg tgattcttgc atatcaaatt gcattttggt gtgtcaaagt 31440 gactgqtttt acttgtttgt tggttcctaa agctaattat tatttttaac accttttgat 31500 atgctaaatc aggctaatga gactaaaatg ggatttctca tgggtttatt agtcatcaac 31560 accatcttac atatgtgtat atatgtttta atgctttcaa agtgtaaata aatgattata 31620 cttgagactc atacaaatat cataaagcag ctttttcctt agtattcctc ctagaaaata 31680 gatatttcat tggcagagtc gtggtgaaag atgtggtgtc atacaataaa tttacttcag 31740 ccagctgtgc gagcttaagt tacccagttc ttttctgcct cagtggcctc ttctgtaata 31800 tggactgata ggggatctca catgcctgtg tttagaatta agtcggataa ttcatgtaaa 31860 gtgcttagca agtcacctgg cctattataa ctagccatta ttgtttgcta gaacatttat 31920 ctgttcacaa attatgcatt gattgcctat aataactaaa cttgaggaat gcttattacg 31980 taccacgtac tattcgaagc acatcacaag tagtaactca tttcattttt ataatgactc 32040 tttgaggtaa gaactattat taccatctct gctttacaaa tgaggaaatt gaggcataga 32100° gacgtaaagt cacttgttca aagcctagca tctgggaaac agtagaggtg ggactcaaac 32160 tcagaaaqcc tggctatagg ctctgctctg ctgtctcccg ggattggcca catgctaagc 32220 attggggcaa cagcaatgag gcccataggg tttctgctct caaggagatc actataaatc 32280 agccccggga gatgatccct aaaagagaag tacgtcgttt gcaaaatgac agcacagacg 32340 cacgagttct gaactcttcc tcagagtttg gggaagttgt ttagccctgc tttctgccct 32400 ctctatgggt cacacacata ctccgagtga agaatgacgg agttacccat cttctggctc 32460 cttcccgtga cactggctac cctatgctaa aaaccagccc ccagattcca catccctgaa 32520 tgtcttattt acaggttctg tcattttcat gataaccttt ctaatgttct aaatttcctt 32580 tctgtgggtt gtcaagcaaa ttcattctcg gcagtcagta agaactcctt gttcaaaatg 32640 ccacacatta cagagicaat gattctaaac acatttitt ttagigcatc caacttataa 32700 gctgcagtgc tagaaacaaa ttcacactcc ctttacacta cagtgccatc ttttccgagg 32760 gtggggctcg cgtttcttca ccatccagtt tctcatacgt agattatgat ttctgctttt 32820 gccaaacagg acattgtttg accaagtcct tatgggagga agcacagccc agtgagcaga 32880 acaatgattt gaaagteetg ggttetattt teageteete tgttgaetag etgegeatte 32940 agccctagga aggtcaaaag cagaatggcc ttgctttgac gactttctct gcatgtacag 33000 ctctagatgg aaaatatatc aggcatctgg ctctcagcct tgaggagctg gtctttggag 33060 aatacatgtg tagtcacact ttgttttcat ttttaaagca aaagaacaaa acaaactctc 33120 tagggggaaa atgggctggt agagaatgga agagagaaac ctaataacat tttaaacaat 33180 ccaggagtta agggattgct tgagtcattc agatcaaaga aggctctttg gcacaagttg 33240 gagteteegg catttgaaaa tggaagagge aaagaggagg aagettttgag agaettttte 33300

aaaccgggac ggtagcagat actcagaact ctgcctgtag ggaccaqqcg qggaactcag 33360 gcaggttaag gcctgtgggc aaactggaaa gcccaggcca cctgtgaagt ggtctgctgc 33420 tagtgatacc agatgcttgt tgtggaagaa ggaagttact cttgccagaa cagctgaatt 33480 ttcaagagaa actgaacatt gagattittg tcattagaac ccctgatttt tttacatgat 33540 gaaatctaat catcattttt aaacttttaa aggggcactg agcaggcaag atcaaacata 33600 tagcctaagc aatgtactcc ccatgtctct tctatatgta gatggggtgt ggttccttaa 33660 gggctttagt tgtatgttct gtgaatgaat agaggctaga ttccagacaa aaatgattag 33720 cagtgactca actttagctg cactttggaa tacctgggtg ttacctggga ctgcagcctg 33780 agcactggga ttttataaat gcttctcaag tgattccagc atgcaaccat gaataagaac 33840 cactatgtta ggatattgcg agaaggttta agcattacag aaagttgggt tttaacttga 33900 taagatacat aatcttatca agacacatgt gatctctgaa catggatcag ggaattgaca 33960 ttcaatataa atggcatttt cttttctttt tttagactct tttgagagtt ccagttaaaa 34020 actetetage atcattgetg atggeogtaa ttaatatett tgggtteatt ageaateage 34080 taacaacaga catccattgg caaaacaagg gtatagtggt agaggtcaaa cacaacgaaa 34140 gccaaaggac aagtgcaagc cctgagcaca gataagtatt tacagggaaa attaactttt 34200 tttctgatgg ccatgaagca aaatagacag tagagcaaag ggagcctttt acaagagcag 34260 ttcaatcttt gtccacattc taatggctat aaaactcacc atgaagctag caaatggtgc 34320 atacaactaa tactttcagt cttttcttcc ttatttcaca ggtcttatgc attataaata 34380 acacgactaa gtctcagcgg ttgtatccat ggctagttct tatttcagct ttggttcctc 34440 ttgctattta ctatgtttct cataaaagat gttagtgtgg attgagtata tgaaatcatg 34500 tacaatggaa tgttaaatgg ggcattccct cttgtctagg tatatcagaa gaggcccaat 34560 acacttggtg ccaaggaagc tcaccttcta aaaccagatg gtagcttgcc tataaaagga 34620 tacactaaga ggttctaccc aagttatcac attggcagcc tccagcttat caagagagac 34680 tttaaagaac ttggcagtgg ggatctttct agagggcgtt gtcaatttag gaagcatctt 34740 cgtcttcatg cctcaccttt ccgataagtt tgtttcttcc ttaatgcaaa caaaatgaga 34800 gacactttga tgggaccact tgcagagctt gacatgtgtc atctggattt taacagacag 34860 atatcattga gatatctgac tcacacctga aaacactgta actagaacta ctctctctct 34920 ctetetet ttetetetet etetetete etetetete etetetetat geetaaaaca 34980 gagctatgtg gaggctaagc aggacttcca aaatttgaaa caaataagga acctgttcaa 35040 agaaggcaga ttgaggcatc ttgaaagaaa ttgcctggca gggtgtcatg actccattag 35100 ggggaacgta ccatttgaag ccaagagaat aaagaagtca tggatgacta gcttgagaag 35160 gcgtaactgg agtcagggaa acagttactg agagagatgt cctgcaatgt agggaaaaag 35220 agggagette eccaaactea acacaatget etatgaaaca cacateagtt gggatgttea 35280 ctaaactcag aggatcacaa tgacagatta taagagcgcc agtcaagtta gaacttctta 35340 ttccatctta cgaccttcct cttcctcccc tacactcctc tgtattcttc ctcttgctcc 35400 cccacageet ctatactetg agaageagte tettgetetg etecttetgt gaattgttaa 35460 ttcaattatt tcaaatttct cacttcattc tctgtctagt gggtgtgagt cctgggtgtc 35520 tggggatete atatgtgatt tattgtggte agaatgcaaa aatataggea aaatcataac 35580 atagtagtta aatttataat tatttggatt attgaaatac atctataaaa agtattttat 35640 aatttgtttt gaatactttg tctttggaga ggccagaaat cacagacagg aaaggaggag 35700 gagatagaga gaggagaaga tgggggaaacc aacctggcct ctcctcctac tcctggattt 35760 ccaatctgat aacagagttg tgagaaaaga cagagcttaa gtttacatgg ataagacttt 35820 tgactagact ttttactacc ttggaaaaaa gcttttttaa aaaatttatt acctgttggt 35880 aatcagaaaa gccaagagag aactactcag agttttatta gttagaggaa cctggggatt 35940 gagggtgagt actcaaaatg tcaggtttgg aggggcagaa gcaaaattta aaaaattgtt 36000 tatacctgca acctgtcaag tccagtttac acaataatac aaaataaacc aatttaactt 36060 gaacacataa aatgttttca tgatgtggat tcaatttaac aagggcacaa catgatacca 36120 cagtcatett teaaaattet catetttagg atteagettt ggtaeettaa agatatattg 36180 ggttacagca acatttctgc aggaagctaa tatgtattcc ttaaaaagag ttccatgatc 36240 aaagatattg gtgacaaact tgttcactca aaaaataaat agaggccagc catggtggct 36300 catgcctgta atcccagaac tttggcagga caaggcagga ggatcacttg agccccagag 36360 ttggaaacca gcctagacaa tatagcaaga ccctgtctct aaaaaagaaa tagctgaaag 36420 tggtggcatg tgcctgtagt cccagctact tgggaggctg aggtgtgatg atcatctgag 36480 tccaggaatt taaagctgct gtgaactatg aaggctccat tgcaccccag cctgggtgac 36540 ttgttttttg ttttgttttg tttttaactg taggtctcct agaatgtttt aatgtgtgtt 36660 gtaagggaac aattctataa gaaagaatac ctggtggtgg cattttcaag ctcatttgtt 36720 caaaggctgt tattattccc aaatatttag gcttccattt attaaatatt tgctgaacat 36780 ctaccatgtg caggcatggg ggatgggtgt tggggtttaa ttaaatatat caaatgggct 36840 cctctcactc aaagatctta tgatctaatg gattgcttat tttagtcctc atcttagttt 36900 gaaaatctct ttggagagat ctgttctatg ccatttttca gatttctgcc actgcaaaac 36960

tatttgttaa	cacaaaaata	caaattacct	gaggaagaag	ttgtgttgta	aaatagatgt	37020
gtttttataa	aacaaaattt	aaaagtgcat	tcacaaccaa	gcataacaaa	tatgctttgg	37080
tcacctttcc	tttctgtcct	tgatcaactt	cagctgatta	tggaaaattc	ttgataaagt	37140
tataaagtca	tccacctctt	ttttctctag	gtctaactcc	tttccttgta	ttggacgtca	37200
aatccccaca	ttctactctt	tctqctccct	cagaaaagat	ctgacatcag	tcattcggat	37260
tggtgtgggc	ttcctgtgag	atattttgac	aaaggttttc	tttatgtgtt	agcactgaac	37320
agttttggca	attttcttcc	ccttcaccag	cctactacac	atgaccacac	aggtatttac	37320
atatotacat	acacacacgt	gcacacttac	cttccttcaa	aacacccccaa	atgragecate	37440
ttatctcctt	cttgcaggca	aantannana	cctatattaa	atacaggeeaa	teetttaeet	37500
tctgggctat	agcatcccag	agaatgtcct	cacctagga	ttttctatcc	atagetttee	37560
ttgattccca	ggaagatcta	catccantta	acttaactat	gggaggtgaa	teetesesst	37500
aatataaaa	aaaacatggt	anatacaaat	gaggaggatg	ggtagttgaa	gatgatgtog	37600
agetttatge	ataatgtgga	ctagazaga	otttastast	ggtacagett	gatgatgtcc	37740
agcectatge	aaaagaagtg	ctagcagggc	agtaggttag	geeteaatag	cigigaagai	37740
ageagaegge	ggaatttt	graggiccia	agraggeree	CCCCCCCCCC	tggttgccac	37800
agactcaaaa	ggaatttta	ctacaggaag	ggacccaaat	attetageet	agcetetata	3/860
tttatanata	cagtctcttg	ctctactccc	torgraatt	gttaattcaa	ttctttcaaa	3/920
tricically	gattctctgt	clagingging	rgggreergg	grgrcrgggg	atctcataca	37980
tyatticity	cggtcaaaat	acaaaaatgt	aggcaaaatt	ataacatagt	agttgaattt	38040
ataattattt	ggattattga	agtacatcca	taaaaagtat	tttataagtt	gttttaaggc	38100
ettgaeetgt	tcaacatatt	tcttaaatgt	atctcaattc	cttctacatt	ttgctatcat	38160
acgtatcgcc	atttatgtct	aggctaccat	catctaagac	cacaataata	ggtaccaact	38220
tatcttccca	cttttgtcct	ctgcaattga	aaaataaatc	agggttttta	cttctgacca	38280
aaatggaggt	ctcaggtgtt	tgactaaagg	tagtatagca	ctgtgatgct	aaaataaggg	38340
aaagcaatga	cgtgacattg	agtgattgtg	agtggccaac	catccccatt	ctcctagttt	38400
gcttgggact	gagggagttc	ccagaacatg	agactttcag	tgctaccact	gaaaatgtcc	38460
tggccaaacc	aggataagtt	gttcatctga	aagccctgtg	tttttaccaa	ttgacagctt	38520
gtagaaagtt	tccagtctgt	agtacaggaa	ggagagactc	ttatatagct	tgccaggctt	38580
gagttgagga	gatagaagca	aaaatttaga	gagacaagga	ggctagaatt	tgaagggtga	38640
gtagtaaaag	gaagaaagct	gcacaaagag	ggagacagta	gactacagat	gtgcagaagg	38700
gtccctttca	gttaattgag	ttctgatctc	accattcatg	agagatgtct	tagtctgttc	38760
tgtgtttcta	taatggaata	gctgacactg	ggtaatttat	caagaaaaga	ggtttatttc	38820
aatcatgctt	ctggaggttg	ggaagtccac	aaagcatagc	accagaatcc	acttggcttc	38880
tcgtgagggc	ctgtgctgca	atagaacatg	acaagaagta	gaaggggaag	cagacagaga	38940
tcaaacacaa	gaggcacccc	actctcctaa	gaactaatcc	atccctgtga	gagctaattc	39000
aatcttgtga	gagcaagatg	gcacttctca	caatcttgtg	agagtaagaa	cccactgacc	39060
accgtgagaa	tegcaccaag	cttcccatga	aggcagaacc	ctcatgaccc	aaatgtctcc	39120
cattagattc	cacatcttaa	agttccatct	cctggcattg	ctgcactggg	aattaaggtt	39180
ccaacatgag	ttgtggagga	gacactcaaa	ccgtagcaag	aggcaactat	ctgagactgg	39240
ggaaagaaat	atcagaaaaa	agtaagtgaa	aaacccatgg	accctcacac	agggctgcaa	39300
ttagtttgtg	atcccaaaag	aaggaaagga	aattgtcata	atccaataaa	cattgggtag	39360
aatattcaga	ggagccctgt	gttagtaatg	aggataaatt	agccttaggc	taaagactat	39420
tctggaccca	tcctaacaaa	gcttacagga	taggatccaa	ttgcttccaa	ataactgtgt	39480
	caaaaaacaa					
tccataaatc	aaggagcaag	tcaagaaata	gaaaaagaat	cagaaatgat	ggagatgctg	39600
gaactaacag	acaaaaatct	aaaactatta	taaatattcc	ctacatgtcc	agtaaggtag	39660
aggaaaagat	gagcataata	aagagaaaaa	ttgaagatat	taaaaaatac	tcaaatggaa	39720
cttctagaga	aaacaattat	aaatgagtga	tcaaaaaata	aactacaggg	ttttatagaa	39780
aattggacac	tgtaaaagaa	atattggtga	acttgaacat	aaagcaaaag	aaaatgaccc	39840
caaacaaaca	ctgagagtaa	aaaaaaaaa	gacaaaaaac	ccccagaaaa	tcagtgagat	39900
atgggaaaat	ataattgtta	taacctacaa	gtaattgaag	ttcaggagga	gaagtggaga	39960
atggaatatt	ttgaaataat	gatgactaaa	agttccaaaa	tttgatgaaa	atgataaccc	40020
aaagactcaa	gaatttccat	gaacctcaag	cagaagaaag	gcttttaagc	aataaaggaa	40080
gctaagaaaa	atcatagtaa	aattggcagg	agagtgggaa	gaacagtgaa	aaaaacattt	40140
tttaagagca	accagagaaa	aaagataggt	tacatggcaa	ggaacaaagg	tgagaataat	40200
gccatccttt	ttgtcagaaa	ctatttaagc	caaataataa	taggcatctt	taaaatataa	40260
aaatgaaaaa	aaagttaatc	aagaattgtt	tatacaatga	aaatatcttt	caaaaatcaa	40320
gtcaaagaca	gattttcaga	caacaaaagg	aggagatgac	tcataatcac	caagtgtgca	40380
cttaaacaaa	tattaaaata	aattatctag	gcagatgaaa	aatgataaca	ggtggaaaat	40440
ttgggcctac	acaaaggaat	gaagagaa	atgaataata	tgtagataaa	tgtagaacag	40500
attttttatt	cttttccagc	ctctttaaga	gatgaataac	tctttaaagt	taaaaacaaa	40560
aaagaacaaa	ttctggagtt	tgtgtcatac	atagaagtaa	aaagcatggc	aacctagcac	40620
					-	

WO 2004/046376 PCT/DK2003/000794

					tgagtgaagt	
cgtataatat	tacatgaagg	tgaactgtga	taaatttaaa	atgcatatgt	actgtaaacc	40740
					aaaataaagt	
					aagagaagac	
					tcaatagcta	
cactacatat	taacadata	gagacttgaa	ttaaataaa	accaacagca	ggattggatt	40000
cactgcatgt	taacagteta	gacacttgaa	h	gatactggcg	ggattggatt	40980
					ggatttttaa	
aattaataat	aaaagaatgg	caaaagatat	accatgcaaa	cactaaccaa	aagaaagctg	41100
gagtaactat	attaatatat	gacatcttat	agttccaata	tttatagttg	gaaaattaac	41160
acctcaatct	cagtaattga	tagcaaaagt	agacagaaaa	atcagtgaag	atacagaaga	41220
cttgaataac	actgtcaatc	aacttgacct	aattaacatt	tatagaacac	tccatacaac	41280
aagaggaaaa	tctacattct	ttccaaggtc	attcagtaag	atagacaata	tcctgggtca	41340
taaaacaagg	ctcaatcaat	ttaagagaat	taatgtaata	caaagtatat	tctctgacca	41400
					ccaaatattt	
					attttccctg	
					gtgcttagag	
					atgatctcag	
					aaataaaaat	
					gctaagtgtc	
					atttcagatg	
aggaaattaa	atcttgctga	acttctgtaa	cttccaagtt	tatgtagtta	accaagagcc	41880
					tacagattga	
gtgtatttat	accgttaagc	atattttatt	atcttcaggt	ttgatatttc	tttgttgcat	42000
atatattata	catatatata	aatactatat	acacatacat	acacqaattc	ttcatttacc	42060
tagaaccaaa	aggaccttct	cctagcatgc	tggagaatgt	ctagagacca	gacattgcta	42120
					tgtcactggg	
					ttcaagctac	
					ctccatggcc	
accataactc	acteaagtet	taatatette	ccgcaaggat	aaacccagcc	tccttaaaac	42360
aaaatcaagc	teatgttett	tacatgagaa	gccaaattca	tcttctcca	agcacaaagt	42420
agtaaagagt	gctggacate	tgatttctat	ttgtagaact	gccaggcaat	tattgtgtgt	42480
					atggaagcaa	
					tcctacacaa	
ttgacaattt	taactgcctt	atcggtataa	ctactgaaga	atcagttccc	aatatccatg	42660
aaggtaaaag	tcagatatta	ttattcatcc	actccaaatc	ctccaatgac	ttcccatttc	42720
actaaaataa	aaatgtaagt	ccttacgatg	tcctcacaac	atagtttctc	ccatccctct	42780
gtacagccta	ttatttcttt	ggctttatct	attattcctt	ccctctgtat	tagtcagctg	42840
ggttcccgtg	atgaaatacc	actgactgag	gagetteaac	aacacaaatg	tatttattta	42900
tttattttat	tttattttat	tttattttat	ttttgagaca	aagteteace	ctgttgccca	42960
aactggagtg	cagtggcaaa	atcttggctc	actacaacct	ccacctccca	ggttcaagca	43020
attetectae	ctcagcctcc	canataacta	ggactacagg	catacacaca	catgcccggc	43050
taattette	attituagia	gagatggagt	trecgrarge	Lygocagget	ggtcttgaac	43140
					aggcgtgagc	
caccatgcct	ggccacaaat	ttattttctc	acagtcctag	aggctggaag	tctaaaatca	43260
aggtgtcagc	agatttcatt	tcttctgacg	cctctctcct	tgacttgtag	atgactgcct	43320
tcttgatgtg	tccttacatg	gtctttcctc	tgtgcacgca	catacctggt	atctctgtgc	43380
atgcccaaat	tcccttttct	tataaggaca	tcagtcagat	tggatgaggg	cccaacctga	43440
aggcctcatt	ttaacttaat	cacatcgtaa	aaggccctat	ctccaaggac	tcttagatat	43500
attagaggtt	agggcttcaa	tgtgtgaatt	tgataagggg	agggacataa	ttcagcccat	43560
aatactctca	cttactgtgt	tccagctaaa	ctqqtcttct	gcatggtctt	caaacacact	43620
cttqtctcaa	ggcttttgca	ctggctattc	cttctcccta	taccactaca	aagaacgatc	43680
atgittgccg	caatetteta	attttaagga	ccttttcata	acctaatoca	catgtcaacc	43740
cataaccaaa	accetateta	agatttatco	ccaattttt	ttttaacete	cttgctcctc	13500
					acagetttae	
					cttcatttcc	
yargrageeg	ccatattgga	rggtgctgaa	tcacccattc	aaaagaaatg	tgttaatgcc	43980
agtitatgtg	ccagtcatcg	ttagtatctg	gaaatacaca	ggaaaatatt	agggttagga	44040
					gcccaaaaaa	
					ctacagctac	
					tctagactct	
gttagcatca	tgcatgaaag	tatggaagca	tgaaacagta	tgatacattt	acagaaaagc	44280
					-	

gcatgtagag aagtatgaga taatggggct tgattgatag aaggctagag aataaaaatc 44340 atgtgtgcta agataattta tcttgaaagg tccagggagc attttaaaaat tcttaacaag 44400 ggaatcattt ggtcggatct ccaatttaga acgtttagta ttccatcatt gaagacagtg 44460 acatgtaaga gtgagttctg gatgaaggaa gccaggtagg gagttactgt agtaattctt 44520 ctatgaagaa atgaggacta gaacaagagc agaggcaaca caaatataat ggaaggtacg 44580 gctatatgac acagtaagga aattgaatct atagaattgg tgctgggttt aaacatgaga 44640 attgaacgag aagaaaactc taaaataaat cccaggtttc tgggtttggc aaagaaagag 44700 atgatgatat tattcatcat tagaagggag agaaacatta acttgcagac acattgagag 44760 tagtgaaact tccgtaagag ctgtccagtg aacaggtatt tttatacatt ttgtcaaggg 44820 caagaaaatt toocattgat tggggcctat ttagttgcct tottottctt gcaagagtac 44880 tatttttctc aacacacctt gtaatcttag gcaaagggaa gaaggctttt atttggagtt 44940 gettttatat gagaccaagt ataactaaaa agatatagca tateetcaac eecaeecage 45000 ccccattcat tgcagcacct cctaaggtgt agatgtcccc tgtatcccaa aaacgtgagt 45060 ggtgactaag tgtgatgtgg cacaaacgtt gaccacacta aagtgaccac atagtacttc 45120 gctgctccca ctgggaaaca aaacataata caaatataca atgcttcaca gagtagcagg 45180 tgattctttt ttttttctt aaagtcagat ttattgaggt atagtttaca ctaaacagtt 45240 tactttttgt aacttttaag ttcaqaqqca tcttttqacc tcaaaaacct agttaagtaa 45300 gcaaaggaga actitititi tgttttcatt tcactgatga ggaagctgat gattaaagag 45360 gttaaatgac ttgtcccggg tcatacttag tcttgagtaa gcaagattaa gtcttctgac 45420 tcttaattct gctttttcca agatatcaca gaggatcttc cagaacagct tacttagaaa 45480 ggacatataa tctgttcctc ataacagttt tatggtaata ggaatttaat cttctaagta 45540 atcaactcag gettttecae ttaccagtga aattgeagga ggaaactata gaacttgaaa 45600 cactatette cacatteetg tattgateet gtttgatggt ttgtgatatt aagggaatae 45660 atgactatca totagtgttt caagaccaag coottcaaag tagagtaago cacaacataa 45720 aaagtgetta gttacettet tggetetaga gaqteattaa atceaacett tetettetgt 45780 ctagctgcct aggagtggct tctgttttaa tcatcatcat cattatttgt attagtctgt 45840 tctcgcattg ctataaagaa ctacccgaga ctgggtaatt tacaaagaaa agagatttaa 45900 ttgactcaca gttccacagg ctgtacaggg agcatggata tggaggcatc aggaaacaca 45960 atcatggtgg aaggtgaagg ggaagtaggc acatcttcac atggcagagc aagagagaca 46020 gagtgaaggg gaaggtaaca cttttaaaca accagatete ageegggegt ggtggeteae 46080 acttgcaatc ctagcacttt gggaggccaa ggtgagtaga ttgcctgagc tcaggagtct 46140 gagaccagcc tgggcagcat ggtaaaaact cgtgtctact aaaatacaaa aaattagccg 46200 agageggtgg cacatacetg ttateceage tactegggat getgaggeae aagaattget 46260 tgaacceagg aggcagaggt tgcagtgagt tgacattgtg ctactgcact ccagcctggg 46320 taacagggtg agactetetg tttecaaaat atatatacae acacacaca atacacaca 46380 gtgtgtgtgt gtgtgtgt gtgtgtatgt gtatctgtat gtgtatgtgt atatatataa 46500 acaaccagat ctcgtgagaa ctctataatg agaccgcacc agggagatgg tgctaaacta 46560 ttagaaacca cocccatgat tgaatcacct cccgccaggt cccacctcca acaccgcagg 46620 ttacaattca acatgagatt tgagtgggga cacagagcca aaccatacca ctattttatc 46680 atttctatta agagttccct gcatttcaat ctggcctaga atacctgctg agatcatatt 46740 cttatgggta ttaagtgata gtgtcataaa ttaccatctg caaaatacta tttcagaagc 46800 tgtaattete tgtcaagtte tetgttatat tgctacacte tgcagatttt tagaaagtta 46860 aatattatat atgtatactt ctgcattaat gactttattt tgattcttqt ggtatctcag 46920 gaatgtaata tgcaaagttt gtatagatgt ttttctttag tgtaatgaat tattaggata 46980 tgactctttt gtaaaaggga gaaagaacag taatttgaat ccctgcagag atagcaatgt 47040 atttggagac aatttgaaat gttttatctt tatctactaa aaattccagg ttgaaaagaa 47100 taaaatcacc teetetetet aaatgettta etetggtagt attattatgt aattatteac 47160 aaaaaggtgt gttcttgtta cacaatcact accttctcct tggagatttc aaaaataaat 47220 agatgagaaa ttatgtccct caaaaaagac cacaaaagtt tatccagaaa actttccctg 47280 tattgatttt tctttaataa atgaagctac atgttttcat ttttaagaaa tataaaacct 47340 taacttgttc ttctctcttg atacagttta ggaggtcttg catgcattct ctaacctcac 47400 ctccttcccc tttctccaac tacactgtcc tctttcagtt cactgaacac tccaagctca 47460 ttcatgcctc agggcctttg catatccaga tatctccttc tgctcactcc ttattaccac 47520 catggtccat ttgaactgga tcctcccagt tttttctcta tcacttcacc ctattcattt 47580 ccttattaca atttacaaaa accaaaaagt gttacttctt atctctcttg ccagctctat 47640 cagagotgot accacatotg tgttggatgt catgtataac cagoggotag ttocatgcot 47700 ggtacatcat tgcttaatat ctttttgttg aatgaatgaa tgaatggatg aatgacaaaa 47760 attcctaatc aaattttctg ttgctacctt ttatacttac aacttaatat tacatcctta 47820 tactctaaac tcatacatac ttctataaat aggagaaact ttacctacag aaatagcaca 47880 ctaagattgt aagcaggaga aagataactg aagtttttcg aatttagaat ctattctggt 47940

					ataattgact	
gttaatagct	tttcaaatat	gtcatcagaa	tggcagatga	ggcctgaaat	tctcaatgga	48060
ttgacaaaaa	gcccctgtcc	tcttggtaga	atgaaatata	gtacttgtaa	cacttcctta	48120
					ctacaatgaa	
					ttttgtttgg	
tttttcttca	qacaqaaaat	aacccaaact	ttttttttaa	ttcattcttg	aattttagaa	48300
accattotta	aagtattaat	catttctgag	ccatccutau	attgagttta	ttcatccttt	48360
ctttaagttc	ctctcaacaa	acttaccat	attttataat	atataaaaca	tgctaaaata	40300
tttttaatct	aaaccaaaat	gasttttggt	geeetatgat	gracataaca	agtcagtata	40420
					ttgccttctc	
					gttgacagac	
					agtgaatatt	
					tcttagaggg	
					cttcaggctg	
					ttctggaagc	
			-		ttcttgtatc	
					ggacattaat	
cccattcatg	agggctaaaa	cctcataccc	taatcacctc	ccaaaggctc	taccacctaa	49020
					acaaacattc	
agtccactgc	agtgtgctat	aataaaactt	gatttacaaa	agtacactgt	aggccagaca	49140
tggcttgcag	accatagtcc	gacaaccttt	gaattaggtg	atcactacaa	catgtaaatg	49200
					tggtggttta	
					tecetettee	
					ataagagcac	
					aacacccact	
			-		gtattcagta	
					aacccattct	
					cctaggtttg	
					cctctgtgta	
					aaccacaaat	
tacacacaca	tagaacagtg	creretyere	aacycatyty	getagetttg	accacaattc	49800
rgcagacacc	ccaggiteca	gagagetett	teagaagtte	cacaaatgtt	tgatttaaat	49860
					atatattcat	
					gttgtcagtt	
					ttaaaaattt	
					acttagctgt	
					aattggaggc	
					tttattattc	
ccattgattg	gctttacaat	aagtaaatgt	tataaatcgg	ttttaaagcc	tttatatgaa	50280
aatgactcac	tttttctgtt	ttatatattt	aaggtttcat	gtaaattttc	atttggagct	50340
aaaaaagaca	tttttcagca	gaaacattta	actagtactt	aactagtcaa	gatctgcctc	50400
tttagattgg	ggctttttt	agatcaagac	ttgattctta	cgtatctttt	ttaaaaatta	50460
					ttctccttta	
ctctcctacc	cacatcatta	tgtcctagtg	gccttaatag	atattttctc	cttagatctt	50580
tataataatc	ctctgagttt	gccaggcagg	tgatattagt	ctcataaatg	aagaaggtga	50640
					tggtagggtc	
					cgttttgatg	
tcaaagatgg	ctgagatttt	ggggagggc	tttgggagtt	cagaggtgac	cctttagcca	50820
ctgctgaagc	tgatagagat	gcaagatcag	taaacatatc	ttattctttq	tttgttttc	50880
cataggttgg	ctaggctttc	tagtgattaa	aaaaagcaat	gtagacactí	gtaaagtgtt	50940
ttaatttatt	gtcctggact	ctgtctcact	tgttgcaaga	gtcatttgac	atgacgcctt	51000
gctaagaaat	ccacacqtaq	gtctcaaatt	cagtcctggt	tgatttccta	gggtctatgc	51060
tccatgaggg	cagggacagt	actagatatt	tgtgtccaca	aacatctaga	ggcatccaat	51120
tcttatctat	tcataaatat	atgatagaat	caaccatcat	tctatacatt	tttctttaga	51180
tctttttcc	ttttgctacc	attqcttttt	ggaccattat	tacagacata	tcataaactt	51240
					cataatctca	
					tcctcctggg	
attcaagttt	cttcatcata	tagacataca	ttatoaatac	accttccctc	tggtctcatc	51420
accuteceto	cagtestate	tctatatage	acatactcat	tactacttta	tgtctctgcc	51480
attacttate	tatttaccaa	ctttcatttc	totacacaca	tccasattat	acccatgatt	51540
tectacetaa	ttcaactcta	attttctatc	atccctcccc	cagtaatttt	agcccataag	51600
LUCLIALITA						

aatttttata gcacaaattt tgtacttaat gacacttgta ttatttcatg ggttagttag 51660 tgcaatctct atgaggctgt aggcaatcaa gtaagatatt taaattgtac ccacattqtc 51720 ctaccttccc acactgtaga cacctactaa attggagtaa tgtgtaataa aataatttat 51780 agatttaagt aattgaaatc atcccaaggc acagagagaa caaacaaaca tattcctgag 51840 acatgtctaa ttcatgtgcc atggttatct tgagataatt ttccactgta cttttaataa 51900 aagagacacc taaattattt catagtttgc ttttgttttt cctccttgag cattgccatg 51960 gttattgata tttattaaat caaatctgcc actgaagcat atataaccac tcaagaatga 52020 attacagcaa atatttaact geetgeetge etttgaattg gttaatcaga atgagtgatg 52080 cattagctgg ttcaactcct ttcacctgga aagatggcta tcgattccct ttattgtgat 52140 ttaaaaagat ttaaaaagat ttaaaaagat ttaaaaagat aagacataat 52200 tctgcttttc ataaccacta aatgaaaaaa aaaactaaat acaaaaaaga ttcttcgagt 52260 aaaattctgt cattctccac tttttattgt gttaaaaaaa tcaactataa tatqaqtqaa 52320 agtcaagttc tgctggtatg tatgaaatga gaagagggt gctgtaggtt attaataaca 52380 ggggatgttt tgtacctgtt ctggaagatg aatatgcatt tttgtgttgg agccagtcca 52440 taagtcaaat tootttaaaa caggcagagg ccagcottgt totggctgca gcctgcacgg 52500 ccagaaaaac agaggaagaa gcgccttcca ccagcatgaa atgttatcca ctttgatatg 52560 taaacattet teetteacet gaagttgatg teagggtaac taaaacacaa gaacttggtt 52620 gactgagcag aagcaatctg ttgtattctt ctgtttttca aaaccagaga taatcaagga 52680 ctgttatgtc agatgctagc tgacctaact tttgagtgga aaacgaacca ggaatctgag 52740 ataactggat agtctccgca tatttttaaa aaatcagcat gtctcttgaa actgctcaga 52800 cttagctgat ttttgtagtt gttgttc tctttatagt ttttttctt ttttctctgt 52860 attccagact cctggcattt aatctattgg gtgggaataa atgacgtaaa ttgtactcat 52920 atttgcaaaa agcccaaaaa agatgttaag gctgttaaca acagacgtct acgctacagt 52980 tgaaatgggc taggtgaatt gagacagaat tctatgaaca ttttatgaag ctttccttaa 53040 gtcttgtaga ttctattgat accccattct tggggatgaa aaacaatgtt aaatgcgcac 53160 attigttagg aaaatgggct gggtgggaga cggaaggctt tggccgccat cctagggcat 53220 tcctgtgcat tgcgatggtc agcatttctg tatctaaaca tcgaaaaagt acaataaaaa 53280 tacagtatta taatctggga ccactatcat acacgcagtc tttcttgacc aaaacatcct 53340 tatgccgtgc gtggctgtgc tgagaaggag gagcactcgt cctctccaag cacatccaat 53400 ttgcctcagt cctcatgact cccgccctgt taccagaact gagctcattt gttattgaag 53460 ttgcttttct tatacccagc ccagttttcc attgatgctt ccgcttattc tatgtaggta 53520 aaacctctgc tgctaaaaat aatttgaaaa ctcctagaca ataggacctt tcaaatccct 53640 tacaatteta acaaccagtg aatteatget teacagecat teagatetat acgtatgaaa 53700 tacaagacat atgtgttcaa ctttccttca tcgcctcctt taaactttct tttttctttt 53760 ttgagtcagt ccctgcagga acagaccaag tgagcccatt aagagaacag ttcattccca 53820 cetgetacet egagecagec aacaatetea geeteaceae tecattettg attatgtaga 53880 accattccaa teetgagtga caggatttge aaagacaget gttgggetee acaaacattt 53940 ggaggagggg aaaatgtgag gttggttgct acattctcct acttctttt actgaaagga 54000 acagetgega tetteacatg taagatgaag taaacaaaag etgacaatge ecageaceat 54060 tcagcagtaa gcattcaaat ggattttcc tcaccgcgtt tgcaggcccg gcacagtctc 54120 agttccccac agcacagaga ggaagcaagg tctttgcatg ccctgttcac ttggccaaac 54180 attgccctag atgtgcaatt caacccatat aaagcaagcg taattcaaga gccctgactc 54240 tttcaccatt tcatgatggc ttattactcg cacacggcat tgtcaggttc cagcaactct 54300 gtgtgcagca ggcagaaatg cagtgtttat ctctgacagg caaacattct taggctcatc 54360 ggcatgagta tecaegetga aetggetate ggggaagtag atecetgeat gggaaagtea 54420 aggtatgttt agagggactc gatgattcaa ccccattggc tggttcattc cttttgtttc 54480 ctctgccttt ttatttgctt acacagaaaa cagagcattc atttatttct tttccctctc 54540 tcatctctat taaccactag ggccatctgc ccatctgaaa ctgtctttgg ctgcatggtt 54600 gtgaatccag gtgacagtga aaatgaagaa gtggtgattg tccctgcatg ttttctctga 54660 agggttaact aaaaaaaaaa aaaaaaaaa cctttgtgtc tgtttcgagt tctccagttg 54720 aaatactgta ctcattgaac tgcaagaaat aaaacctgca agtaggcact gtgctaatgt 54780 aatagaaatg tgttagacag gggcactatt tcttaaatat gcttgaatta agcaagttct 54840 tttaaaaagt gggtgggact tttgatgttt tacatagtta tattttcaat ttcttgtgct 54900 cagtttaaaa ctcaagattc tttgtttctg tgtgtgtcat tagggcaggt gttggatgac 54960 aagtaaatgc actgaaaaat gaaaaaaaa gatttgtgcc ctaacctcca tgaatttggt 55020 gacttaatat atccatacag atctgacttt taatcaaagg tgctcacagg tggggtaagg 55080 gataaggagg aatttgtcta caggatcctt ttatcctaag ttgccttaca acatccaatt 55140 gtgttaccgt ttttttttt ttttttacaa acccattgct aggctaagaa gtattgattc 55200 catctagtta aacatgtcga gtgagaggaa gtgatcaatg gattacttct tcaaaacatt 55260

tatccccct agtggaatcc tctgatttt ataacattaa agagccaggt ataggagttg 55320 ggagaagaat ttaaaaatttg aaatgtotto ttttttcaac totgttcatg aaaactotag 55380 ttaatgcatg tgatttcctg ggtctccctc tctacttccc tccattatca ccaccttttg 55440 ttgctgctgg ggctgtgggt gccctgaagg agcatgagat ggccttcctc agatatctgg 55500 gttttaaatt cagttcgtat ctcttaagtg aagtgggtag ggccaaaaat gactcactgc 55560 ccagtggtgc ctggaaacat tatcagcaaa gacattcacc tagggagaaa ataaacacag 55620 aattctcata tgggcccatc tttccaacca tctcctggac tttggtagtc ttttctgagc 55680 cagatatete tetaaagtea ettgetgtea gacetttttg teteatattt aggaatgget 55740 gaagttettt ataaateeca gatgaaacag gaggaaaact actttgaaat gateatttee 55800 atgateteta aaatgeaaca aaccgtattt ettaagatta acggatgega geetatqaca 55860 ggttcaatgt gggaccaact caagggaaat tgatgaccga attattaaaa ggcattcatt 55920 acategeagt tteacetgaa gagggggtgt ceeecagtag tgettetgea geagaattge 55980 ttagaaactg cagaacatcc acaaggcaag caccccaggc cattgtgtct gactgtcttt 56040 caaatagagg aatggctagt tgccatttgc tgagggcatc tcctgcactg agaactgtgt 56100 gcatatatgg atgatatcgc cgagactcac aagtatgcaa gatagaaact aggtgcattt 56160 ttttcagatt aggaacttga gaatggaaga taaactgaga aggggagcag gggaggatag 56220 ggagagattg ggcaacggtt aagaagttac agttaaatag gaataaatcc tggtgctcta 56280 ttgcacagca gggtgcctgt ggttgacaac attgcattgt ctatttcaaa gtagatagaa 56340 gagaggettt tgaatgttet caccacaagg atatgataaa tgtttgaggt aatggatatq 56400 ctaaatactc tggtttgatt attacatagg gtatgccagt ttcaaagcat cacattttac 56460 cccataaata tgtacaacta tcatgtgtca attaaaaata aaattaaaaa aaatttattg 56520 ataaaagaat aaaaaatagc atgcttttgg ccactctatt tgataggcat catttaaaaa 56580 acataagact ataaggctgg gcatggtggc acatgcacct gtactcccag ctatttagga 56640 ggccgagaca agagggctgc ttgagcccag gagttcgaga tcagcctgag caacacagtg 56700 agacceteat etttaaaaaa tataegtagt atagatgatg taaaaggace acettteeaa 56760 atgagtcaat ttcttcctta atttaataca ttcctaggta gtaagttttt agagagctaa 56820 actaattcct tgctatgtct taggttacca tttataagtg ttcttatggg ggttagcttc 56880 attttatgta ctaaacactt atttgaaagg atcgttgcct ttttccatgt gctaatttgt 56940 atagagagtt tacgtattgt gggaatttaa tttattcctg cattttatcc aggaaaatag 57000 aaaatatatt gattggatat tgcgtcttcc tctggagaac gtaaaacctt tcacgtccta 57120 catctcatca taccttacaa ctttagaaca gactctaata aaaggaaaat gttttaactg 57180 tecetttaet tatagaggge agggatggga aagtgeacte aattatacta acagagetet 57240 caattaatct aaattcaaag cgaaggetcc tgttgtggat cagggaccct gaataaacat 57300 gctttctagg agacttcacc gccaggttcc aagagaggtc acagtactcc tgcactcctg 57360 atggcagacc cttggattcc attgcaggca gtgacacacc aagagtaaga ggagctggct 57420 tcagccctgt ccacgtgtgt ctgctggctc gcccttctgt ctggcatctc cacgcccctc 57480 ctcttccgga ctcccttgca tgaccttcca aacagaatga gctgttcttc caaatatgac 57540 cctaactcat tcaacagctg gaggcaagag caaactagag ctcatgcaaa gggtattagc 57600 attgagtett ttttteece etettetet eagactaata gatatttgga aaatteatet 57660 aaaaaaccttt tttaaaaaaaa tttcattcat aaaaatagcc aaggggtttc tcagagagtt 57720 tccttttagc aagtcttttg gaaggaataa atgtctactt tattattttt ccttcctgtg 57780 cctgacctcg gagaggatta gagggtctgg gcaaggagag gagcctcaca cccagccacc 57840 gaacataaga gccaccttat gtgtgaggga ataagaccat gctttgaaga gccagacttt 57960 ctccttttac ttgctcttga aattgttttc actctgatct gcaagtcaaa gaaatgatct 58020 attatacatg tagggacctc aaaatctgtt tgactctgtg caaataaggt acagtccctg 58080 cettetteet atagttttet tateactagg ggaettgaaa aggatttagt teaacaactg 58140 agtcagcatg agctcacaca aaacaaatcg tttcacacca atgtcaattt ctttcttct 58200 teccecege ecceaettt ttatttaaat aatteggtea gggaaatece acatgettag 58260 tatcattttg tcagcaaggt acatgacaac tctggtcaca atagaaagtc gtttagtgaa 58320 ttaatgtcaa ctctggaaaa agtggctaat gtgtcttggg gagtttggtc cttgcctgta 58380 cacctgcctg aagatcacaa gagtaagaag gacaggtaac acacactgaa tgacaggatc 58440 agaggttagc aatatctcag aagcctgcca tatgagccaa acccaataca aaacaattta 58500 gcaatattaa gtaattatca cattttgtac ttcaataaaa aatttaatat catgactttg 58560 cggtaggaaa ggccaagttt aatgttggtt aaaaatagtt tggagattat atttgtctgt 58620 cttcaatatg atgtttcttt caaaatatcc caaataatct gaattaagag tagaaataat 58680 atctaccatt tattgagtac ctactatctg ctaaaataac aaatttataa tgaaggtgta 58740 actattecea tittacagat gaaaaaaatg gaqqaqqtta agtaaccage actaagteaa 58800 aatggctagc aaagatcaaa accaacatgt tagccaatgt taggcagttc aagtcctttc 58860 ctctgtgcct gaaatgaaag aaattttcca ggaattttgc attggttatt catatcaagt 58920

ataaaaaatg ttattcattt caatgaacca aaattaagtc aagacactta aggactgtct 58980 agaggaaaat gaccaggata ggaaaqagtc tggaagccat qcaaqaaaag acacaqatgg 59040 taaatattta acatgaaaaa tagaagattt gtgtgggata taggagatac cttcaaataa 59100 tgaagacctg tggtcaactg gggcaaatat tttaacccca aataagttct tcaacaataa 59160 cagtttcatt acaaataagg gaagagaaag tgcccaaaat gagcattctc agtcactaga 59220 tgcagaatca gaaagccacc tgccagggct gttattgagt gaaattctga ctttgaaaac 59280 atttggccta tacgagggat tettaatetg atateeatgg aagaaettta ggtaaagtet 59340 ttgaatccct ggaaattata tgaaaaattg tatatgtgtt tttttttctt gggaaatggt 59400 ggatatattt cttcaaatcc tcaaagcaat tctacaatat tggtggggca gtgaaaggaa 59460 atcacttcca attctacaat tctgttttgt aaaagtagtc ttacccttca cagaggtgca 59520 cccaagagaa ctgtgtgatt gatttaatat taggggtgaa tgaacataaa caattqaaga 59580 aaacttcaag gtttttagcc ttgtaactaa gatgttcata caatttttaa aaatctttaa 59640 taaaagagaa gcaaatttag tggaagataa ttaagtagaa ataaataggc aaactgaagc 59700 ctgtctaaga ttccagtact gagagtactg agtacgtaat tcaaatattc ttttacatca 59760 tggcagaaaa atgctgaaat ctagggatat atgctgacta gtaactgagt cttatataaa 59820 taatttttt aaagccactt gaactttaga accataaaat gttataacac taactgttct 59880 agagactact tacttcagtc tcctaatgtt acaactgaag aaatcatgtc tcagaaaaac 59940 taagagacat attotggatt otggggootg gttootgatt cacqtototg totgcaaatt 60000 taaggaaaaa aaattotaaa acattoaaat otggaataaa ootatgoatt tttoaagaag 60060 aaaatatata tataaaaact agtcttaact acatataata cacaaaggtc cactttgtta 60120 tggtataagg caagaccgta aggaggtctt atgcctcctt atgaggcata agattgcccc 60180 ttacgagttt taaagtatga attccacacg tcagcatgct ctgggatgtt ttcacagtat 60240 ttttaacatt ggtcctcata gtcttaattt acctctggaa atttccatgg atgattaaac 60300 tatgaagaac aaagaagcac atggctgtgt tatttagagt ttagtgaatt aggtctgcaa 60360 gtctgttggt ttccttttag atgttgtctt gtccgtttct aagatcagag ggagaccagc 60420 tccaggagtg ctcatgaatg catcagtggt cttccatacc atctgatgaa aagattcatt 60480 ctgtgtctca aaaggatatt ccagatccag ttctgagtca gcaggtcttt ggtgtatata 60540 tatatatata tatatata taaatttttc cactgcttta tttttttaaa ttcatctgac 60600 aaggtcaagg tgggattgag acaagaaaaa tttggaacta gtcccatttg agacttattt 60660 ccttaaaaaa ggaactgitt tttaataatc tgaaagttta cataattttg acatgcaagt 60720 tatatacgtg tgtgtgtacg tttgcatgct tgtgtgtatg ttcattttt ttaaaqaqac 60780 tcaaactaaa taaaattttg attgggggtg ttgctgaaag gactatagtg tcagctgtta 60840 taacttcagc tttaaacact aaaccaaaac atgggctaca tgttccaatt catactgaag 60900 ctttataata tatggcctta gagtagaagt ataatgatct cttgggagag gcaagatcca 60960 attaaaattc agtttgctgt cttttggaaa gacataagca gttatatatc ctttgagacg 61020 gtcttaagaa atacacacct gagctttaaa tggccactca tttgactgtg aagttgaatt 61080 tcaattcatc tgggagtcag agcacaagaa agaattcaaa taacaacact ctgatatttc 61140 ctggtgtgtt accagggaga aaagagctcc tggaaaatga acgccttaca catttgcaga 61200 tattaccaac cacttataaa aacaaggcta ttgttatgca taaaagtcat tccttttagg 61260 ggaagcctaa gagtgaattg aaatgtggct gacatttcta ccacaagata aaatgttttt 61320 ttaatatcat gtttaagttc tcttagttaa aaaagagaaa agggaaaaaa agaagaagaa 61380 agaaaaatat ctataatcca gtattcagaa gcaattccag acacttcacc catgaaataa 61440 ctcactggaa gacattacat ttctaaacac aaaagctatt agcagccttt tctaattctc 61500 ttttagttca ataagggaat tattgaccgt attttgcaat cccacatgtt tttaaaagac 61560 aaaaaaacata gtacattgaa cagaaaacat acgaatgctt tctatttaat ttattagttc 61620 atgactaaga tgaaacactc caacatatac aataacctcc ccaccccac ttcactctga 61680 ggttettttg gttacttett ttttacaaca aaggtttgat gtattettta aaatataaaa 61740 agaaaaagcc actatattgc ctcagaacta ctccatctca ctgcctcact ttaaattctg 61800 attgactgta atgagaccac agacagattg atgaaataaa tttagatact aaatagcatt 61860 gtacttgggg tgatttagtt atatagctca tttatttctt caacaaattt gttgaacagc 61920 agtattagtt aaggcaatgc aagctgatgt cataaataaa cccccaaatc acaatggcct 61980 aaaaccttaa aggtgcaatt tttattcatg gaagcagggc aatgtaagta actacaggat 62040 tcaggcagcc agaattettt catcetqtqt ttccatcate ttctagaget tcaaagtett 62100 ctgcatttat ccaagataag agaaaagaaa tttgagaagg tgtacctgtt tttagccatc 62160 ttetgeteae ttgetettgg aattaacaaa teacacaace atacetaagt geaaagtggt 62220 tgagaaatgt atttcctgat gggacaacca ccttccagtg ataacttcac actctgaaag 62280 ggctcagctg caacacctgt aataatactg tgctggacat tgtggaattt tctaaaagaa 62340 acaaaactgg gaccttgtct tccacgagca tgcacgttag caattttttg caaggaattt 62400 attoccttac caataataat agttaatata tatataaagt ttgttatgta tcaggctcat 62460

tattggacca gaggetgtgt gggtggtatt teaggactea aaceetggta tetgegetgt 62520 ecaaatteat getettgeet eetgeeetee gtagaettet aateaettaa ggeaagagae 62580

tcaaqtctag ttctcttaga agttcctacc acagggcaga gcccacacca gacagtgaag 62640 qaatqtqqat tatactaaac aaaaccctaq gatcgattgt ataqqtaact qttqqcaata 62700 aattagagct caattccaac tcataaaaag ctgtactcca aaatacaatt caccataaat 62760 gaaagctttt taaagatatg agttgcctat actataaata ttgatttttt ttcatctgag 62820 tcaattgaga tgcaaatgct aatttgagta gatgagcata tgagcattag tggaaaaact 62880 cacctaaaaa ggtacaagag agagcaagat gcccaagata gattaacaca acactttaac 62940 cagaatgttc tatcattttc tttctgcaca tacaccttct aacttgcaaa tctgtcttgc 63000 ttcacatgat ctcttcccat ctaatttgat gggtttttct ctgaaagaaa tgaagggagg 63060 attectecag ttettgtttt etatggtaat tateetaagt tttaggggaa gaattttaaa 63120 agaggaattc taggcacttc tcaacttgga gcagaataga gatgtattcc agtaaggaat 63180 atagttcatg ggcataagtg acttgaatat gaggtagaat tgggggtaaa taacctatga 63240 aatgtataga tgatattcta tcagacaaga gatattacct atagttttac aaaagaaata 63300 aacttttagc taggcctttt agaaacatgt aaaattaact gagtttacca agtatagaaa 63360 aaataggaaa ttgtcattta gaagggcatg atctattcag ctagccaacc aagaaatatg 63420 tcgagtgctc cgatgcaagg tagggtatga agagcagtgg ggagaagggg gcagtgaaaa 63480 gtgcaagaca acacctattc ccatataggt cagcagctaa gagcaacaac aaaagagaac 63540 aatgggcatg tacagtgcat ccacctgtac caggtaacat gccaggtgaa ttattcaaat 63600 tatctcattt ggcactaatg catgtaaagt acatagcaag gtgcctgtca cagaaagaat 63660 qtacaataag tgatagctgt gatttaaatg ccagttttat gtggaggtta ttatctgttt 63720 tcaaattaaa gaaagtgagg catggtgagg ctatgtgatg ctataaactg aatgttttta 63780 tececacaaa atttatatgt tggaacetaa teaegaaagt aategtgagg eeeegtaaag 63840 gtagggtctt tgggggttga ttaggtcatg aaaactccac cttcatgaat gctgttataa 63900 taataataat tagtactett ataagagagg actgggggag eteatttgte eettetaeta 63960 tgtgaggatg tagcaacaaa gtaccatctt tgaagcagag agtgagctct catcagacat 64020 tgaatctgtc agtacattga tcttggactt cccagcctcc aggaccgtaa gcaataaatt 64080 totgttgttt ataaattato coatotgagg tattttotta cagtaggota agatagatga 64140 tatatccaaa gccccttagc tggagaaacc agacatacac gcatggaaag ttcaataaca 64200 atgagattct ttgtgaaagt tgctctcctg gcagttctat tttactagta gaatattcat 64260 cttagttcat gggttgttat tcctcaatct ggctgctgag tgccctttgg gtgtttatga 64320 ttttaactgc ctgcccctgg ttctagttgc ctgggttagg caatgagggt attttgtgca 64380 aattgtgtcc tgagtgccta tgctgcagct ccccatgagt cttccattct aattctaatc 64440 aacttccagc tatctatctt aagcagagta ccttttagga cagggtgata gggggagcct 64500 agaggtcaca tgcgaggcct cccatctgtg gaggtttagt tggagagagc tgacaatgag 64560 atgattcctg tgcagcagta gtcatgaacc tggggcagga atgagagcac catgctatct 64620 cccagggccc agagagtgtg gccctgagag acagatcagt gaaatctcta aagagcaatg 64680 cgccagattg atgagattat cttgggggta cttgctagtc tctttggctt cggaggggcg 64740 tggagggagg ggaacagata ggctcagatc ctctctgccc ttgaggctgg tcaaacatat 64800 tgcaggtttg tagagaagtg tcttctcctt gtacttgtac agatgatttg ctaaccggac 64860 ctgaaactgt cctatctccc tccattccag tgactcaagt gtcctcagag ctaatccagg 64920 taactagagc caggggcagg cagttaaaat cataaacacc caaagggaac ccagcagcca 64980 gattgaggaa taacaacaac ccatgcccca agatgaacat tctactagta aaatagaact 65040 tccagaagaa acagatgaca actttaacaa agaatcaaaa gtatacttac aaaaattgaa 65100 aaatagcatt aaaataactt tccagcattc aaaaacatgg cttttcaatt aaaaacatca 65160 attcagttaa ggaaaggatg gcctaggatg agacagactc acttgcaata taagacatta 65220 tagggtaaat accaaatgag tcqttttqat tctcaggtgg aattgaccat tagactcacc 65280 tqttaaaaac acaqacttca acttacccaq ccctaataaa tcaqqaactc tqqaaqccqa 65340 gccaatgaaa gtgcattttg gttggaagtg gccactggtt ttgggcactg gttatggggg 65400 ctgtggaaac tggcagtaca tgttgaatga gttatcaggg tgagagatca ctgggtctgc 65460 agggatggtg gtaaggaccg cgggagagag atgagaactg aaatgagcat gagaggtggg 65520 tagagtttat tgatagtgac ctaaaaatat gaaacaagga ttgatgaatg ttttgtctgc 65580 atgateceaa gtttteacea gatttagaea caaataettg teacaceegt agateaaata 65640 gcaagtctaa aattttttaa agtttagctt taaataatat aatacacatc agataaataa 65700 gaagttgaag tatcgcgatt ttgcaaatgt ttaggaagct tqtqttcatc cqqttcacat 65760 ttccttcact ctatgtgtgc atgtttgaaa ctgaaatata caagttaaat ctttagtctt 65820 acttttttaa ccactgacaa tgatgatggt ccatttatct cccaatgttc catttcaaga 65880 cagatggatc agtttgtcaa ggtctgagta ggaataaatg gagtgctcca aaggcaaatc 65940 tgtagtggtg tgttcaattt gataaaatca cgcttgcata tttttttcct aaatttcctg 66000 aaccactcca ctaagggaga caacctagta cttcttggtt tttttctctt caaatggctg 66060 cttctqaqtc acaqatqtqa aataacaqqa atcaaaqqat tcatqqatca aqaaaaatqa 66120 ctcctgatca tttccagtag gttatttcct tggagctgtt ctgctctgcc cccaggaggt 66180 gtaatggatt tgaactaaat gtaatcaaaa attttcacct gcatccttat ttcctgaaag 66240

tagctcagtc ccatgaagct gaactttctg cagctgtgag acccacggca tggctgcttc 66300 cttaggggaa ataaactcga tgtttctctg agtcagaacc acagaacaac agtctcatga 66360 aatgctctat gccaaacaaa aagcactctg cactcagatt tgggatgaga ttcacatgcc 66420 atcagetete agagggtgat agageacate caagettetg gageceetge ageagagaaa 66480 tcattttatt cataactctc tgtaacttag tcacttgtat tcatttttga gtgctgcctt 66540 aacaaagtaa caactgggta gtttagacaa cagaaatgta ttgtctcaca gttccagagg 66600 ctagaagttc aaagtcaaag tgttggcagc tctgtcccaa gcttccctcc ttggcttgta 66660 gatggctgat ttcatgttca cagggcattc tccccatata ggtgtctatc tccaaattcc 66720 atctgtttgc aaagacacca gtcatagtgg attagagtcc atctaacgac ttcattttaa 66780 cttgattacc tctgtaaaga ccctatctcc acataaggtc acattctgag gtactgaggt 66840 ttagaactta catctgaatt tgaggaggga gatgtaattc aactgattat accactgaat 66900 cctttttttc ccatgtcatc tattaacagc ctgaagaaca cgtttagagg gatgttactg 66960 tggcttcaca gataccatgc tcttcctcaa tggttcccaa atgccatttg cagaatatat 67020 gcaqaatcac tgggagtgct ttttagaatt ctaaatctgc caggcatggt ggctaacacc 67080 tgtaatccca gtactttggg agaccaaggc aggcagatcg cttgagccca ggagttcgag 67140 accagectgg geaacatggt gaaaccccat cectactaaa aatacaaaaa attagetggg 67200 tgttgtggca tgcacctgta gtcccagcta cttgagaagg ttaggctgca atgagccatg 67260 agcccatgat cctccactgc actccagcct gggcaagaag agtgaaacct gtcaaaaaaa 67320 aaaaagaaga attatagatt cttgggtctc acctccacaa attaaaatcc actggatcta 67380 aggaggaact caggaatttg caatttacaa agttgcccag aacattctga tgcatcacca 67440 ggttggagtt ccacagccag ttagtgctcc cttattattt tttagacttg atttgggcca 67500 taaatcttat aatagctacc taagaagtac acttcttctt taaacaatat gaacatagaa 67560 ttgttttctc atctctgttt ttattacatc ttctatcttc ctccactgca gtacaaacca 67620 cttgatgtgc atagattctg ccttactcat ctttttattc tcagtgtgta ccagagaatc 67680 cacacataaa taacattcaa taagcgttta ttgaagaaat aaatacctcc agcaacacag 67740 gcaaactgta caattgtttc atcatttaaa gaagttcctg gccgggcgca gtggctcatg 67800 cctgtatccc agcactttag gaggccaaga caggtggatc tcttaagctc aggagttcga 67860 gaccagcetg gccaacatgg tgaaacctca tetetattaa aaatacaaaa aaaaaggtag 67920 ctgggcatgg tggtgtgcac ctgtggtccc agctactcag gtgattgagg caggagaatt 67980 acttgaacct gggaggcaga ggttgcagtg agctgagatc acgtcactgc actccagcct 68040 gggcaacaga gtgagactcc atctaaaaaa aaaaaaaaga aaaagaaaaa aagaaaaaga 68100 aaaaagaaga aaaatgttat tgacattgac atatctttat acttgagaga attcagctac 68160 tettaagagt ttaaccegtg cagecatgee egetgteetg acteatttt acteetgeea 68220 tgatagetta cetgtggttt caggacacat etttettttt ceagectcaa ggatettttg 68280 cacatgctat tttggaactc ttctgcctac cctctttctc caccccatcc ccagttgcca 68340 cgactatttc caaatgaata tttgttctgc ccttcaaatt agaagtggtg cccctgttaa 68400 acgttttcat aatgcttcat tttttttccc atggagacac tgatcatgct tgtaatgaat 68460 agttcaatgg ttgctctctc tgacaaactc taatctacat gtaggcaggc ttcatgtctg 68520 ttgtgttcat ttttgaagcc acagaaactt gaacagagta ggaactcaaa tattaattga 68580 gtcgttatgc gctttaccat gattatgtgt tttttcccac cattaaactg ggagcttctc 68640 tacagcaggg actagattta atttatttt ctatttttgg cacctggcac agtgcctgga 68700 aggcagaaca agcacaataa attttcttaa aatttgtaag gtttttgttt atttgaatgg 68760 ttgtttagtt tttgccttga tgaaagcctg ggatagaaat ttagaacaag gttggatgtt 68820 ggtgatcata taaaaataga tttgttcttt tttgtcatta gagcccaaac ttaaaaaata 68880 tgtcaaataa aaaaataaac tagaataaca gggaacattt aatggaacca aggcacctca 68940 aacagctgac atacttctaa aaagcagaaa gtaatagtaa gggagataat agcatacgag 69000 ttagttttcc aattgccaaa agatcacttc aaatacagct cttggcagtc atcttcttat 69060 ggagaaactg caacacttat ggaatggcaa ttccaccaat cccctttttc taacagcaga 69120 aaaacctgaa ggagacaagc ccagctatag tccagctggg acctgtgqca ataacctgac 69180 ctaaagttac ataagtgatc aggaccgtat gtggtccgta cccctctgcc tgaggatgct 69240 acgcagctgt ttaactctct caaacatttt gttcttttac tgacaaccca ctgcagtcaa 69300 gttgtctatt cccataatat ggaatattgg gtctatagta atttcctatt cctatttcta 69360 ggcaatcatg taagataagg ggaatgggca cctatttctc tggggaaggt ataaatgtgt 69420 cttttatctc tttccagtat ccccactgtg tagagctggt ccacaatgga gaggaggaaa 69480 agttttgcat tggaccaaat cactgcctta gaaggaaaga gattgcaatc ccattcattt 69540 ttaagatctg caatgggttg ggatgatacc catttaaaaa agaaaaaaaa agaggttacc 69600 tetttggeet etttggeaaa ggatatgaae tagtaataaa geeteageat caaggettgg 69660 gagtctggct caaagtggct aagactagaa gcatcttcta acataaatat ggcagcatta 69720 ggaaaatagc ttggccttta gagagaccca gattatcttc accttaaaaa ctaccaagac 69780 cctggtccag caagaccacc atcacagcag taaatacata gccaccaact tcacagaagg 69840 ttttccactg agacattgtg aaaaccacaa tccattaccg gtggatgagt cccaqctctc 69900

ttactacctg	gagcttccaa	gcaagactta	cctgtccttt	gttccagatt	ggttcctggg	69960
atcctggacc	aacacaaaga	gaagaggaaa	gcctcaaggg	aaataaaagt	gaaggtttca	70020
gtgatagttt	aaatatatat	ttttaaatgt	tagcttttt	ttaaatactt	cacagtgatg	70080
gatggagtat	ttcaaccaca	atggcaaaga	atgaattacc	ggcagtgtca	gagtttcttg	70140
			aggtgccttg			
ggaactgaga	ctggcttcta	tccaacaacc	agtgaggaac	taaggcccta	aagtcctata	70260
gtccacaagg	aactaaatcc	taccaacaac	tacatgagtg	agcctggaat	ctgattttcc	70320
ccagtgggga	cttaaggtac	ctacaacctg	gctgttatgg	gctaaactgc	atcctgccca	70380
aatttatatg	tttgagtctt	aactcccagc	acttcagaac	atggttttgt	ttggagacat	70440
agtcattaaa	gaggtaatga	agttaaaatg	aggtcattag	gatgagtcct	aatccaatag	70500
gactggtgtt	cttatatgaa	gaggaaattt	gaacacagac	acatatacag	gaaagaccat	70560
gcgaagaaga	cacagagagg	aaacggccat	ctacaatcca	aggagagagg	cctcagaaca	70620
			atccagaatt			
tatttaagct	acccagtctg	tggtgctttg	ttatggcaat	cccagaaaac	taattaacta	70740
			ccagaggacc			
			tgtttgttgt			
gaaaatatgt	tatgtggcta	tgttgttttg	cacatgtgcc	acataatgat	gttttggtca	70920
acaacagacc	acacatatga	tggtgggccc	ataagattgt	aatactgtgt	ttctattatg	70980
cattctctat	ttatagatac	acaaatactt	gccactgtgt	tacaattgcc	tactgtcttc	71040
			cccagaagca			
tgggtgtgta	gtaggctata	ccatctatgt	ttgtgaagta	cactctatga	tgttcacata	71160
attatgaagt	tgcctagtga	tgcatttctc	agaatgcatg	cccgacatta	agtgacactt	71220
			tgcaatatag			
cctcttaatt	ctgttttgat	cccacaccaa	ccaagatgca	aaactaattt	tttcgcccat	71340
			aatgtggttt			
			cctgtataaa			
			aatggtccaa			
			cattgaagct			
			gagctataga			
			agaagccagg			
			tctagatatt			
			gaattctcca			
			atttatcata			
			ttagataata			
			aattttcatt			
			gtgtccttgg			
			gatgaactag			
			aaaataaggg			
			gagggaataa			
			atattctttc			
			cagctactcc ttttaacagt			
tttaatgaaa	2202200200	tagazzatat	agtgacattt	ttanagaaaa	annonettt	72420
			tccattcacc			
			gatggaaact			
			aacatcaata			
			atctattttt			
			acaatctctt			
			ttgctctgag			
			aaacaaaaac			
			gaaggcaggg			
			gatggagtgg			
			cagaggaaaa			
			aagattctag			
			gaagcagtga			
			tggctctcac			
			aggaatttga			
			aggaatgttt			
gggtgaggac	ataaatttat	ttgctatgtg	aatgttttt	gagactcatc	tagttccttt	73440
			aaatcaggat			
			caagtgggag			

aaggettgag ttgeatttee aaateetgte tetagagace atgagttttt aatgatagta 73620 tttccatgaa agcccaattg aatacaatca ccacccagac caaagtgtag gggaaatcat 73680 aaagctactt tcaaatccga gtcttctttg aaatttaaaa ttatattcca tgataatggt 73740 tctcataaac cttaatgcaa gggaaaaaaa aaaaactaca gcagaataaa gaagatttaa 73800 aaagaagcag gataggaaaa aagacaagcc agaggctagc tatatctttt cataaagcac 73860 acctggtctc ataagcacat gagagctagg cccagaagtt tcgagccttg gagactcact 73920 tcaaacaaat tccagggaaa gacactcaat taagtgttca ggacaattgt atatccccag 73980 tgcactcatg tactggaagt gcttaaactc tgccctcagt ggtcaataaa atggtattaa 74040 gtcacagaca acccattgcc attggtattg gctgatgtct ctggtagttt atgtgatgac 74100 aaacattagc cttaacagca gagccttcct ttctttgatt tccgtgtgaa attctgtggc 74160 tgggagatgt ttatgttcac atgaacataa ctgtaagcaa accatcttat ggtagacatc 74220 tctccagaaa aagcaaattc catctttta aatagaaaaa aaaaacagca gcaaaatgaa 74280 attaatgcct ttggctcatt gtgttgtaaa attatccttg aagttatttc acactgccct 74340 aaaaaatcat tgaattcaga ttataacaca gctcttatga agctgttagg cagttgcatc 74400 tttaatgagg ctgagtaggt aagaggaaca gatactctag attgaaagcc atcgcaaaaa 74460 atgtgaaaca actgtattaa atttaattta atttaaccaa tgggtgtatt tattccctgc 74520 cttcttccag aaaggattta gggagcttag gtaatgtgga ggtctgaagg tgtagatact 74580 catgaaagcc tcagattaat atctagaaca tataatgtgt ccagatagtt ttcaattatc 74640 aatgcattaa totaagottg gaaaggactt ttaaactgca atgaaacctc aactagtttc 74700 aaacctgcat titttagtaa gctattitgt cattiggaga cccacacaaa aaacctatig 74760 ttcctttaaa aaggagagag agaaaaaaag aaaaacaacc tgctggtgtt gctttgttca 74820 tettateace ttateattea geageetatt eaggateaaa tgtgggaaag tetgtgtgtg 74880 agattaagcc ctatactcag cacaggaatt tettggataa atgtetttet taaatggata 74940 gctatgtaaa aaacagaaga gaaactctat tattacaatg cagttgggtt tttttgtttg 75000 gtatgtttca aatctaatat ttaaaattaa gaaaattcaa agcaaaccat ctgtgtggat 75060 gttttcatac tccatttttg tgacaatagc ttgcttaacc gagattatta gtggattctt 75120 tcaataagag gaagagagta ccatcattaa gatggtatgc ctccactagc ctttatttt 75180 gagattaaag aatgacaaaa atatttatat atatttttc attattaaga cggagtctca 75240 ctctatcgcc aaggctggag tgcagtggcg ccatcttggc tcactgcaac ctctgcctcc 75300 caggitcaag caatteteee actteggeet cetgagtage tgggatcaca ggeaccegee 75360 accacactg gctaattttt gtattttag tagagatggg gtttcaccac attgcccagg 75420 ctggtctcaa attcctgacc tcaagtgatc cgcctgcctc agcatcccac agtgctggga 75480 ttacaggcat gagccaccac aactagccaa aaaatatata ttttctttaa aaaaaagtta 75540 ttttctgcct aattacttca atatttcatg aacattgtgg gggaaagaat attcatacag 75600 ttctctaaat atatcagtga gttgaggtac caaatacaga attctattga attctaattg 75660 caacactgaa gcagacttac tctaagatcc tgctacctgg actaaccaca gactataccc 75720 agattccatc tgcaagatgt agtggagcca aacatcacat cactgaggaa tatttattat 75780 atatctttct gtagaggtga gagagtattt atagatataa caaacaattg gtcagatact 75840 actggagatt tggaagcttc actaggtttt tcactaaatt tgttgatagc caactctaaa 75900 geteatteta etaetaetag ecatetteee ttggacaatt teatgggeat egetteaetg 75960 aaaagaaaaa tgagtaagta taatctcact agtacatgaa taactattat aaacacaata 76020 ctttctacaa ggtttattac taatctatgt catttaagtt ctagatttta cagtattttg 76080 gagtgatgaa taaatagcat gctgttcttc tatagctagc aaacaagact cagctttgga 76140 gacaagaaga aggaatacag gagatgtttc cttgaatgag tcttcttcct aaactctgct 76200 agaagtatgt cagaaagcga aggttacctc agtctccaag tcatgaaaac atgaggtctt 76260 tctgttttct agggaaagta tttcatcatt tcctagtgtg gctttttgca caccccagaa 76320 ggaggaagac aagccatcgt gtcaccttta catggtagtt gagatgcttc acatttgtac 76380 ataacatctt atatgatcga aagaggaact caaactcgac aggggagaat aaggaaatac 76440 atctaaaact gacaattatg ttaatccctc aattccctgg gcccccaaaa tagtctcctc 76500 tatttgccat ttcaaaatag ctaatgagag ggtaattgga catgtagaca ctgaatttcc 76560 actgctcatg gtttccttcc ctgggctccc agtcacccgg aaggccccgg attacctcaa 76620 atgtcataac gggttcatcg cattacgaat tacctccttc tgccaataaa ctacaagttc 76680 tttgaggaca gaaactgtga tttatgggca tttgtatccc cagagattca aagagtgcct 76740 gatacagagt ggtgatagat gattttatca tettateate ateateetea teategttgt 76800 acctaaatag aggttacttc ctgtttcttt tatttaacaa taacctatta taatatatac 76860 tatgcatttt taatgcactt tacaaatatt gtcctcattt aatccctgta aggtgaatac 76920 tattattggc tccattttgc agataagaca ctgagtcgtg aaaaggctaa gtacctcaca 76980 caagatcaca cagccagtga cagaactagg atttggctgg actcttaaag actctggttt 77040 gccatttaaa ggtacgctga gctccacaac actgccttag aacttgctca gagcaattgt 77100 catattacta tggtaggttt ccctgtctcc cttaagactt aaagcttctg gagatcagaa 77160 actgtattgt ttacttgcaa aatcatgggc ttaggagcca gaaagatctc gatctaagtc 77220

```
ctgcctcatc tgcttcttct tcatgggatt agtagactga ttttcccctt gcttagccat 77280
gcagtttgaa tggaattcac cccattctca gctacaacca cggatcttgt ttgctttaaa 77340
ccaatcatca ctgcccaatt ttctggcctt tgattgattt aaaggtgaac acatgaccgc 77400
tttggaccaa tgaggctcag gtggtatttt gtgagggtct ctggaataga aaatcatttc 77460
tettetgaca qaactacaaq qeaaqqeqea ateactgatg gtgaaagata aagateatta 77520
tattaggaac tgttggctgt catactgcta atgtgaggtg agttagcctt agaaagagga 77580
tgctaccttg aaaggcaggg cagatctatg gaaataaact gagtttgtgg tgacattgat 77640
agccacttta gttcatcagc tgaatcccaa tctacttggt tttttcagct ctgtaagcca 77700
acaaataccc tgctagtgtt ttagcctatg ccagttgttt tttctgctgc ttgttaataa 77760
gacacataca gtcttggaca aattatataa aaatatgaat ctttggccag gcatggaggc 77820
tcacgcctgt aatcccaaca ctttgggagg ccgaagcggt cggatcacag ggtcaggagt 77880
tcgagaccag cctggccaat atggtgaaac cccgtctcta ctaaaaatac aaaaattagc 77940
tggatgtggt ggcacatgcc tgttgtccca gctactcagg aggctgaggc agaagaatcg 78000
cttgaacccg ggaggcagag gttgcagtga gctgagatca tgccactgaa ctccagcctg 78060
ggagacagaa tgacactcgg tctcaaaaaa aaaaaaaaat tctgaatctt tgaatgttat 78120
cqtatagctt tttaaaagac tagattaagc tatggatgta agcaccaatg catttttta 78180
aaaqtatatt ggatgaatga gttaaagtct aagtgaattc agcaagtttg taacccttga 78240
gctcttgtga gctcaatctg ccctcaatca tctgagaatg aacaaaacag actcaaccat 78300
tttgtgtcat ccagatgaat agaaagggcc tgaatatatt ctttttttat attttttgtc 78360
ataggcccta gcgttttcat ctgctcagtt tttgagtgtg cttgttaggg ctttaatgct 78420
aaactcaatq taaqctqqqt ttatqtaatt tagtggtttc tagacttagg cttcctaaat 78480
qttccattag acaagaagac aaaatatgaa acaaaataac atcaaactac cattaacaat 78540
tagcattgtc agagtcagta aaaactgttt tgaaataaag cagcttttca ggccagtatt 78600
tqaqaactaa tqataqaqtt tttttqtagg caatgaatga agtgttgtgg aacaaatgtg 78660
gatttggact ttcaagacca acttgaacca gagtettgaa tetgcaactt tactagetgt 78720
ggcttctttt taattgatta actttctttt tctgtaaaat gggaataatg attcctacct 78780
cttacaagcg ttgtggtagg aggtattcca aatgagataa atatgtgaaa tcactaaaac 78840
ttccagaata catggaaata atatatgtct gtattggcaa attatgagtg tagtaatgag 78900
gatttacat ggacacattt acattettta gtteagaete eetttgaega cacataacaa 78960
acacacaa gaatatttgc cctgtgtcca gcactctttt gagaatttct ctcttctcct 79020
ccttctgata tcccaaccaa ccaaccagta ggaatgtgcc ctagaaacta tgttttacag 79080
ctcagtccac atcttttcac cttacaaatt acttattgtt agtttcttgg gaaagtaaaa 79140
ttgagatatt aagattctat gaaattggtt ggtggtattg aagactgtgc tgctgctgct 79200
gctactgctc cagaactcta gtggagatat tacaaatggg agcagaaaaa gtgagaaggt 79260
ggtctgtaga gacagagcac agcacagagg tagaaaggtt gagataaaga aacaatgcag 79320
tgaqaqaaqq aqaqaacaca qacataqaaa caqaqacata aaggcaccag acacgagagc 79380
agagataatt taataaggcc gtagtttctc ttggatttcc agttccttct tttagtcaat 79440
totgatattt agcacactgc actgcaccag atatottgtc gccttcaaat aaagtatttt 79500
tccccttaa acatgctaat ttgggcttgt attatttgca atcaatagaa ttgagaaaaa 79560
cactctatgt catatctgaa ctagtatatc agaatggttt tctgccattg gtaacagaga 79620
cccagctcaa tggcttaaac acacaagggt ttatcctgtc acattaacaa aaaaaaaagt 79680
gcagagtagc agtccggggt tggaataggg tccacaaagt catctggggc caggcttcat 79740
ctatctttct cttacatcac aagtgacttc tgtctacaag gcccctcatg gtccacaatt 79800
gattgttttt acaacagctt tccaaagagc agaaagaaaa acaagtagaa gagcttgtac 79860
tttcttttct atttatgtca cctctgctta catctcacta gccagatata gacatatggc 79920
cccatctacc tgcacagaaa tctcagaaat gtaatttttc agcttggcca ttgcccaggg 79980
ttctgttact agggaagaag
```

```
<210> 6
<211> 2260
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> Corresponds to a cDNA detected by cDNA cloning. It includes two exons. It is transcribed from the +strand of Seq ID 06.doc.
```

```
<400> 6
atttgaattg gtgaacttag taaagcagac ggctctcacc aataagggca ggcatcatcc 60
aatctgtcga aagcttgaat aaaacaaaaa gaggaaggga aaatttgctt cttttcttct 120
tgatctagta tatcatcttc tcctgccctt qqatqtqagt ggqccttcag acttaaacca 180
ggagttacac ctttggcttc cctggttctc agttctttgg acttggactg aattacactg 240
ccaggtttcc tggttctcca gcttgcagat ggcagatcat gggacttctt ggcctccata 300
attgttttca tatctccagg cctttcattg ggtcaggttg gcatttcgct gccctttatg 360
tgtgtgacaa gtgaaaataa ggaaagaaaa aaactcaagt gaagaaaatc agaatctgcg 420
cagcagttcc tgggcgtttc agctgcttcc cacatcacct gcctcatcaa gccccagcat 480
ccatctcctt gctcatctta caccctgtgt gcatgacagg cccaccattc atttatcaga 540
gcaaaggctc tcccactatt ctggttcacc ccctactta gccagatata caagaatatc 600
tgcacggatg acctgcctca cctgggagct cagaggagct cagattccat tactatcgca 660
ccaaggacag atctcccagc aagaatgaca gaaaagacta actgccccca aaatctccct 720
tccaaaacac agttctctta attctcccaa gaaaccagaa tgtgactgct cacctctcta 780
aggacctgaa aacaactggc catttcagct atttaaatca actttaaaaa atccaaccgc 840
caaaatatta aaccattttg gttggaatga taacataact aacctgctga cagctgcttc 900
tgctaggtgc aaaaatggaa aaaaaaatac ttctaatcag gtcaaatcac tctacctttg 960
ggattctaaa tttactcata ttctcaaaga aatatattca gtcatagtgg ggaaaatagg 1020
attatteett tagetegata ageaaceaga agttetteet teaaatettg acatttaate 1080
aatcagaaat tgatttttgg aaaactgttt cctatgaagc tatctctgcc tgaaggattt 1140
ttcttttaca atccagacta tagaaggaaa ttcacaacct ggactttcac ctccattggt 1200
cagagtttta ctgaccaatt cccacctctg ccttacacct aacggaagtt tatgcctgtt 1260
ttctcttcac ataccccaac agttacaaat ggttgttatt attaagcatc ttttattttg 1320
tggcctctga ttacatggtc ccctaaattt tgacctaatc acaaaagatt ggtaaaattt 1380
cttaacatat taataatatt ttgtttatgt gtcaatatct tagcatgtat caattaagac 1440
agaggtetta aegttetett tttgaaagag aatattagga tteagagata ttaagagatt 1500
ctcccaggat cacagttagg taacagagct ggattttagt ccaggtctgt ctacagctct 1560
aacgtatata caccctttgt ataacatgtc acgaattcag cataaaggga tcttcagtga 1620
tctaagtcag gggtcagcaa ccttttctaa aaaggaccaa atagtaatat ttcaggcttt 1680
gtggacccta tggtctctat cataactgtt caaatcacca tgtagtgtaa aaggagccat 1740
aagcaaaata taaactaacg aatgtggctg ttttatggga tittttttta actctttatt 1800
tacaaaagca ggtggcagat cagaactcac ttatgggcca tagttctctg acccctgacc 1860
tgagaaaatc ttatatttat ggacaacatt tagactgtga cttgccaagt aagaacaaga 1920
agetetgtea actgaaggte aaggetggag ttetgaaage aaagagetgt etggtgttaa 1980
tgataagtga aatagttaaa gttagaagat cccagttata agaagcacaa agaataatga 2040
ccatagactc ctgaacaaga atgtctggac ttctggctta ggcactcttg ttgtatggtc 2100
caggccaagt tacctaatct ctccaggcct ccattttctt atcattaaat gaagataata 2160
aaagtatttt cctcagagag ctgtaagaat aaactgagct aacccatgtc aagcacatag 2220
aatagggccc agcctatatt aatttatcaa taaatgccag
<210> 7
<211> 2817
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> Corresponds to a cDNA detected by cDNA cloning. It
      includes three exons, the first and third are
      identical to the two exons in Seq_ID_06.doc. It is
      transcribed from the +strand of Seq ID 06.doc
<400> 7
atttgaattg gtgaacttag taaagcagac ggctctcacc aataagggca ggcatcatcc 60
aatctgtcga aagcttgaat aaaacaaaaa gaggaaggga aaatttgctt cttttcttct 120
tgatctagta tatcatcttc tcctgccctt ggatgtgagt gggccttcag acttaaacca 180
ggagttacac ctttggcttc cctggttctc agttctttgg acttggactg aattacactg 240
ccaggtttcc tggttctcca gcttgcagat ggcagatcat gggacttctt ggcctccata 300
attgtgggca aaaaggaaag agacaaaaca gcatgaaatg atgagaccaa gtgatgaaaa 360
```

```
ttcattcaca atgattgctt tcaagagtaa tttctcttgg gtaattcagc agcctgttac 420
tatggctctc tggagtgata gctaatgtaa atgaagcctc taaaagtgga ttatcctgac 480
aagaatatac tcagccaata atgcaacaga aatccattca aagcattcgg gaaaaattca 540
aaagaataaa tattottttt ttttttttaa aqttaatgac ctacgatcca tttcttccct 600
gactaacaag cagcaagcac ttaaaaatat ccagccagga tgaaatagaa acccacctga 660
cttgttaata tttttgtttg gtcccaggga ctcagattct aagccaaatt ctttgaatga 720
tettggcaaa tgtetegaat tatttttgce aacttttett tatettggaa aaaaagttte 780
atgaatgggt gtcaaaattg attagtttta aaaacctttc ttgcagatac gtatggcacc 840
ctaaaactgt attagaaaaa aatttcatat ctccaggcct ttcattgggt caggttggca 900
tttcgctgcc ctttatgtgt gtgacaagtg aaaataagga aagaaaaaaa ctcaagtgaa 960
gaaaatcaga atctgcgcag cagttcctgg gcgtttcagc tgcttcccac atcacctgcc 1020
teatcaagee ceageateea teteettget catettacae eetgtgtgea tgacaggeee 1080
accattcatt tatcagagca aaggetetee cactattetg gttcaccece ctacttagec 1140
agatatacaa gaatatctgc acggatgacc tgcctcacct gggagctcag aggagctcag 1200
attecattae tategeacea aggacagate teccageaag aatgacagaa aagactaaet 1260
gcccccaaaa tctcccttcc aaaacacagt tctcttaatt ctcccaagaa accagaatgt 1320
gactgctcac ctctctaagg acctgaaaac aactggccat ttcagctatt taaatcaact 1380
ttaaaaaaatc caaccqccaa aatattaaac cattttggtt ggaatgataa cataactaac 1440
ctgctgacag ctgcttctgc taggtgcaaa aatggaaaaa aaaatacttc taatcaggtc 1500
aaatcactct acctttggga ttctaaattt actcatattc tcaaagaaat atattcagtc 1560
ataqtqqqqa aaataqqatt attcctttag ctcqataaqc aaccaqaaqt tcttccttca 1620
aatcttgaca tttaatcaat cagaaattga tttttggaaa actgtttcct atgaagctat 1680
ctctgcctga aggatttttc ttttacaatc cagactatag aaggaaattc acaacctgga 1740
ctttcacctc cattggtcag agttttactg accaattccc acctctgcct tacacctaac 1800
ggaagtttat gcctgttttc tcttcacata ccccaacagt tacaaatggt tgttattatt 1860
aagcatcttt tattttgtgg cctctgatta catggtcccc taaattttga cctaatcaca 1920
aaagattggt aaaatttctt aacatattaa taatattttg tttatgtgtc aatatcttag 1980
catgtatcaa ttaagacaga ggtcttaacg ttctcttttt gaaagagaat attaggattc 2040
agagatatta agagattete ecaggateae agttaggtaa eagagetgga ttttagteea 2100
ggtctgtcta cagctctaac gtatatacac cctttgtata acatgtcacg aattcagcat 2160
aaagggatct tcagtgatct aagtcagggg tcagcaacct tttctaaaaa ggaccaaata 2220
gtaatatttc aggetttgtg gaccetatgg tetetateat aactgttcaa atcaccatgt 2280
agtgtaaaag gagccataag caaaatataa actaacgaat gtggctgttt tatgggattt 2340
ttttttaact ctttatttac aaaagcaggt ggcagatcag aactcactta tgggccatag 2400
ttctctgacc cctgacctga gaaaatctta tatttatgga caacatttag actgtgactt 2460
gccaagtaag aacaagaagc tctgtcaact gaaggtcaag gctggagttc tgaaagcaaa 2520
gagetgtetg gtgttaatga taagtgaaat agttaaagtt agaagateee agttataaga 2580
agcacaaaga ataatgacca tagactcctg aacaagaatg tctggacttc tggcttaggc 2640
actettgttg tatggtccag gccaagttac ctaatetete caggeeteca ttttettate 2700
attaaatgaa gataataaaa gtattttcct cagagagctg taagaataaa ctgagctaac 2760
ccatgtcaag cacatagaat agggcccagc ctatattaat ttatcaataa atgccag
<210> 8
<211> 1970
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> Corresponds to a cDNA detected by cDNA cloning. It
      includes two exons, the last is also present as
      "exon-2" in a human cDNA clone (sequence acc. no.
      BC036936). It is transcribed from the +strand of
      Seq ID 06.doc
<400> 8
atttgaattg gtgaacttag taaagcagac ggctctcacc aataagggca ggcatcatcc 60
```

atttgaattg gtgaacttag taaagcagac ggctctcacc aataagggca ggcatcatcc 60 aatctgtcga aagcttgaat aaaacaaaaa gaggaaggga aaatttgctt cttttcttct 120 tgatctagta tatcatcttc tcctgccctt ggatgtgagt gggccttcag acttaaacca 180 ggagttacac ctttggcttc cctggttctc agttctttgg acttggactg aattacactg 240

```
ccaggtttcc tggttctcca gcttqcaqat ggcagatcat qqqacttctt qqcctccata 300
attgtgtatc cccactgtgt agaqctqqtc cacaatggag aqqaqqaaaa qttttgcatt 360
ggaccaaatc actgccttag aaggaaagag attgcaatcc cattcatttt taagatctgc 420
aatgggttgg gatgataccc atttaaaaaa gaaaaaaaa gaggttacct ctttggcctc 480
tttggcaaag gatatgaact agtaataaag cctcagcatc aaggcttggg agtctggctc 540
aaagtggcta agactagaag catcttctaa cataaatatg gcagcattag gaaaatagct 600
tggcctttag agagacccag attatcttca ccttaaaaac taccaagacc ctggtccagc 660
aagaccacca tcacagcagt aaatacatag ccaccaactt cacagaaggt tttccactga 720
gacattgtga aaaccacaat ccattaccgg tggatgagtc ccagctctct tactacctgg 780
agettecaag caagaettae etgteetttg ttecagattg gtteetggga teetggaeea 840
acacaaagag aagaggaaag cctcaaggga aataaaagtg aaggtttcag tgatagttta 900
aatatatatt tttaaatgtt agcttttttt taaatacttc acagtgatgg atggagtatt 960
tcaaccacaa tggcaaagaa tgaattaccg gcagtgtcag agtttcttgt tgctgtggga 1020
agacagetge catgttgaga ggtgeettgt ggagaggete atgtggegag gaactgagae 1080
tggcttctat ccaacaacca gtgaggaact aaggccctaa agtcctatag tccacaagga 1140
actaaatcct accaacaact acatgagtga gcctggaatc tgattttccc cagtggggac 1200
ttaaggtacc tacaacctgg ctgttatggg ctaaactgca tcctgcccaa atttatatgt 1260
ttgagtctta actcccagca cttcagaaca tggttttgtt tggagacata gtcattaaag 1320
aggtaatgaa gttaaaatga ggtcattagg atgagtccta atccaatagg actggtgttc 1380
ttatatgaag aggaaatttg aacacagaca catatacagg aaagaccatg cgaagaagac 1440
acagagagga aacggccatc tacaatccaa ggagagaggc ctcagaacaa gccaaccctg 1500
cagatacett gatetaggea tecagaattg tatgaaaata catttttgtt atttaageta 1560
cccagtctgt ggtgctttgt tatggcaatc ccagaaaact aattaactaa ttgactgcag 1620
ccttgcaagg gaccctgaac cagaggaccc agttaagcca tgtgcagatt cctgactcac 1680
agaactagga gataacaaat gtttgttgtt ctaaggtgct aaatgttggg aaaatatgtt 1740
atgtggctat gttgttttgc acatgtgcca cataatgatg ttttggtcaa caacagacca 1800
cacatatgat ggtgggccca taagattgta atactgtgtt tctattatgc attctctatt 1860
tatagataca caaatacttg ccactgtgtt acaattgcct actgtcttca gtactgtaac 1920
atgctgtaca ggtttgtagc ccagaagcaa tagactatac catacagtca
<210> 9
<211> 1989
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> Corresponds to a human cDNA sequence (sequence
     acc. no. BC036936). It is transcribed from the
     +strand of Seq_ID_06.doc
<400> 9
tttgcaggcc cggcacagtc tcagttcccc acagcacaga gaggaagcaa ggtctttgca 60
tgccctqttc acttggccaa acattgccct agatgtgcaa ttcaacccat ataaaqcaag 120
cgtaattcaa gagccctgac tctttcacca tttcatgatg gcttattact cgcacacggc 180
attgtcaggt tccagcaact ctgtgtgcag caggcagaaa tgcagtgttt atctctgaca 240
ggcaaacatt cttaggctca tcggcatgag tatccacgct gaactggcta tcggggaagt 300
agatecetge atgggaaagt caaggtatee ecactgtgta gagetggtee acaatggaga 360
ggaggaaaag ttttgcattg gaccaaatca ctgccttaga aggaaagaga ttgcaatccc 420
attcattttt aagatctgca atgggttggg atgataccca tttaaaaaaag aaaaaaaaag 480
aggttacctc tttggcctct ttggcaaagg atatgaacta gtaataaagc ctcagcatca 540
aggettggga gtetggetea aagtggetaa gaetagaage atettetaae ataaatatgg 600
cagcattagg aaaatagctt ggcctttaga gagacccaga ttatcttcac cttaaaaact 660
accaagacce tggtccagca agaccaccat cacagcagta aatacatage caccaactte 720
acagaaggtt ttccactgag acattgtgaa aaccacaatc cattaccggt ggatgagtcc 780
cagetetett actacetgga gettecaage aagaettace tgteetttgt tecagattgg 840
ttcctqggat cctggaccaa cacaaagaga agaggaaagc ctcaagggaa ataaaagtga 900
aggittcagt gatagittaa atatatatti tiaaatgita gcittititi aaatactica 960
cagtgatgga tggagtattt caaccacaat ggcaaagaat gaattaccgg cagtgtcaga 1020
```

gtttcttgtt gctgtgggaa gacagctgcc atgttgagag gtgccttgtg gagaggctca 1080

```
tqtqqcgagg aactgagact gqcttctatc caacaaccag tqaqqaacta aggccctaaa 1140
gicciatagt ccacaaggaa ctaaatccta ccaacaacta catgagtgag cctggaatct 1200
gattttcccc agtggggact taaggtacct acaacctggc tgttatgggc taaactgcat 1260
cctqcccaaa tttatatqtt tqaqtcttaa ctcccaqcac ttcaqaacat ggttttgttt 1320
ggagacatag tcattaaaga ggtaatgaag ttaaaatgag gtcattagga tgagtcctaa 1380
tccaatagga ctggtgttct tatatgaaga ggaaatttga acacagacac atatacagga 1440
aagaccatgc gaagaagaca cagagaggaa acggccatct acaatccaag gagagaggcc 1500
tcagaacaag ccaaccetge agatacettg atctaggeat ccagaattgt atgaaaatac 1560
atttttgtta tttaagctac ccagtctgtg gtgctttgtt atggcaatcc cagaaaacta 1620
attaactaat tgactgcagc cttgcaaggg accctgaacc agaggaccca gttaagccat 1680
gtgcagattc ctgactcaca gaactaggag ataacaaatg tttgttgttc taaggtgcta 1740
aatgttggga aaatatgtta tgtggctatg ttgttttgca catgtgccac ataatgatgt 1800
tttggtcaac aacagaccac acatatgatg gtgggcccat aagattgtaa tactgtgttt 1860
ctattatgca ttctctattt atagatacac aaatacttgc cactgtgtta caattgccta 1920
ctgtcttcag tactgtaaca tgctgtacag gtttgtagcc cagaagcaat agactatacc 1980
atacagtca
<210> 10
<211> 3931
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> Corresponds to a cDNA detected partly by cDNA
      cloning, partly by PCR analysis. It includes two
      exons, the last is identical to the last exon in
      Seq ID 06 and Seq ID 07.doc. It is transcribed
      from the +strand of Seq_ID_06.doc
<400> 10
gaaggtaaaa aaaagaggga ggtctgagaa atagaaatat cagaggaagg aaataaagga 60
gggtgagagt aaattetett ttagcattea gatteeacag atteeacaaa teacatteet 120
ttttttacca actaaggaaa aataacactt gacctaacat ttcattgcag ttagctaaag 180
gatgctagaa aaactatgtt gcagtggttt gctctaattt cttcaggaat agagaaaagt 240
gacaaaaaga tcagagaaga gaagaaagga aactatcaga aaaatacaga attggagtag 300
gatataacat atttgggttg aaggtaaaat tttatattgt aatcttaagt atcttgctac 360
ttcagtttgg tccctggaac agcagcatca gaatctgccg agggcttgtt aaaaaggcag 420
aatotoaggt cocatocoag actoactgaa toagaatata aatactgaca agatgooog 480
ggattcatat gcacagtaga getggcgaag ttccattgta gcctgtgatt gttttctgca 540
acttagtatt tctgagtttt cccaaggaag aaaacccagg ccttagcttc tggcagactt 600
gtgtttctcc tttacttact agctgcatga ctcatgagca aggaaatcaa actttatgtg 660
cctgagtttc ctcatctata aaatggagac tataataatc atctcctagg cttgttttga 720
ggatgttcaa caaatgctcc tttcattcct ctatttacag acctgccgca gacaattctg 780
ctagcagect ttqtqctatt atctgttttc taaacttagt aattgagtgt gatctggaga 840
ctaactctga aataaataag ctgattattt atttattttc tcaaaacaac agaatacgat 900
ttagcaaatt acttettaag atattatttt acatttetat atteteetae eetgagttga 960
tgtgtgagca atatgtcact ttcataaagc caggtataca ttatggacag gtaagtaaaa 1020
aacatattat ttattctacg tttttgtcca aaaattttaa atttcaactg ttgcgcgtgt 1080
gttggtaatg taaaacaaac tcagtacagt agtattcagt acagtattta agcccctgta 1140
cttaaacata ttcctcgtac caatgaagtt acatgaaaag caaatttgtg tgagatatcg 1200
tagatggaag taaattagtc tttatgttcc ccacaaattg aaatgcattt caaaaactct 1260
gtgtgtgtat gtgtgtgtgt gacagagtgt gtgtgagaga gagacagaga gatacgcttt 1320
ggttgcctcc ataagctggc tgctatgatt aataagacca agttttctaa agaaaatgag 1380
atcataacaa aagccctctt tatgactatc ttttatcagg ggcaaaaagg aaagagacaa 1440
aacagcatga aatgatgaga ccaagtgatg aaaattcatt cacaatgatt gctttcaaga 1500
qtaatttctc ttqqqtaatt caqcaqcctq ttactatqqc tctctqqaqt qataqctaat 1560
gtaaatgaag cctctaaaag tggattatcc tgacaagaat atactcaqcc aataatqcaa 1620
cagaaatcca ttcaaagcat tcgggaaaaa ttcaaaagaa taaatattct ttttttttt 1680
ttaaagttaa tgacctacga tccatttctt ccctgactaa caagcagcaa gcacttaaaa 1740
```

```
atatccagee aggatgaaat agaaaeeeae etgaettgtt aatatttttg tttggteeea 1800
gggactcaga ttctaagcca aattctttga atgatcttgg caaatgtctc gaattatttt 1860
tgccaacttt tctttatctt ggaaaaaaag tttcatgaat gggtgtcaaa attgattagt 1920
tttaaaaacc tttcttgcag atacgtatgg caccctaaaa ctgtattaga aaaaaatttc 1980
atatctccag gcctttcatt gggtcaggtt ggcatttcgc tgccctttat gtgtgtgaca 2040
aqtqaaaata aggaaagaaa aaaactcaag tgaagaaaat cagaatctgc gcagcagttc 2100
etgggegttt cagetgette ceacateace tgeeteatea ageceeagea tecateteet 2160
tgctcatctt acaccetgtg tgcatgacag gcccaccatt catttatcag agcaaaggct 2220
ctcccactat tctggttcac ccccctactt agccagatat acaagaatat ctgcacggat 2280
gacctgcctc acctgggagc tcagaggagc tcagattcca ttactatcgc accaaggaca 2340
gateteccag caagaatgae agaaaagaet aactgeeeee aaaateteee ttecaaaaca 2400
cagttetett aatteteeca agaaaceaga atgtgaetge teacetetet aaggaeetga 2460
aaacaactgg ccatttcagc tatttaaatc aactttaaaa aatccaaccg ccaaaatatt 2520
aaaccatttt ggttggaatg ataacataac taacctqctq acaqctqctt ctqctaqqtq 2580
caaaaatgga aaaaaaaata cttctaatca ggtcaaatca ctctaccttt gggattctaa 2640
atttactcat attctcaaag aaatatattc agtcatagtg gggaaaatag gattattcct 2700
ttagctcgat aagcaaccag aagttcttcc ttcaaatctt gacatttaat caatcagaaa 2760
ttgatttttg gaaaactgtt tcctatgaag ctatctctgc ctgaaggatt tttcttttac 2820
aatccagact atagaaggaa attcacaacc tggactttca cctccattgg tcagagtttt 2880
actgaccaat teccaectet geettacaee taaeggaagt ttatgeetgt tttetettea 2940
cataccccaa cagttacaaa tggttgttat tattaagcat cttttattt gtggcctctg 3000
attacatggt cccctaaatt ttgacctaat cacaaaagat tggtaaaatt tcttaacata 3060
ttaataatat tttgtttatg tgtcaatatc ttagcatgta tcaattaaga cagaggtctt 3120
aacgttctct ttttgaaaga gaatattagg attcagagat attaagagat tctcccagga 3180
tcacagttag gtaacagagc tggattttag tccaggtctg tctacagctc taacgtatat 3240
acaccetttg tataacatgt cacgaattca gcataaaggg atettcagtg atetaagtca 3300
ggggtcagca accttttcta aaaaggacca aatagtaata tttcaggctt tgtggaccct 3360
atggtctcta tcataactgt tcaaatcacc atgtagtgta aaaggagcca taagcaaaat 3420
ataaactaac gaatgtggct gttttatggg atttttttt aactctttat ttacaaaagc 3480
aggtggcaga tcagaactca cttatgggcc atagttctct gacccctgac ctgagaaaat 3540
cttatattta tggacaacat ttagactgtg acttgccaag taagaacaag aagctctgtc 3600
aactgaaggt caaggctgga gttctgaaag caaagagctg tctggtgtta atgataagtg 3660
aaatagttaa agttagaaga toccagttat aagaagcaca aagaataatg accatagact 3720
cctgaacaag aatgtctgga cttctggctt aggcactctt gttgtatggt ccaggccaag 3780
ttacctaatc tctccaqqcc tccattttct tatcattaaa tgaagataat aaaagtattt 3840
tcctcagaga gctgtaagaa taaactgagc taacccatgt caagcacata gaatagggcc 3900
cagcctatat taatttatca ataaatgcca g
<210> 11
<211> 9458
.<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> Corresponds to a cDNA detected by cDNA cloning. It
      includes one exon. The sequence includes the last
      two exons in Seq ID 07.doc. It is transcribed from
      the +strand of Seq ID 06.doc
<400> 11
atttgaattg gtgaacttag taaagcagac ggctctcacc aataagggca ggcatcatcc 60
aatotgtoga aagottgaat aaaacaaaaa gaggaaggga aaatttgott ottttottot 120
tgatctagta tatcatcttc tcctgccctt ggatgtgagt gggccttcag acttaaacca 180
ggagttacac ctttggcttc cctggttctc agttctttgg acttggactg aattacactg 240
```

ccaggtttcc tggttctcca gcttgcagat ggcagatcat gggacttctt ggcctccata 300 attgtgtgag tcaatttcca ttttatttac atatccagtt atgcattqct taacaatqqa 360 gacaggttct gagaaatgca ttgttaagtg atttcatcat tgtgcaaaca tcatagagtg 420 taactacaca aacctggaca gcatagacta ctacacatct aggetacatg gtgtagettg 480 taacctcatg ataagtatgt ataacatcat gataagtatg tatgtatcta ccatatctaa 540

atgtagaaaa ggtacagtaa aaatatggta taatcttatg ggatcaccat catatatgca 600 atcetttgta gactgaaatg teattgtgta gtgcatgaet gtataegeae acataeaeaa 660 acacacacaa atatactatt ggttcttttt ctctgaagag ccctaataca atatgttata 720 catttatatt gactctattt caaaatttat ggttttggtg aaacatatgt ggagatgggg 780 cataggtgtg tgaactggga tagtgtcctg ctgatgaatg ggtgggaggc atcatttggg 840 acaagcccag ggcatcagct tatagatatc aagagctcaa caagagcact ttatggcaaa 900 acctcccaca agacctctca gaagttgaga aactgctaaa agtttcttta tgacagatga 960 catttatgga taaaataggg attagcagga ttctttaaat actttcgaac actaaccttc 1020 atttctacca ggcagtgggg ccccaagtgc agggccatag gaagtacaag tctgggagat 1080 actaggetge actgtetgta gagaatetga aaaaataata gagteactga aatgeagttt 1140 ggtataatta ttgccatgca tcataattct aaatcatact agtggtcaaa tactcttccc 1200 tgaaaaaaca ttttcttggt ttgaattcta aataattgtt gtggtcacca ctgaqctttt 1260 aaatatataa atactttcaa gtttgcatat ttttattacc tqttccttaa caaacattga 1320 attcaacatg aaaatgatta tgggaaacat tcgqqtatac agtccctqac tcttaaqqac 1380 tcaggtaaat acttagggta tttcatggcc ctagtctttg gggtaccaca tgtttcttct 1440 tcaaatcaca gattcaaaat caagaatgat aacacagtga ttgtgtagac aaaataagtg 1500 aaccaaaatt gcttgcttct gtcattctat ggaaccactg agagttttta cttgtgctta 1560 aaattttgaa tagtaaaaca gagtgtcaac ttcatgctgg aatatttttg gctttttaga 1620 cacaatttta agtacatgaa gtattttac aagactaaqt aacatcactg aaattacaqc 1680 tttcttcttt ttaaaactgg tatttgttat aaaactaaag agcgaatcaa gaaaagcata 1740 attattactg attattacag gattattact gaaaaagaaa tgtacggaat agaggaggaa 1800 ggagttaaca aatgatecae tetgggtgtt gaaaacacca ataageetge ttecaggaag 1860 tgcctaagac agagetggct cagettgctg ggtcacagca tgtaaggaaa ctgctgggct 1920 acatgccacc atcctcagtt gtccagatag ataatcccat agccccatgg ggaaataatc 1980 tttaattatg atatagetga caccattcaa agcactatge taagteettt atgtgaatta 2040 actittgtca aatttattit tcataaataa cccaaatatg tataccacta ttatcctacc 2100 ttaaagagga gaaactgagc tcctaaagtt taaatatcta acccaagtta agactgctag 2160 teacectagg ctattaacte aggeagteta acteaggtat aataacatta tgetactgtt 2220 tgcagctttg actatgcctg aattataacg tcatgctatc taactaaaaa gctaagggaa 2280 ataaaatgag ccatagggct caatttcata aaaggagaga aaatactggg gaaaagtgat 2340 aatgcagagt ttaaaatatt tttgtaaaag tgccagagat tgagtataac aagtgtgacc 2400 agaaatatca gaggaaggaa ataaaggagg gtgagagtaa attctctttt agcattcaga 2520 ttccacagat tccacaaatc acatttcttt ttttaccaac taaggaaaaa taacacttga 2580 cctaacattt cattgcagtt agctaaagga tgctagaaaa actatgttgc agtggtttgc 2640 ctatcagaaa aatacagaat tggagtagga tataacatat ttgggttgaa ggtaaaattt 2760 tatattgtaa tettaagtat ettgetaett eagtttggte eetggaacag eageateaga 2820 atetgeegag ggettgttaa aaaggeagaa teteaggtee cateeeagae teaetgaate 2880 agaatataaa tactgacaaq atqccccqqq attcatatqc acaqtaqaqc tqqcqaaqtt 2940 ccattgtagc ctgtgattgt tttctgcaac ttagtatttc tgagttttcc caaggaagaa 3000 aacceaggcc ttagettetg geagacttgt gttteteett taettaetag etgeatgaet 3060 catgagcaag gaaatcaaac tttatgtgcc tgagtttcct catctataaa atggagacta 3120 taataatcat ctcctaggct tgttttgagg atgttcaaca aatgctcctt tcattcctct 3180 atttacaqac ctgccqcaqa caattctgct agcagccttt gtgctattat ctgttttcta 3240 aacttagtaa ttgagtgtga tctggagact aactctgaaa taaataagct gattatttat 3300 ttattttctc aaaacaacag aatacgattt agcaaattac ttcttaagat attatttac 3360 atttctatat tctcctaccc tgagttgatg tgtgagcaat atgtcacttt cataaagcca 3420 ggtatacatt atggacaggt aagtaaaaaa catattattt attctacgtt tttgtccaaa 3480 aattttaaat ttcaactgtt gcgcgtgtgt tggtaatgta aaacaaactc agtacagtag 3540 tattcagtac agtatttaag cccctgtact taaacatatt cctcgtacca atgaagttac 3600 atgaaaagca aatttgtgtg agatatcgta gatggaagta aattagtctt tatgttcccc 3660 acaaattgaa atgcatttca aaaactctgt gtgtgtatgt gtgtgtgtga cagagtgtgt 3720 gtgagagaga gacagagaga tacgctttgg ttgcctccat aagctggctg ctatgattaa 3780 taagaccaag ttttctaaag aaaatgagat cataacaaaa gccctcttta tgactatctt 3840 ttatcagggg caaaaaggaa agagacaaaa cagcatgaaa tgatgagacc aagtgatgaa 3900 aattcattca caatgattgc tttcaagagt aatttctctt gggtaattca gcagcctgtt 3960 actatggctc tctggagtga tagctaatgt aaatgaagcc tctaaaagtg gattatcctg 4020 acaagaatat actcagccaa taatgcaaca gaaatccatt caaagcattc gggaaaaatt 4080 caaaagaata aatattottt ttttttttt aaagttaatg acctacgato catttottoo 4140 ctgactaaca agcagcaagc acttaaaaat atccagccag gatgaaatag aaacccacct 4200

gacttgttaa tatttttgtt tggtcccagg gactcagatt ctaagccaaa ttctttgaat 4260 gatettggca aatgtetega attatttttg eeaactttte tttatettgg aaaaaaagtt 4320 tcatgaatgg gtgtcaaaat tgattagttt taaaaacctt tcttgcagat acgtatggca 4380 ccctaaaact gtattagaaa aaaagtaagt actctgtagt gtgaaaaatt cttaaaggac 4440 accetetttt acaaacteac aaaaacagee tttgqaatac ceacatgaag tagetgttgt 4500 tattgctttc tatataccta catcttgtct attataaaaa gactggtttt tggcaggtgt 4560 ggtggctcac acctgtaatt ccagcacttt gggaggccaa ggcgggcgga tcacctgaga 4620 tcaggagttc aggaccagcc tgatcaatat ggtgaaaccc agtctttact gaaaatacaa 4680 aaatcacccg ggtgtggtga cgggcgcctg tagtcccagc tactcgggta gctgaggcag 4740 gagaatcact tgaactcagg agtcagaggt tgcagtgagc tgagatcatg ccactgcact 4800 tcaacageta tteecaceee tetgeatgga aatatteace cagteaattg tttteetagt 4920 ttgggtaatg gccctctggg caggactgga gtggggcaca caggagaagc tgcaaactat 4980 gtttagaagc atgtctggga aatgtcatgc aagaaaagac atatttaaag gtaggctttg 5040 agcaaaagtg gggaagcaag aggaattatg cttttcatca gccaaatttg caggtaggag 5160 gattggctca gtcatcttgg ctgaggctca tgaaaccagg tgtaaagaaa gtggactaga 5220 ttaatttcat ccattacagg aagaggagcc gtgaaagata atccagaaat cattgggatt 5280 tgatggtaga aggtattttg ggactattcc atttgaaatg agaaggtacc tgacattctt 5340 tgaatteett teaageaaag gattaaattt acceatgagt tgaeteagaa aaaacataaa 5400 aagtattqtt gctctgctca gagttttatc taactcattc tcacttctta ttccatgatg 5460 tagctacctg ggcagagctg ttttatttct ctatgccgtg gagagaaatt ggttaattgg 5580 ccatggaagg cagtcattaa gatgttccca tgcgagtgaa ctttccaggg ttcccagctt 5640 ctgcatcctt ccctgtccct caattccatt gttggtgatg acaatgtctc tcccatcagc 5700 ctcatgaagt tetetetat ttattaaaat ttgettteag gaaaaatttt gaaaatgtgt 5760 ccagtaatgc ctgattggcc ccttatccta aaggcttaaa ctggaggaag gaagctaaac 5820 tgagaaatct tgcaaatcat tgagccaaaa acgtattaat agcaagatct atcatttatt 5880 gactagtatg tggcaggcag tgccctttta tttaggcagg gagagttgat gggggggcg 5940 gggttcacac atcttaaaga ggtgctatct cctcctatat aaatcatgta agtcaagaga 6000 gtaaggaatt gtctttgttt ggttatattc aggggattag agtatacagt agaagatccc 6060 aagaaacctt gggatcattt tagactaaga aatgccaata ccgccgggcg cggtggctca 6120 cgcctgtaat cccagcactt tgagaggccg aggtgggcgg atcacaaggt caggagattg 6180 agaccytcct gyctaacyty gtgaaaccct gtctctacta aaaatacaaa aaattagccy 6240 ggcgtggtgg cgggcgcctg tagtcccagc tactcgggag gcggaggcag gagaatggtg 6300 tgaactcagg aggcggagct tgcagtcagc cgagattgcc ccaatgcact ccagcctggg 6360 cgacagaacg agactccgtc tcagaacaaa acaaaaggaa atgccaatac cagcagaaat 6420 agagccaaat catgaacata agctaaacaa atgttggcag tgtagcctag tggttaagag 6480 agcagactet taactagaac actgcactec atgteeteac tgtagaceet cactgtgggg 6540 ttctaattaa cccctgttac ttaccagtgg cagtcttaag gcattcctta agttcgttgt 6600 gccccaattt gttcatctgt agaaggggta ggatgacagt agtgtttact ttataggctt 6660 actgtgagca ttaaatgagt tactactgta tttgtaaagt gcttaaaatg ctgctccaaa 6720 agagtttgtt aaacacttaa gaactgattt acttgcatct aaactgacag ctctcaataa 6780 ctggaaatga tcaagcatag gccctggaat ataagcaggt ctacatgaag gcaaaaatgt 6840 tegtttettt tgtteageee tgtgeetaga teaatateta gtgateatge teaagaaata 6900 ttgttgaatg aatcaatgaa cctaccgagg tagttacata aaagagttct gcatgagtac 6960 aaatctgggc aaagtgacct ccaaggaaat ttccactttt agattctgtg atttccttaa 7020 ggaactgata aattggtgtg atacaatgta aaaaaatgtg cctatatgat ttgagaaaaa 7080 ctecetteet teeteeetee etecetteet teettetett tettettte tttettett 7200 cttecttet ttgtgeettt etttettet ttettette tetgteettt etttetteet 7320 gcagaccatg totgttagat gaatgcottt ttotagttaa aaqqttaaac aqqaaaqtga 7440 agcacaatta tcaagggtct ccagtcatct ccacatgttc ttaatcatta tcttctttta 7500 cagtttcata tetecaggee tttcattggg teaggttgge atttcgetge cetttatgtg 7560 tgtgacaagt gaaaataagg aaagaaaaaa actcaagtga agaaaatcag aatctgcgca 7620 geagtteetg ggegttteag etgetteeca cateacetge eteateaage eccageatee 7680 atctccttgc tcatcttaca ccctgtgtgc atgacaggcc caccattcat ttatcagagc 7740 aaaggetete ceactattet ggtteacee cetaettage cagatataca agaatatetg 7800 caeggatgac etgeeteace tgggagetea gaggagetea gattecatta etategeace 7860

```
aaggacagat ctcccagcaa gaatgacaga aaagactaac tgcccccaaa atctcccttc 7920
caaaacacag ttctcttaat tctcccaaga aaccagaatg tgactgctca cctctctaag 7980
gacctgaaaa caactggcca tttcagctat ttaaatcaac tttaaaaaat ccaaccgcca 8040
aaatattaaa ccattttggt tggaatgata acataactaa cctgctgaca gctgcttctg 8100
ctaggtgcaa aaatggaaaa aaaaatactt ctaatcaggt caaatcactc tacctttggg 8160
attctaaatt tactcatatt ctcaaagaaa tatattcagt catagtgggg aaaataggat 8220
tattccttta gctcgataag caaccagaag ttcttccttc aaatcttgac atttaatcaa 8280
tcagaaattg atttttggaa aactgtttcc tatgaagcta tctctgcctg aaggattttt 8340
cttttacaat ccagactata gaaggaaatt cacaacctgg actttcacct ccattggtca 8400
gagttttact gaccaattcc cacctctgcc ttacacctaa cggaagttta tgcctgtttt 8460
ctcttcacat accccaacag ttacaaatgg ttgttattat taagcatctt ttattttgtg 8520
gcctctgatt acatggtccc ctaaattttg acctaatcac aaaagattgg taaaatttct 8580
taacatatta ataatatttt gtttatgtgt caatatctta gcatgtatca attaagacag 8640
aggtettaac gttetettt tgaaagagaa tattaggatt cagagatatt aagagattet 8700
cccaqgatca cagttaggta acagactgq attttagtcc aggtctgtct acagctctaa 8760
cgtatataca ccctttgtat aacatgtcac gaattcagca taaagggatc ttcagtgatc 8820
taagtcaggg gtcagcaacc ttttctaaaa aggaccaaat agtaatattt caggctttgt 8880
ggaccctatg gtctctatca taactgttca aatcaccatg tagtgtaaaa ggagccataa 8940
qcaaaatata aactaacgaa tgtggctgtt ttatgggatt tttttttaac tctttattta 9000
caaaagcagg tggcagatca gaactcactt atgggccata gttctctgac ccctgacctg 9060
agaaaatctt atatttatgg acaacattta gactgtgact tgccaagtaa gaacaagaag 9120
ctctqtcaac tqaaqqtcaa qqctqqaqtt ctqaaaqcaa aqaqctqtct qqtqttaatg 9180
ataaqtqaaa taqttaaaqt taqaaqatcc caqttataaq aaqcacaaaq aataatgacc 9240
atagactect gaacaagaat gtetggactt etggettagg caetettgtt gtatggteca 9300
ggccaagtta cctaatctct ccaggcctcc attttcttat cattaaatga agataataaa 9360
agtattttcc tcagagagct gtaagaataa actgagctaa cccatgtcaa gcacatagaa 9420
tagggcccag cctatattaa tttatcaata aatgccag
```

```
<210> 12
<211> 552
<212> DNA
<213> Homo sapiens
<220>
<221> exon
<222> (0)...(0)
<223> Exon 1
<400> 12
attatgtaga accattccaa tcctgagtga caggatttgc aaagacagct gttgggctcc 60
acaaacattt ggaggaggg aaaatgtgag gttggttgct acattctcct acttctttt 120
actgaaagga acagctgcga tetteacatg taagatgaag taaacaaaag etgacaatge 180
ccagcaccat tcagcagtaa gcattcaaat ggatttttcc tcaccgcgtt tgcaggcccg 240
gcacagtete agttececae ageacagaga ggaageaagg tetttgeatg eeetgtteae 300
ttggccaaac attgccctag atgtqcaatt caacccatat aaagcaagcg taattcaaga 360
qccctqactc tttcaccatt tcatqatqqc ttattactcq cacacqqcat tqtcaqqttc 420
cagcaactct qtqtqcaqca qqcaqaaatg caqtqtttat ctctqacagg caaacattct 480
taggeteate ggeatgagta tecaegetga aetggetate ggggaagtag atecetgeat 540
gggaaagtca ag
<210> 13
<211> 305
```

<212> DNA

<220>
<221> exon
<222> (0)...(0)
<223> Exon la

<213> Homo sapiens

```
<400> 13
atttgaattg gtgaacttag taaagcagac ggctctcacc aataagggca ggcatcatcc 60
aatctgtcga aagcttgaat aaaacaaaaa gaggaaggga aaatttgctt cttttcttct 120
tgatctagta tatcatcttc tcctgccctt ggatgtgagt gggccttcag acttaaacca 180
ggagttacac ctttggcttc cctggttctc agttctttgg acttqqactg aattacactg 240
ccaggittcc tggttctcca gcttgcagat ggcagatcat gggacttctt ggcctccata 300
attgt
<210> 14
<211> 307
<212> DNA
<213> Homo sapiens
<220>
<221> exon
<222> (0)...(0)
<223> Exon 1b
<400> 14
atttgaattg gtgaacttag taaagcagac ggctctcacc aataagggca ggcatcatcc 60
aatctqtcqa aaqcttqaat aaaacaaaaa qaqqaaqqqa aaatttqctt cttttcttct 120
tgatctagta tatcatcttc tcctgccctt ggatgtgagt gggccttcag acttaaacca 180
ggagttacac ctttggcttc cctggttctc agttctttgg acttggactg aattacactg 240
ccaggtttcc tggttctcca gcttgcagat ggcagatcat gggacttctt ggcctccata 300
attgtgt
<210> 15
<211> 557
<212> DNA
<213> Homo sapiens
<220>
<221> exon
<222> (0)...(0)
<223> Exon 2
<400> 15
gggcaaaaag gaaagagaca aaacagcatg aaatgatgag accaagtgat gaaaattcat 60
tcacaatgat tgctttcaag agtaatttct cttgggtaat tcagcagcct gttactatgg 120
ctctctggag tgatagctaa tgtaaatgaa gcctctaaaa gtggattatc ctgacaagaa 180
tatactcago caataatgca acagaaatco attcaaagca ttcgggaaaa attcaaaaga 240
ataaatattc ttttttttt tttaaagtta atgacctacg atccatttct tccctgacta 300
acaagcagca agcacttaaa aatatccagc caggatgaaa tagaaaccca cctgacttgt 360
taatattttt gtttggtccc agggactcag attctaagcc aaattctttg aatgatcttg 420-
gcaaatgtct cgaattattt ttgccaactt ttctttatct tggaaaaaaa gtttcatgaa 480
tgggtgtcaa aattgattag ttttaaaaac ctttcttgca gatacgtatg gcaccctaaa 540
actgtattag aaaaaaa
<210> 16
<211> 1955
<212> DNA
<213> Homo Sapiens
<220>
<221> exon
<222> (0)...(0)
<223> Exon 3
<400> 16
tttcatatct ccaggccttt cattgggtca ggttggcatt tcgctgccct ttatgtgtgt 60
```

```
gacaagtgaa aataaggaaa gaaaaaaact caagtgaaga aaatcagaat ctgcgcagca 120
gttcctgggc gtttcagctg cttcccacat cacctgcctc atcaaqcccc agcatccatc 180
teettgetea tettacacce tgtgtgeatg acaggeecac catteattta teagageaaa 240
ggetetecca etattetggt teaccecect aettagecag atatacaaga atatetgcae 300
ggatgacctg cctcacctgg gagctcagag gagctcagat tccattacta tcgcaccaag 360
gacagatete ecageaagaa tgacagaaaa gactaactge ecceaaaate teeetteeaa 420
aacacagttc tcttaattct cccaagaaac cagaatgtqa ctgctcacct ctctaaggac 480
ctgaaaacaa ctggccattt cagctattta aatcaacttt aaaaaatcca accgccaaaa 540
tattaaacca ttttqqttqq aatgataaca taactaacct gctgacagct gcttctgcta 600
ggtgcaaaaa tggaaaaaaa aatacttcta atcaggtcaa atcactctac ctttgggatt 660
ctaaatttac tcatattctc aaagaaatat attcagtcat agtggggaaa ataggattat 720
teetttaget egataageaa eeagaagtte tteetteaaa tettgacatt taateaatea 780
gaaattgatt tttggaaaac tgtttcctat gaagctatct ctgcctgaag gatttttctt 840
ttacaatcca gactatagaa ggaaattcac aacctggact ttcacctcca ttggtcagag 900
ttttactgac caattcccac ctctgcctta cacctaacgg aagtttatgc ctgttttctc 960
ttcacatacc ccaacagtta caaatggttg ttattattaa gcatctttta ttttgtggcc 1020
tetgattaca tggteeceta aattttgace taateacaaa agattggtaa aatttettaa 1080
catattaata atattttgtt tatgtgtcaa tatcttagca tgtatcaatt aagacagagg 1140
tcttaacgtt ctcttttga aagagaatat taggattcag agatattaag agattctccc 1200
aggatcacag ttaggtaaca gagctggatt ttagtccagg tctgtctaca gctctaacgt 1260
atatacacco tttgtataac atgtcacgaa ttcagcataa agggatette agtgatetaa 1320
qtcaqqqqtc aqcaaccttt tctaaaaaqq accaaataqt aatatttcaq gctttgtgga 1380
ccctatggtc tctatcataa ctgttcaaat caccatgtag tgtaaaagga gccataagca 1440
aaatataaac taacgaatgt ggctgtttta tgggattttt ttttaactct ttatttacaa 1500
aagcaggtgg cagatcagaa ctcacttatg ggccatagtt ctctgacccc tgacctgaga 1560
aaatcttata tttatggaca acatttagac tgtgacttgc caagtaagaa caagaagctc 1620
tgtcaactga aggtcaaggc tggagttctg aaagcaaaga gctgtctggt gttaatgata 1680
agtgaaatag ttaaagttag aagatcccag ttataagaag cacaaagaat aatgaccata 1740
gactcctgaa caagaatgtc tggacttctg gcttaggcac tcttgttgta tggtccaggc 1800
caagttacct aatctctcca ggcctccatt ttcttatcat taaatgaaga taataaaagt 1860
attttcctca gagagctgta agaataaact gagctaaccc atgtcaagca catagaatag 1920
ggcccagcct atattaattt atcaataaat gccag
<210> 17
<211> 366
<212> DNA
<213> Homo sapiens
<220>
<221> CDS
<222> (0)...(0)
<400> 17
atgttcaaca aatgctcctt tcattcctct atttacagac ctgccgcaga caattctgct 60
agcageettt gtgetattat etgtttteta aacttagtaa ttgagtgtga tetggagaet 120
aactctgaaa taaataagct gattatttat ttattttctc aaaacaacag aatacgattt 180
agcaaattac ttcttaagat attattttac atttctatat tctcctaccc tgagttgatg 240
tgtgagcaat atgtcacttt cataaagcca ggtatacatt atggacaggt aagtaaaaaa 300
catattattt attctacqtt tttqtccaaa aattttaaat ttcaactqtt qcqcqtqtgt 360
tggtaa
<210> 18
<211> 1253
<212> DNA
<213> Homo sapiens
<220>
<221> exon
<222> (0)...(0)
<223> ESTbc03936 Exon 2
```

```
<400> 18
tatccccact gtgtagagct ggtccacaat ggagaggagg aaaagttttg cattggacca 60
aatcactgcc ttagaaggaa agagattgca atcccattca tttttaagat ctgcaatggg 120
ttgggatgat acccatttaa aaaagaaaaa aaaagaggtt acctctttgg cctctttggc 180
aaaggatatg aactagtaat aaagcctcag catcaagget tgggagtetg getcaaagtg 240
gctaagacta qaagcatctt ctaacataaa tatggcagca ttaggaaaat agcttggcct 300
ttagagagac ccagattatc ttcaccttaa aaactaccaa gaccctggtc cagcaagacc 360
accatcacag cagtaaatac atagccacca acttcacaga aggttttcca ctgagacatt 420
gtgaaaacca caatccatta ccggtggatg agtcccagct ctcttactac ctggagcttc 480
caagcaagac ttacctgtcc tttgttccag attggttcct gggatcctgg accaacacaa 540
agagaagagg aaagcctcaa gggaaataaa agtgaaggtt tcagtgatag tttaaatata 600
tatttttaaa tgttagcttt tttttaaata cttcacggtg atggatggag tatttcaacc 660
acaatggcaa agaatgaatt accggcagtg tcagagtttc ttgttgctgt gggaagacag 720
ctgccatgtt gagaggtgcc ttgtggagag gctcatgtgg cgaggaactg agactggctt 780
ctatccaaca accaqtqaqq aactaagqcc ctaaaqtcct atagtccaca aggaactaaa 840
tectaceaac aactacatga gtgageetgg aatetgattt teeceagtgg ggaettaagg 900
tacctacaac ctggctgtta tgggctaaac tgcatcctgc ccaaatttat atgtttgagt 960
cttaactccc agcacttcag aacatggttt tgtttggaga catagtcatt aaagaggtaa 1020
tgaagttaaa atgaggtcat taggatgagt cctaatccaa taggactggt gttcttatat 1080
gaagaggaaa tttgaacaca gacacatata caggaaagac catgcgaaga agacacagag 1140
aggaaacggc catctacaat ccaaggagag aggcctcaga acaagccaac cctgcagata 1200
ccttgatcta ggcatccaga attgtatgaa aatacatttt tgttatttaa gct
<210> 19
<211> 21
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> siRNA targeting Exon 1
<400> 19
aauaagggca ggcaucaucc a
<210> 20
<211> 21
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> siRNA targeting Exon 1 B
<400> 20
                                                                   21
aauuacacug ccagguuucc u
<210> 21
<211> 21
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> siRNA targeting Exon 2 A
<400> 21
                                                                   21
aauucauuca caaugauugc u
```

```
<210> 22
<211> 21
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> siRNA targeting Exon 2 B
<400> 22
                                                                    21
aauuucucuu ggguaauuca g
<210> 23
<211> 21
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> siRNA targeting Exon 3 (DDend) A
<400> 23
                                                                    21
aaaaucagaa ucugcgcagc a
<210> 24
<211> 21
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> siRNA targeting Exon 3 (DDend) B
<400> 24
                                                                    21
aaugaugaug ggaagaagga a
<210> 25
<211> 21
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
<222> (0)...(0)
<223> siRNA targeting CDS A
<400> 25
                                                                    21
aaacuuagua auugagugug a
<210> 26
<211> 21
<212> RNA
<213> Homo sapiens
<220>
<221> mRNA
```

```
<222> (0)...(0)
<223> siRNA targeting CDS B
<400> 26
aauaugucac uuucauaaag c
                                                                   21
<210> 27
<211> 14
<212> DNA
<213> Homo sapiens
<220>
<221> primer_bind
<222> (0)...(0)
<223> Exon overlapping oligonucleotide primer F26
<400> 27
                                                                   14
agacggctct cacc
<210> 28
<211> 21
<212> DNA
<213> Homo sapiens
<220>
<221> primer_bind
<222> (0)...(0)
<223> Exon overlapping oligonucleotide primer FDP5
<400> 28
cacttgtcac acacataaag g
                                                                   21
<210> 29
<211> 21
<212> DNA
<213> Homo sapiens
<220>
<221> primer_bind
<222> (0)...(0)
<223> cDNA oligonucleotide primer FDP5
<400> 29
                                                                   21
cctttatgtg tgtgacaagt g
<210> 30
<211> 22
<212> DNA
<213> Homo sapiens
<220>
<221> primer_bind
<222> (0)...(0)
<223> cDNA oligonucleotide primer F10
atccagccag gatgaaatag aa
                                                                   22
<210> 31
<211> 20
<212> DNA
```

```
<213> Homo sapiens
<220>
<221> primer_bind
<222> (0) ... (0)
<223> upstream primer human VH family leader sequence
      VH1
<400> 31
                                                                     20
ccatggactg gacctggagg
<210> 32
<211> 21
<212> DNA
<213> Homo sapiens
<220>
<221> primer_bind
<222> (0) ... (0)
<223> upstream primer human VH family leader sequence
      VH2
<400> 32
                                                                     21
atggacatac tttgttccag c
<210> 33
<211> 20
<212> DNA
<213> Homo sapiens
<220>
<221> primer_bind
<222> (0) ... (0)
<223> upstream primer human VH family leader sequence
<400> 33
ccatggagtt tgggctgagc
                                                                     20
<210> 34
<211> 20
<212> DNA
<213> Homo sapiens
<220>
<221> primer_bind
<222> (0)...(0)
<223> upstream primer human VH family leader sequence
<400> 34
                                                                     20
atgaaacacc tgtggttctt
<210> 35
<211> 20
<212> DNA
<213> Homo sapiens
<220>
<221> primer_bind
<222> (0) ... (0)
```

<223> upstream primer human VH family leader sequence VH5	
<400> 35 atggggtcaa ccgcgatcct	20
<210> 36 <211> 20 <212> DNA <213> Homo sapiens	
<220> <221> primer_bind <222> (0)(0) <223> upstream primer human VH family leader sequence VH6	
<400> 36 atgtctgtct ccttcctcat	20
<210> 37 <211> 21 <212> DNA <213> Homo sapiens	
<220> <221> primer_bind <222> (0)(0) <223> down stream primer C1	
<400> 37 gaggeteage gggaagaeet t	21
<210> 38 <211> 21 <212> DNA <213> Homo sapiens	
<220> <221> primer_bind <222> (0)(0) <223> down stream primer C 2	
<400> 38 ggggaagacc gatgggcccc t	21
<210> 39 <211> 20 <212> DNA <213> Homo sapiens	
<220> <221> primer_bind <222> (0)(0) <223> northern blot primer	
<400> 39 tcacctggga gctcagagga	20
<210> 40 <211> 20	

25

48/48

<400> 41

tacattacca acacacgcgc aacag

<212> DNA
<213> Homo sapiens

<220>
<221> primer_bind
<222> (0)...(0)
<223> northern blot primer

<400> 40
gtgatcctgg gagaatctct 20

<210> 41
<211> 25
<212> DNA
<213> Homo sapiens

<220>
<221> primer_bind
<222> (0)...(0)
<223> RACE antisence primer